

## **ACCIDENTES CEREBRO- VASCULAR: Medidas de prevención, epidemiología, costos, rehabilitación y mortalidad**

### **ACCIDENTE CEREBROVASCULAR/ economía**

Buntin MB, Colla CH, Deb P, Sood N, Escarce JJ. Medicare spending and outcomes after postacute care for stroke and hip fracture. *Med Care* [Internet]. 2010 [citado 5 Nov 2010];48(9):[aprox. 5 p.]. Disponible en: <http://hinari-gw.who.int/whalecomovidsp.t.x.ovid.com/whalecom0/sp-3.2.4b/ovidweb.cgi?T=JS&PAGE=fulltext&D=ovft&AN=0005650-201009000-00004&NEWS=N&CSC=Y&CHANNEL=PubMed>

Demaerschalk BM, Hwang HM, Leung G. Cost analysis review of stroke centers, telestroke, and rt-PA. *Am J Manag Care* [Internet]. 2010 [citado 5 Nov 2010];16(7):[aprox. 8 p.]. Disponible en:

[http://www.ajmc.com/media/pdf/AJMC\\_10DemaerschalkAnal\\_537to.pdf](http://www.ajmc.com/media/pdf/AJMC_10DemaerschalkAnal_537to.pdf)

Demaerschalk BM, Hwang HM, Leung G. US cost burden of ischemic stroke: a systematic literature review. *Am J Manag Care* [Internet]. 2010 [citado 5 Nov 2010];16(7):[aprox. 9 p.]. Disponible en: [http://www.ajmc.com/media/pdf/AJMC\\_10DemaerschalkBurdn\\_525.pdf](http://www.ajmc.com/media/pdf/AJMC_10DemaerschalkBurdn_525.pdf)

Dobkin BH. Does spasticity itself raise the cost of stroke care 4-fold? [letter]. *Stroke* [Internet]. 2010 [citado 6 Nov 2010];41(7):[aprox. 2 p.]. Disponible en: <http://hinari-gw.who.int/whalecomstroke.ahajournals.org/whalecom0/cgi/reprint/41/7/e470>

Gardner MA, Hills NK, Sidney S, Johnston SC, Fullerton HJ. The 5-year direct medical cost of neonatal and childhood stroke in a population-based cohort. *Neurology* [Internet]. 2010 [citado 7 Nov 2010];74(5):[aprox. 7 p.]. Disponible en: <http://hinari-gw.who.int/whalecomovidsp.t.x.ovid.com/whalecom0/sp-3.2.4b/ovidweb.cgi?T=JS&PAGE=fulltext&D=ovft&AN=0006114-201002020-00006&NEWS=N&CSC=Y&CHANNEL=PubMed>

Günzel F, Theiss S, Knüppel P, Halberstadt S, Rose G, Raith M. [Telemedicine in acute

stroke care--a health economics view]. *Dtsch Med Wochenschr* [Internet]. 2010 [citado 7 Nov 2010];135(3):[aprox. 7 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.thieme-connect.com/whalecom1/ejournals/pdf/dmw/doi/10.1055/s-0029-1244822.pdf>

Hankey GJ. Replacing aspirin and warfarin for secondary stroke prevention: is it worth the costs?. *Curr Opin Neurol* [Internet]. 2010 [citado 5 Nov 2010];23(1):[aprox. 8 p.]. Disponible en: <http://hinari-gw.who.int/whalecomovidsp.t.x.ovid.com/whalecom0/sp-3.2.4b/ovidweb.cgi?T=JS&PAGE=fulltext&D=ovft&AN=0019052-201002000-00013&NEWS=N&CSC=Y&CHANNEL=PubMed>

Kamel H, Hegde M, Johnson DR, Gage BF, Johnston SC. Cost-effectiveness of outpatient cardiac monitoring to detect atrial fibrillation after ischemic stroke. *Stroke* [Internet]. 2010 [citado 8 Nov 2010];41(7):[aprox. 8 p.]. Disponible en: <http://hinari-gw.who.int/whalecomstroke.ahajournals.org/whalecom0/cgi/reprint/41/7/1514>

Koton S, Bornstein NM, Tsabari R, Tanne D. NASIS Investigators. Derivation and validation of the prolonged length of stay score in acute stroke patients.

Neurology [Internet]. 2010 [citado 5 Nov 2010];74(19): [aprox. 6 p.]. Disponible en: <http://hinari-gw.who.int/whalecomovidsp.t.x.ovid.com/whalecom0/sp-3.2.4b/ovidweb.cgi?T=JS&PAGE=fulltext&D=ovft&AN=0006114-201005110-00007&NEWS=N&CSC=Y&CHANNEL=PubMed>

Low RB, Qureshi AI, Low DC. Limits to international estimates of stroke costs [editorial]. Stroke [Internet]. 2010 [citado 7 Nov 2010]; 41(2):[aprox. 3 p.]. Disponible en: <http://hinari-gw.who.int/whalecomstroke.a.hajournals.org/whalecom0/cgi/reprint/41/2/201>

Lundström E. International comparisons of stroke costs are always limited [letter]. Stroke [Internet]. 2010 [citado 7 Nov 2010];41(7):[aprox. 2 p.].

#### **DIRECTORA**

**Bárbara Lazo Rodríguez**

#### **EDITORA**

**Margarita Pobeá Reyes**

#### **COMPILACIÓN**

**Aurea Ramos Boch**

#### **CONFECCIÓN Y DISEÑO**

**Mercedes Martínez Martos**

*Publicación mensual, contiene informaciones bibliográficas de documentos que se encuentran en la Biblioteca Médica Nacional y sus temas responden a las líneas de investigación priorizadas del Ministerio de Salud Pública, es editado por el área de Servicios Bibliotecarios y está disponible en su sitio web por la Red Telemática de Salud.*

©1994-2010

**Biblioteca Médica Nacional  
Dirección: 23 esq. N. Vedado,  
La Habana, Cuba.**

**Teléfono: (537) 8324317**

**Email: mpobeá@infomed.sld.cu**

Disponible en: <http://hinari-gw.who.int/whalecomstroke.a.hajournals.org/whalecom0/cgi/reprint/41/7/e472>

Mar J, Arrospide A, Comas M. Budget impact analysis of thrombolysis for stroke in Spain: a discrete event simulation model. Value Health [Internet]. 2010 [citado 10 Nov 2010];13(1):[aprox. 8 p.]. Disponible en: <http://hinari-gw.who.int/whalecomonlinelibrary.wiley.com/whalecom0/doi/10.1111/j.1524-4733.2009.00655.x/pdf>

Tung YC, Chang GM. The effect of cuts in reimbursement on stroke outcome: a nationwide population-based study during the period 1998 to 2007. Stroke [Internet]. 2010 [citado 8 Nov 2010];41(3):[aprox. 7 p.]. Disponible en: <http://hinari-gw.who.int/whalecomstroke.a.hajournals.org/whalecom0/cgi/reprint/41/3/504>

#### **ACCIDENTE CEREBROVASCULAR/epidemiología**

Bhatt DL, Eagle KA, Ohman EM, Hirsch AT, Goto S, Mahoney EM, et al. REACH Registry Investigators. Comparative determinants of 4-year cardiovascular event rates in stable outpatients at risk of or with atherothrombosis. JAMA [Internet]. 2010 [citado 12 Nov 2010];304(12):[aprox. 9 p.]. Disponible en: <http://hinari-gw.who.int/whalecomjama.a-assn.org/whalecom0/cgi/reprint/304/12/1350>

Brinjikji W, Rabinstein AA, Meyer FB, Piepgras DG, Lanzino G. Risk of early carotid endarterectomy for symptomatic carotid stenosis. Stroke

[Internet]. 2010 [citado 10 Nov 2010];41(10):[aprox. 6 p.]. Disponible en: <http://hinari-gw.who.int/whalecomstroke.a.hajournals.org/whalecom0/cgi/reprint/41/10/2186>

Feigin VL, Krishnamurthi R. Public health strategies could reduce the global stroke epidemic. Lancet Neurol [Internet]. 2010 [citado 9 Nov 2010];9(9): [aprox. 2 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?ob=MImg&imagekey=B6X3F-50SXDKN-2-4&cdi=7297&user=2778716&pii=S1474442210701903&origin=search&coverDate=09%2F30%2F2010&sk=999909990&view=c&wchp=dGLbVlz-zSkzS&md5=45411bfcbbf83e7d1cfdccb7b285674&te=sdarticle.pdf>

Insulin resistance a possible causal and treatable risk factor for ischemic stroke. [editorial] Arch Neurol [Internet]. 2010 [citado 15 Nov 2010];67(10): [aprox. 2 p.]. Disponible en: <http://hinari-gw.who.int/whalecomarchneur.ama-assn.org/whalecom0/cgi/reprint/67/10/1177>

López Argüelles J, Rojas Fuentes J, Verdecia Fraga R. Los niveles de ácido úrico y su relación con la discapacidad en la fase aguda de la enfermedad cerebrovasculares. Medisur [Internet]. 2010 [citado 13 Nov 2010];8(1):[aprox. 5 p.]. Disponible en: <http://www.medisur.sld.cu/index.php/medisur/article/view/854/5692>

Ovbiagele B, Lyden PD, Saver JL. Disability status at 1 month is a reliable proxy for final ischemic stroke outcome.

- Neurology [Internet]. 2010 [citado 12 Nov 2010];75(8): [aprox. 5 p.]. Disponible en: <http://hinari-gw.who.int/whalecomovidsp.t.x.ovid.com/whalecom0/sp-3.2.4b/ovidweb.cgi?T=JS&PAGE=fulltext&D=ovft&AN=0006114-201008240-00006&NEWS=N&CSC=Y&CHANNEL=PubMed>
- Rundek T, Gardener H, Xu Q, Goldberg RB, Wright CB, Boden-Albala B, et al. Insulin resistance and risk of ischemic stroke among nondiabetic individuals from the northern Manhattan study. Arch Neurol [Internet]. 2010 [citado 13 Nov 2010];67(10):[aprox. 11 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.ncbi.nlm.nih.gov/whalecom0/pmc/articles/PMC2954671/pdf/nihms184215.pdf>
- Shil AB. Outcome of ischemic stroke in older adults. J Am Geriatr Soc [Internet]. 2010 [citado 9 Nov 2010];58(6): [aprox. 2 p.]. Disponible en: <http://hinari-gw.who.int/whalecomonlinelibrary.wiley.com/whalecom0/doi/10.1111/j.1532-5415.2010.02898.x/pdf>
- Simpson JR, Zahuranec DB, Lisabeth LD, Sánchez BN, Skolarus LE, Mendizabal JE, et al. Mexican Americans with atrial fibrillation have more recurrent strokes than do non-Hispanic whites. Stroke [Internet]. 2010 [citado 9 Nov 2010];41(10):[aprox. 6 p.]. Disponible en: <http://hinari-gw.who.int/whalecomstroke.ajournals.org/whalecom0/cgi/reprint/41/10/2132>
- Wieberdink RG, van Schie MC, Koudstaal PJ, Hofman A, Witteman JC, de Maat MP, et al. High von Willebrand factor levels increase the risk of stroke: the Rotterdam study. Stroke [Internet]. 2010 [citado 9 Nov 2010];41(10):[aprox. 7 p.]. Disponible en: <http://hinari-gw.who.int/whalecomstroke.ajournals.org/whalecom0/cgi/reprint/41/10/2151>
- Wijnhoud AD, Maasland L, Lingsma HF, Steyerberg EW, Koudstaal PJ, Dippel DW. Prediction of major vascular events in patients with transient ischemic attack or ischemic stroke: a comparison of 7 models. Stroke [Internet]. 2010 [citado 12 Nov 2010];41(10):[aprox. 9 p.]. Disponible en: <http://hinari-gw.who.int/whalecomstroke.ajournals.org/whalecom0/cgi/reprint/41/10/2178>
- ACCIDENTE CEREBROVASCULAR/mortalidad**
- Curtis LH, Hammill BG, Schulman KA. Risks of mortality, myocardial infarction, bleeding, and stroke associated with therapies for age-related macular degeneration. SW Arch Ophthalmol [Internet]. 2010 [citado 12 Nov 2010];128(10):[aprox. 7 p.]. Disponible en: <http://hinari-gw.who.int/whalecomarchophth.ama-assn.org/whalecom0/cgi/reprint/128/10/1273>
- Ellis C, Zhao Y, Egede LE. Depression and increased risk of death in adults with stroke. J Psychosom Res [Internet]. 2010 [citado 13 Nov 2010];68(6):[aprox. 7 p.]. Disponible en: [http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?\\_ob=MIimg&\\_imagekey=B6T8V-4Y5H67G-I-3&\\_cdi=5096&\\_user=2778716&\\_pii=S002239990900498X&\\_origin=search&\\_coverDate=06%2F30%2F2010&\\_sk=99319993&view=c&wchp=dG](http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?_ob=MIimg&_imagekey=B6T8V-4Y5H67G-I-3&_cdi=5096&_user=2778716&_pii=S002239990900498X&_origin=search&_coverDate=06%2F30%2F2010&_sk=99319993&view=c&wchp=dG)
- [LbVtz-zSkzk&md5=e0cb3cf671e857c25f967e7853888d0e&ie=/sdaarticle.pdf](http://hinari-gw.who.int/whalecomstroke.ajournals.org/whalecom0/cgi/reprint/41/10/2323)
- Gupta AK, Dahlof B, Sever PS, Poulter NR. Anglo-Scandinavian Cardiac Outcomes Trial-Blood Pressure Lowering Arm Investigators. Metabolic syndrome, independent of its components, is a risk factor for stroke and death but not for coronary heart disease among hypertensive patients in the ASCOT-BPLA. Diabetes Care [Internet]. 2010 [citado 14 Nov 2010];33(7): [aprox. 6 p.]. Disponible en: <http://hinari-gw.who.int/whalecomcare.diabetesjournals.org/whalecom0/content/33/7/1647.long>
- Hoh BL, Chi YY, Waters MF, Mocco J, Barker FG 2nd. Effect of weekend compared with weekday stroke admission on thrombolytic use, in-hospital mortality, discharge disposition, hospital charges, and length of stay in the Nationwide Inpatient Sample Database, 2002 to 2007. Stroke [Internet]. 2010 [citado 12 Nov 2010];41(10): [aprox. 7 p.]. Disponible en: <http://hinari-gw.who.int/whalecomstroke.ajournals.org/whalecom0/cgi/reprint/41/10/2323>
- Howrey B, Goodwin JS, Eschbach K, Freeman J. Lower stroke mortality among Hispanics: an exploration of potential methodological confounders. Med Care [Internet]. 2010 [citado 15 Nov 2010];48(6): [aprox. 6 p.]. Disponible en: <http://hinari-gw.who.int/whalecomovidsp.t.x.ovid.com/whalecom0/sp-3.2.4b/ovidweb.cgi?T=JS&PAGE=fulltext&D=ovft&AN=0005650-201006000-00007&NEWS=N&CSC=Y&CHANNEL=PubMed>

Leurs LJ, Schouten LJ, Goldbohm RA, van den Brandt PA. Total fluid and specific beverage intake and mortality due to IHD and stroke in the Netherlands Cohort Study. *Br J Nutr* [Internet]. 2010 [citado 14 Nov 2010];104(8):[aprox. 10 p.]. Disponible en: [http://hinari-gw.who.int/whalecomjournals.cambridge.org/whalecom0/download.php?file=%2FBJN%2FBJN104\\_08%2FS0007114510001923a.pdf&code=0aa244991b286abe3f42f347c677729f](http://hinari-gw.who.int/whalecomjournals.cambridge.org/whalecom0/download.php?file=%2FBJN%2FBJN104_08%2FS0007114510001923a.pdf&code=0aa244991b286abe3f42f347c677729f)

Ovbiagele B. Nationwide trends in in-hospital mortality among patients with stroke. *Stroke* [Internet]. 2010 [citado 15 Nov 2010];41(8):[aprox. 8 p.]. Disponible en: <http://hinari-gw.who.int/whalecomstroke.ahajournals.org/whalecom0/cgi/reprint/41/8/1748>

Shil AB. Outcome of ischemic stroke in older adults. *J Am Geriatr Soc* [Internet]. 2010 [citado 15 Nov 2010];58(6):[aprox. 2 p.]. Disponible en: <http://hinari-gw.who.int/whalecomonlinelibrary.wiley.com/whalecom0/doi/10.1111/j.1532-5415.2010.02898.x/pdf>

Smith EE, Shobha N, Dai D, Olson DM, Reeves MJ, Saver JL, et al. Risk score for in-hospital ischemic stroke mortality derived and validated within the Get With the Guidelines-Stroke Program. *Circulación* [Internet]. 2010 [citado 10 Nov 2010];122(15):[aprox.10 p.]. Disponible en: <http://hinari-gw.who.int/whalecomcirc.ahajournals.org/whalecom0/cgi/reprint/122/15/1496>

Surtees PG, Wainwright NW, Luben R, Wareham NJ, Bingham SA, Khaw KT. Mastery is associated with cardiovascular disease

mortality in men and women at apparently low risk. *Health Psychol* [Internet]. 2010 [citado 12 Nov 2010];29(4):[aprox. 9 p.]. Disponible en: <http://hinari-gw.who.int/whalecompsycnet.apa.org/whalecom0/journals/hea/29/4/412.pdf>

van der Worp HB, Greving JP. Surviving space-occupying cerebral infarction: a fate worse than death? *Neurology* [Internet]. 2010 [citado 15 Nov 2010];75(8):[aprox. 2 p.]. Disponible en: [http://hinari-gw.who.int/whalecomovidsp.tx.ovid.com/whalecom0/sp-3.2.4b/ovidweb.cgi?WebLinkFrameset=1&S=OPJBPFNCNMDDKCALNCADLCADLCILEAAA00&returnUrl=http%3a%2f%2fhinari-gw.who.int/whalecomovidsp.tx.ovid.com/whalecom0/sp-3.2.4b%2fovidweb.cgi%3f%2f6Full%2bText%3dL%257cS.S.h.15.17%257c0%257c00006114-201008240-00002%26S%3dOPJBPFNCNMDDKCALNCADLCADLCILEAAA00&directlink=http%3a%2f%2fgraphics.tx.ovid.com%2fovftpdfs%2fFPDDNCDCCAALNM00%2ffs046%2fovft%2fFive%2fgv023%2f00006114%2f00006114-201008240-00002.pdf&filename=Surviving+space-occupying+cerebral+infarction%3a+A+fate+worse+than+death%3f+%28e-Pub+ahead+of+print%29.&pdf\\_key=FPDDNCDCCAALNM00&pdf\\_index=/fs046/ovft/live/gv023/00006114/00006114-201008240-00002](http://hinari-gw.who.int/whalecomovidsp.tx.ovid.com/whalecom0/sp-3.2.4b/ovidweb.cgi?WebLinkFrameset=1&S=OPJBPFNCNMDDKCALNCADLCADLCILEAAA00&returnUrl=http%3a%2f%2fhinari-gw.who.int/whalecomovidsp.tx.ovid.com/whalecom0/sp-3.2.4b%2fovidweb.cgi%3f%2f6Full%2bText%3dL%257cS.S.h.15.17%257c0%257c00006114-201008240-00002%26S%3dOPJBPFNCNMDDKCALNCADLCADLCILEAAA00&directlink=http%3a%2f%2fgraphics.tx.ovid.com%2fovftpdfs%2fFPDDNCDCCAALNM00%2ffs046%2fovft%2fFive%2fgv023%2f00006114%2f00006114-201008240-00002.pdf&filename=Surviving+space-occupying+cerebral+infarction%3a+A+fate+worse+than+death%3f+%28e-Pub+ahead+of+print%29.&pdf_key=FPDDNCDCCAALNM00&pdf_index=/fs046/ovft/live/gv023/00006114/00006114-201008240-00002)

#### ACCIDENTE CEREBROVASCULAR/ prevención y control

Buergo Zuaznábar MA. Prevención secundaria de la enfermedad cerebrovascular [Internet]. Guías de práctica clínica. *Enfermedad cerebrovascular*.

La Habana: Ecimed; 2009 [citado 15 Nov 2010]. Disponible en: [http://www.bvs.sld.cu/libros/guia\\_enf\\_cerebrovascular/cap3.pdf](http://www.bvs.sld.cu/libros/guia_enf_cerebrovascular/cap3.pdf)

Chrysant SG, Chrysant GS. Effectiveness of lowering blood pressure to prevent stroke versus to prevent coronary events. *Am J Cardiol* [Internet]. 2010 [citado 11 Nov 2010];106(6):[aprox. 5 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?ob=MImg&imagekey=B6T10-50NYS3C-C-7&cdi=4876&user=2778716&pii=S000291491001043X&origin=search&coverDate=09%2F15%2F2010&sk=998939993&view=c&wchp=dGLzVzb-zSkWA&md5=e186d118e7f35ac826f8e430f60ed379&ie=/sdarticle.pdf>

Ezekowitz MD, Aikens TH, Brown A, Ellis Z. The evolving field of stroke prevention in patients with atrial fibrillation. *Stroke* [Internet]. 2010 [citado 15 Nov 2010];41(10 Suppl):[aprox. 5 p.]. Disponible en: [http://hinari-gw.who.int/whalecomstroke.ahajournals.org/whalecom0/cgi/reprint/41/10\\_suppl\\_1/S17](http://hinari-gw.who.int/whalecomstroke.ahajournals.org/whalecom0/cgi/reprint/41/10_suppl_1/S17)

García VD, Hernández MS, Rexach JA. Centenarian stroke treated with rehabilitation therapy [letter]. *J Am Geriatr Soc* [Internet]. 2010 [citado 13 Nov 2010];58(7):[aprox. 2 p.]. Disponible en: <http://hinari-gw.who.int/whalecomonlinelibrary.wiley.com/whalecom0/doi/10.1111/j.1532-5415.2010.02930.x/pdf>

Gorelick PB, Sacco RL. Stroke risk and prevention: introduction. *Stroke* [Internet]. 2010 [citado 15 Nov 2010];41(10 Suppl):



[aprox. 2 p.]. Disponible en: [http://hinari-gw.who.int/whalecomstroke.ahajournals.org/whalecom0/cgi/reprint/41/10\\_suppl\\_1/S2](http://hinari-gw.who.int/whalecomstroke.ahajournals.org/whalecom0/cgi/reprint/41/10_suppl_1/S2)

Gorelick PB, Sacco RL, Kent DM, Thaler DE. Is patent foramen ovale a modifiable risk factor for stroke recurrence? Stroke [Internet]. 2010 [citado 12 Nov 2010];41(10 Suppl): [aprox. 6 p.]. Disponible en: [http://hinari-gw.who.int/whalecomstroke.ahajournals.org/whalecom0/cgi/reprint/41/10\\_suppl\\_1/S26](http://hinari-gw.who.int/whalecomstroke.ahajournals.org/whalecom0/cgi/reprint/41/10_suppl_1/S26)

Halliday A, Harrison M, Hayter E, Kong X, Mansfield A, Marro J, et al. Asymptomatic Carotid Surgery Trial (ACST) Collaborative Group. 10-year stroke prevention after successful carotid endarterectomy for asymptomatic stenosis (ACST-1): a multi-centre randomised trial. Lancet [Internet]. 2010 [citado 13 Nov 2010];376(9746): [aprox. 11 p.]. Disponible en: [http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?\\_ob=MImg&\\_imagekey=B6T1B-5135TG6-15-2&\\_cdi=4886&\\_user=2778716&\\_pii=S014067361061197X&\\_origin=search&\\_coverDate=10%2F01%2F2010&\\_sk=996230253&view=c&wchp=dGLzVlb-zSkzk&md5=2535e9f47c24720f17fa80d7c98b0ee&ie=/sdarticle.pdf](http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?_ob=MImg&_imagekey=B6T1B-5135TG6-15-2&_cdi=4886&_user=2778716&_pii=S014067361061197X&_origin=search&_coverDate=10%2F01%2F2010&_sk=996230253&view=c&wchp=dGLzVlb-zSkzk&md5=2535e9f47c24720f17fa80d7c98b0ee&ie=/sdarticle.pdf)

Kernan WN, Launer LJ, Goldstein LB. What is the future of stroke prevention?: debate: polypill versus personalized risk factor modification. Stroke [Internet]. 2010 [citado 12 Nov 2010];41(10 Suppl): [aprox. 5 p.]. Disponible en: [http://hinari-gw.who.int/whalecomstroke.ahajournals.org/whalecom0/cgi/reprint/41/10\\_suppl\\_1/S35](http://hinari-gw.who.int/whalecomstroke.ahajournals.org/whalecom0/cgi/reprint/41/10_suppl_1/S35)

Kumbhani DJ, Bhatt DL. Secondary prevention of stroke: can we do better than aspirin? Lancet Neurol [Internet]. 2010 [citado 13 Nov 2010];9(10): [aprox. 2 p.]. Disponible en: [http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?\\_ob=MImg&\\_imagekey=B6X3F-511B43J-1-1&\\_cdi=7297&\\_user=2778716&\\_pii=S1474442210702179&\\_origin=search&\\_coverDate=10%2F31%2F2010&\\_sk=999909989&view=c&wchp=dGLzVlb-zSkWb&md5=bc9ee7033899bd4287b48bec7d020b6b&ie=/sdarticle.pdf](http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?_ob=MImg&_imagekey=B6X3F-511B43J-1-1&_cdi=7297&_user=2778716&_pii=S1474442210702179&_origin=search&_coverDate=10%2F31%2F2010&_sk=999909989&view=c&wchp=dGLzVlb-zSkWb&md5=bc9ee7033899bd4287b48bec7d020b6b&ie=/sdarticle.pdf)

Mahoney EM. Targeting patients for statin therapy for the primary prevention of vascular events: what is the best approach? [editorial] Circulation [Internet]. 2010 [citado 15 Nov 2010];122(15): [aprox. 4 p.]. Disponible en: <http://hinari-gw.who.int/whalecomcirc.ahajournals.org/whalecom0/cgi/reprint/122/15/1446>

Marsh JD, Keyrouz SG. Stroke prevention and treatment. J Am Coll Cardiol [Internet]. 2010 [citado 14 Nov 2010];56(9): [aprox. 9 p.]. Disponible en: [http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?\\_ob=MImg&\\_imagekey=B6T18-50T3SCG-2-3&\\_cdi=4884&\\_user=2778716&\\_pii=S0735109710018012&\\_origin=search&\\_coverDate=08%2F24%2F2010&\\_sk=999439990&view=c&wchp=dGLbVlz-zSkWb&md5=069b7084a42099481371dc1717749124&ie=/sdarticle.pdf](http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?_ob=MImg&_imagekey=B6T18-50T3SCG-2-3&_cdi=4884&_user=2778716&_pii=S0735109710018012&_origin=search&_coverDate=08%2F24%2F2010&_sk=999439990&view=c&wchp=dGLbVlz-zSkWb&md5=069b7084a42099481371dc1717749124&ie=/sdarticle.pdf)

Marinigh R, Lip GY, Fiotti N, Giansante C, Lane DA. Age as a risk factor for stroke in atrial fibrillation patients implica-

tions for thromboprophylaxis: Implications for thromboprophylaxis. J Am Coll Cardiol [Internet]. 2010 [citado 15 Nov 2010];56(11): [aprox. 11 p.]. Disponible en: [http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?\\_ob=MImg&\\_imagekey=B6T18-50X4XNP-2-1&\\_cdi=4884&\\_user=2778716&\\_pii=S0735109710024150&\\_origin=search&\\_coverDate=09%2F07%2F2010&\\_sk=999439988&view=c&wchp=dGLbVtb-zSkWb&md5=8db1d25dcfbcca8cdbc52acfd403e417&ie=/sdarticle.pdf](http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?_ob=MImg&_imagekey=B6T18-50X4XNP-2-1&_cdi=4884&_user=2778716&_pii=S0735109710024150&_origin=search&_coverDate=09%2F07%2F2010&_sk=999439988&view=c&wchp=dGLbVtb-zSkWb&md5=8db1d25dcfbcca8cdbc52acfd403e417&ie=/sdarticle.pdf)

Shinohara Y, Katayama Y, Uchiyama S, Yamaguchi T, Handa S, Matsuoka K, et al. CSPS 2 group. Cilostazol for prevention of secondary stroke (CSPS 2): an aspirin-controlled, double-blind, randomised non-inferiority trial. Lancet Neurol [Internet]. 2010 [citado 15 Nov 2010];9(10): [aprox. 10 p.]. Disponible en: [http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?\\_ob=MImg&\\_imagekey=B6X3F-511B43J-2-G&\\_cdi=7297&\\_user=2778716&\\_pii=S1474442210701988&\\_origin=search&\\_coverDate=10%2F31%2F2010&\\_sk=999909989&view=c&wchp=dGLbVtz-zSkzV&md5=febf9557a303203d854e1471543469d3&ie=/sdarticle.pdf](http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?_ob=MImg&_imagekey=B6X3F-511B43J-2-G&_cdi=7297&_user=2778716&_pii=S1474442210701988&_origin=search&_coverDate=10%2F31%2F2010&_sk=999909989&view=c&wchp=dGLbVtz-zSkzV&md5=febf9557a303203d854e1471543469d3&ie=/sdarticle.pdf)

#### **ACCIDENTE CEREBROVASCULAR/ rehabilitación**

Askim T, Indredavik B, Håberg A. Internally and externally paced finger movements differ in reorganization after acute ischemic stroke. Arch Phys Med Rehabil [Internet]. 2010 [citado 15 Nov 2010];91(10):

[aprox. 8 p.]. Disponible en: [http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?\\_ob=MIimg&\\_imagekey=B6WB6-513HG93-C-5&\\_cdi=6702&\\_user=2778716&\\_pii=S0003999310006027&\\_origin=search&\\_coverDate=10%2F31%2F2010&\\_sk=999089989&\\_view=c&\\_wchp=dGLzVlb-zSkzV&\\_md5=355e43f9f83087e80b8ef7a28d2f72d&\\_ie=/sdarticle.pdf](http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?_ob=MIimg&_imagekey=B6WB6-513HG93-C-5&_cdi=6702&_user=2778716&_pii=S0003999310006027&_origin=search&_coverDate=10%2F31%2F2010&_sk=999089989&_view=c&_wchp=dGLzVlb-zSkzV&_md5=355e43f9f83087e80b8ef7a28d2f72d&_ie=/sdarticle.pdf)

Bode RK, Heinemann AW, Butt Z, Stallings J, Taylor C, Rowe M, et al. Development and validation of participation and positive psychologic function measures for stroke survivors. *Arch Phys Med Rehabil* [Internet]. 2010 [citado 12 Nov 2010];91(9):[aprox. 10 p.]. Disponible en: [http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?\\_ob=MIimg&\\_imagekey=B6WB6-50W91W2-B-1&\\_cdi=6702&\\_user=2778716&\\_pii=S0003999310003576&\\_origin=search&\\_coverDate=09%2F30%2F2010&\\_sk=999089990&\\_view=c&\\_wchp=dGLzVlb-zSkzS&\\_md5=51b725843a7d3b6321a5d99896878724&\\_ie=/sdarticle.pdf](http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?_ob=MIimg&_imagekey=B6WB6-50W91W2-B-1&_cdi=6702&_user=2778716&_pii=S0003999310003576&_origin=search&_coverDate=09%2F30%2F2010&_sk=999089990&_view=c&_wchp=dGLzVlb-zSkzS&_md5=51b725843a7d3b6321a5d99896878724&_ie=/sdarticle.pdf)

Conner D, Barnes C, Harrison-Felix C, Reznickova N. Rehabilitation outcomes in a population of nonagenarians and younger seniors with hip fracture, heart failure, or cerebral vascular accident. *Arch Phys Med Rehabil* [Internet]. 2010 [citado 15 Nov 2010];91(10):[aprox. 6 p.]. Disponible en: [http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?\\_ob=MIimg&\\_imagekey=B6WB6-513HG93-7-1&\\_cdi=6702&\\_user=277871](http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?_ob=MIimg&_imagekey=B6WB6-513HG93-7-1&_cdi=6702&_user=277871)

[6&\\_pii=S0003999310003679&\\_origin=search&\\_coverDate=10%2F31%2F2010&\\_sk=999089989&\\_view=c&\\_wchp=dGLzVlb-zSkzWb&\\_md5=fe367f3d9ab8b5f43c86a9a5b964eccd&\\_ie=/sdarticle.pdf](http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?_ob=MIimg&_imagekey=B6WB6-513HG93-C-5&_cdi=6702&_user=2778716&_pii=S0003999310003679&_origin=search&_coverDate=10%2F31%2F2010&_sk=999089989&_view=c&_wchp=dGLzVlb-zSkzWb&_md5=fe367f3d9ab8b5f43c86a9a5b964eccd&_ie=/sdarticle.pdf)

Fulk GD, Reynolds C, Mondal S, Deutsch JE. Predicting home and community walking activity in people with stroke. *Arch Phys Med Rehabil* [Internet]. 2010 [citado 12 Nov 2010];91(10):[aprox. 5 p.]. Disponible en: [http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?\\_ob=MIimg&\\_imagekey=B6WB6-513HG93-N-1&\\_cdi=6702&\\_user=2778716&\\_pii=S0003999310003680&\\_origin=search&\\_coverDate=10%2F31%2F2010&\\_sk=999089989&\\_view=c&\\_wchp=dGLzVtb-zSkzWA&\\_md5=7d1fceed960c02687566167a0ea42138&\\_ie=/sdarticle.pdf](http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?_ob=MIimg&_imagekey=B6WB6-513HG93-N-1&_cdi=6702&_user=2778716&_pii=S0003999310003680&_origin=search&_coverDate=10%2F31%2F2010&_sk=999089989&_view=c&_wchp=dGLzVtb-zSkzWA&_md5=7d1fceed960c02687566167a0ea42138&_ie=/sdarticle.pdf)

Miller EL, Murray L, Richards L, Zorowitz RD, Bakas T, Clark P, et al. American Heart Association Council on Cardiovascular Nursing and the Stroke Council. Comprehensive overview of nursing and interdisciplinary rehabilitation care of the stroke patient: a scientific statement from the American Heart Association. *Stroke* [Internet]. 2010 [citado 14 Nov 2010];41(10):[aprox. 48 p.]. Disponible en: <http://hinari-gw.who.int/whalecomstroke.a Hajournals.org/whalecom0/cgi/reprint/41/10/2402>

Nudo RJ, Hillis AE. Recovery: introduction. *Stroke* [Internet]. 2010 [citado 12 Nov 2010];41(10 Suppl):[aprox. 2 p.]. Disponible en: <http://hinari-gw.who.int/whalecomstroke.a>

[hajournals.org/whalecom0/cgi/reprint/41/10\\_suppl\\_1/S111](http://hinari-gw.who.int/whalecom0/cgi/reprint/41/10_suppl_1/S111)

Stein J, Hughes R, D'Andrea S, Therrien B, Niemi J, Krebs K, et al. Stochastic resonance stimulation for upper limb rehabilitation poststroke. *Am J Phys Med Rehabil* [Internet]. 2010 [citado 15 Nov 2010];89(9):[aprox. 9 p.]. Disponible en: <http://hinari-gw.who.int/whalecomovidsp.x.ovid.com/whalecom0/sp-3.2.4b/ovidweb.cgi?T=JS&PAGE=fulltext&D=ovft&AN=0002060-201009000-00001&NEWS=N&CSC=Y&CHANNEL=PubMed>

Tsur A, Segal Z. Falls in stroke patients: risk factors and risk management. *Isr Med Assoc J* [Internet]. 2010 [citado 10 Nov 2010];2(4):[aprox. 4 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.ima.org.il/whalecom0/imaj/ar10a-pr-06.pdf>

Whitehead P, Fellows K, Sprigg N, Drummond A. Research governance. There is nothing streamlined about the system [letter]. *BMJ* [Internet]. 2010 [citado 15 Nov 2010];341:[aprox. 2 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.bmj.com/whalecom0/content/341/7777/Letters.full.pdf>

Wolf SL, Thompson PA, Winstein CJ, Miller JP, Blanton SR, Nichols-Larsen DS, et al. The EXCITE stroke trial: comparing early and delayed constraint-induced movement therapy. *Stroke* [Internet]. 2010 [citado 15 Nov 2010];41(10):[aprox. 8 p.]. Disponible en: <http://hinari-gw.who.int/whalecomstroke.a Hajournals.org/whalecom0/cgi/reprint/41/10/2309>

**Descriptores de los tesauros DeCS y MeSH utilizados en la recuperación de información en las Bases de datos: Pubmed/Medline a través de HINARI, Medline, Scielo y CUMED.**

**DeCS:**

**ACCIDENTE CEREBROVASCULAR/  
economía**

**ACCIDENTE CEREBROVASCULAR/  
epidemiología**

**ACCIDENTE CEREBROVASCULAR/  
mortalidad**

**ACCIDENTE CEREBROVASCULAR/  
prevención y control**

**ACCIDENTE CEREBROVASCULAR/  
rehabilitación**

**MeSH:**

**STROKE/economics**

**STROKE/epidemiology**

**STROKE/mortality**

**STROKE /prevention & control**

**STROKE/rehabilitation**

### **MAS INFORMACION:**

- **DynaMed** [Internet]. Ipswich (MA): EBSCO Publishing. 1995 - Record No. 474258, Stroke; [actualizado 24 Jun 2010; citado 15 Nov 2010]; [aprox. 32 pantallas]. Disponible en: <http://search.ebscohost.com/login.aspx?direct=true&site=dynamed&id=AN+474258>. Registro y entrada requerida.

- **DynaMed** [Internet]. Ipswich (MA): EBSCO Publishing. 1995 - Record No. 580145, Stroke rehabilitation; [actualizado 25 Oct 2010; citado 15 Nov 2010]; [aprox. 24 pantallas]. Disponible en: <http://search.ebscohost.com/login.aspx?direct=true&site=dynamed&id=AN+580145>. Registro y entrada requerida.

- **NINDS.nih.gov**[Internet]. Bethesda, MD: National Institute of Neurological Disorders and Stroke. National Institute of Health [actualizado 28 Sep 2010; citado 8 Nov 2010]. Disponible en: <http://www.ninds.nih.gov/>

- **Organización Mundial de la Salud** [Internet]. Ginebra: Temas de salud; c 2010 [citado 15 Nov 2010]. Accidente cerebrovascular; [aprox. 2 pantallas]. Disponible en: [http://www.who.int/topics/cerebrovascular\\_accident/es/](http://www.who.int/topics/cerebrovascular_accident/es/) .

- **Sociedad de Neurología del País Vasco** [Internet]. Bilbao: SNPV [citado 15 Nov 2010]. Stroke Scale; [aprox. 3 pantallas]. Disponible en: <http://www.snpv.org/svascaneuro/content/51/?s=1>

- **Sociedad Neurológica Argentina** [Internet]. Buenos Aires: Filial de la Federación Mundial de Neurología; c 2004-2008 [citado 15 Nov 2010]. Área de Enfermedad Cerebrovascular; [aprox. 3 pantallas]. Disponible en: [http://www.sna.org.ar/?page\\_id=361](http://www.sna.org.ar/?page_id=361).

- **Stroke Foundation.com.**[Internet]. Melbourne:National Stroke Foundation -Australia; C 2010 [citado 15 Nov 2010]. Disponible en: <http://www.strokefoundation.com.au/>

- **World Federation Neurology** [Internet]. London: Neurological Disorders [citado 15 Nov 2010]. Cerebrovascular / Stroke; [aprox. 2 pantallas]. Disponible en: <http://www.wfneurology.org/neurologicalDisorders.php>

- **World-Stroke.org** [Internet]. Geneva: The voice for Stroke; c 2010 [citado 15 Nov 2010]. Disponible en: <http://www.world-stroke.org>

### **Análisis de Información.**

#### **Indicadores analizados:**

- Autores
- Años
- Revistas
- Países
- Palabras claves

#### **Autores con mayor productividad científica**

<b>Autores</b>	<b>Publicaciones</b>
<b>Lip, G. Y.</b>	(51)
<b>Sacco, R. L.</b>	(44)
<b>Ovbiagele, B.</b>	(43)
<b>Rothwell, P. M.</b>	(36)
<b>Goldstein, L. B.</b>	(34)
<b>Diener, H. C.</b>	(32)

#### **Productividad científica por años**

<b>Años</b>	<b>Publicaciones</b>
<b>2009</b>	(1540)
<b>2008</b>	(1331)
<b>2007</b>	(1190)
<b>2006</b>	(1144)
<b>2010</b>	(818)

#### **Revistas con mayor número de publicaciones sobre el tema**

<b>Revistas</b>	<b>Publicaciones</b>
<b>Stroke</b>	(672)
<b>Cerebrovasc Dis</b>	(160)
<b>Arch Phys Med Rehabil</b>	(149)
<b>Neurology</b>	(141)
<b>Top Stroke Rehabil</b>	(136)
<b>Int J Stroke</b>	(113)
<b>J Rehabil Med</b>	(108)



<b>Clin Rehabil</b>	(105)
<b>Neurorehabil Neural Repair</b>	(104)
<b>Disabil Rehabil</b>	(103)

#### Países a la vanguardia en el tema

<b>Países</b>	<b>Publicaciones</b>
<b>Estados Unidos</b>	(330)
<b>Japón</b>	(144)
<b>China</b>	(105)
<b>Gran Bretaña</b>	(86)
<b>Alemania</b>	(66)
<b>Canadá</b>	(57)
<b>Australia</b>	(52)
<b>Taiwán</b>	(44)
<b>Países Bajos</b>	(38)

#### Mayor incidencia de palabras claves (descriptorios MeSH) en el tema

<b>Palabras claves</b>	<b>Frecuencia</b>
<b>Stroke</b>	(5660)
<b>Male</b>	(3558)
<b>Female</b>	(3405)
<b>Aged</b>	(2960)
<b>Middle Aged</b>	(2842)
<b>epidemiology</b>	(2342)
<b>prevention &amp; control</b>	(2111)
<b>rehabilitation</b>	(2055)

Base de Datos: PubMed/Medline

Gestor de referencia: Endnote

Cantidad de citas bibliográficas recuperadas: 6023 (en los últimos cinco años).

**PARA CONSULTAR LOS TEXTOS COMPLETOS DE LAS  
REFERENCIAS BIBLIOGRÁFICAS QUE APARECEN EN ESTE  
BOLETÍN SOLICÍTELOS A:  
[aurea@infomed.sld.cu](mailto:aurea@infomed.sld.cu)**

