

ENFERMEDAD DIARREICA AGUDA (EDA): MEDIDAS PREVENTIVAS Y TRATAMIENTO

DIARREA/prevención y control

- Boisson S, Kiyombo M, Sthreshley L, Tumba S, Makambo J, Clasen T. Field assessment of a novel household-based water filtration device: a randomised, placebo-controlled trial in the Democratic Republic of Congo. *PLoS One* [Internet]. 2010 [citado 8 Jun 2011];5(9): [aprox. 10 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.ncbi.nlm.nih.gov/whalecom0/PMC2937016/pdf/pone.0012613.pdf>
- Cairncross S, Hunt C, Boisson S, Bostoen K, Curtis V, Fung IC, et al. Water, sanitation and hygiene for the prevention of diarrhoea. *Int J Epidemiol* [Internet]. 2010 [citado 12 Jun 2011];39(Suppl 1):[aprox. 14 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.ncbi.nlm.nih.gov/whalecom0/PMC2845874/pdf/dyq035.pdf>
- Centenari C, Gurgel RQ, Bohland AK, Oliveira DM, Faragher B, Cuevas LE. Rotavirus vaccination in northeast Brazil: a laudable intervention, but can it lead to cost-savings? *Vaccine* [Internet]. 2010 [citado 15 Jun 2011];28(25): [aprox. 7 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?ob=MImg&imagekey=B6TD4-4YXF86S-1-7&cdi=5188&user=2778716&pii=S0264410X10005086&origin=&coverDate=06%2F07%2F2010&sk=999719974&view=c&wchp=dGLzVlb-zSkWW&md5=1d8478cb89b0e31c858d26beae5b7565&ie=/s/article.pdf>
- Duijts L, Jaddoe VW, Hofman A, Moll HA. Prolonged and exclusive breastfeeding reduces the risk of infectious diseases in infancy *Pediatrics* [Internet]. 2010 [citado 8 Jun 2011];126(1):[aprox. 8 p.]. Disponible en: <http://hinari-gw.who.int/whalecompediatrics.aappublications.org/whalecom0/content/126/1/e18.long>
- Endt K, Stecher B, Chaffron S, Slack E, Tchitchek N, Benecke A, et al. The microbiota mediates pathogen clearance from the gut lumen after non-typhoidal Salmonella diarrhoea. *PLoS Pathog* [Internet]. 2010 [citado 8 Jun 2011];6(9):[aprox. 20 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.ncbi.nlm.nih.gov/whalecom0/PMC2936549/?tool=pubmed>
- Ghimire M, Pradhan YV, Maskey MK. Community-based interventions for diarrhoeal diseases and acute respiratory infections in Nepal. *Bull World Health Organ* [Internet]. 2010 [citado 12 Jun 2011];88(3):[aprox. 6 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.ncbi.nlm.nih.gov/whalecom0/PMC2828786/?tool=pubmed>
- Jones K. Probiotics: preventing antibiotic-associated diarrhea. *J Spec Pediatr Nurs* [Internet]. 2010 [citado 15 Jun 2011];15(2):[aprox. 3 p.]. Disponible en: <http://hinari-gw.who.int/whalecomonlinelibrary.wiley.com/whalecom0/doi/10.1111/j.1744-6155.2010.00231.x/pdf>
- Lantagne DS, Cardinali F, Blount BC. Disinfection by-product formation and mitigation strategies in point-of-use chlorination with sodium dichloroisocyanurate in Tanzania. *Am J Trop Med Hyg* [Internet]. 2010 [citado 8 Jun 2011];83(1):[aprox. 8 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.ajtmh.org/whalecom0/content/83/1/135.long>

Lugada E, Millar D, Haskew J, Grabowsky M, Garg N, Vestergaard M, et al. Rapid implementation of an integrated large-scale HIV counseling and testing, malaria, and diarrhea prevention campaign in rural Kenya. PLoS One [Internet]. 2010 [citado 15 jun 2011];5(8):[aprox. 8 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.ncbi.nlm.nih.gov/whalecom0/pm/c/articles/PMC2928737/pdf/pone.0012435.pdf>

Martinez-Sandoval F, Ericsson CD, Jiang ZD, Okhuysen PC, Romero JH, Hernandez N, et al. Prevention of travelers' diarrhea with rifaximin in US travelers to Mexico. J Travel Med [Internet]. 2010 [citado 12 Jun 2011];17(2):[aprox. 5 p.]. Disponible en: <http://hinari-gw.who.int/whalecomonlinelibrary.wiley.com/whalecom0/doi/10.1111/j.1708-8305.2009.00385.x/pdf>

DIRECTORA

Bárbara Lazo Rodríguez

EDITORA

Margarita Pobeá Reyes

COMPILACIÓN

Aurea Ramos Boch

CONFECCIÓN Y DISEÑO

Mercedes Martínez Martos

Publicación mensual, contiene informaciones bibliográficas de documentos que se encuentran en la Biblioteca Médica Nacional y sus temas responden a las líneas de investigación priorizadas del Ministerio de Salud Pública, es editado por el área de Servicios Bibliotecarios y está disponible en su sitio web por la Red Telemática de Salud.

©1994-2011

Biblioteca Médica Nacional

Dirección: 23 esq. N. Vedado,

La Habana. Cuba.

Teléfono: (537) 8324317

Email: mpobeá@infomed.sld.cu

Molto Y, Cortes JE, De Oliveira LH, Mike A, Solis I, Suman O, et al. Reduction of diarrhea-associated hospitalizations among children aged < 5 Years in Panama following the introduction of rotavirus vaccine. Pediatr Infect Dis J [Internet]. 2011 [citado 8 Jun 2011];30(1 Suppl):[aprox. 5 p.]. Disponible en: <http://hinari-gw.who.int/whalecomovidsp.x.ovid.com/whalecom0/sp-3.4.1b/ovidweb.cgi?T=JS&PAGE=fulltext&D=ovft&AN=0006454-201101001-00004&NEWS=N&CSC=Y&CHANNEL=PubMed>

Munos MK, Walker CL, Black RE. The effect of rotavirus vaccine on diarrhoea mortality. Int J Epidemiol [Internet]. 2010 [citado 12 Jun 2011];39(Suppl 1):[aprox. 7 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.ncbi.nlm.nih.gov/whalecom0/pm/c/articles/PMC2845861/pdf/dyq022.pdf>

Norman G, Pedley S, Takkouche B. Effects of sewerage on diarrhoea and enteric infections: a systematic review and meta-analysis. Lancet Infect Dis [Internet]. 2010 [citado 8 Jun 2011];10(8): [aprox. 9 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?ob=MImg&imagekey=B6W8X-50GTDJK-2-2&cdi=6666&user=2778716&pii=S1473309910701237&origin=&coverDate=08%2F31%2F2010&sk=999899991&view=c&wchp=dGLzVlb-zSkWz&md5=663d855e776b4691b95a2ac51f41b473&ie=sdarticle.pdf>

Pahwa S, Kumar GT, Toteja GS. Performance of a community-based health and nutrition-education intervention in the management of diarrhoea in a

slum of Delhi, India. J Health Popul Nutr [Internet]. 2010 [citado 8 Jun 2011];28(6): [aprox. 7 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.ncbi.nlm.nih.gov/whalecom0/pm/c/articles/PMC2995023/pdf/jhp0028-0553.pdf>

Quintanar-Solares M, Yen C, Richardson V, Esparza-Aguilar M, Parashar UD, Patel MM. Impact of rotavirus vaccination on diarrhea-related hospitalizations among children < 5 years of age in Mexico. Pediatr Infect Dis J [Internet]. 2011 [citado 8 Jun 2011];30(1 Suppl):[aprox. 5 p.]. Disponible en: <http://hinari-gw.who.int/whalecomovidsp.x.ovid.com/whalecom0/sp-3.4.1b/ovidweb.cgi?T=JS&PAGE=fulltext&D=ovft&AN=0006454-201101001-00003&NEWS=N&CSC=Y&CHANNEL=PubMed>

Reyes Tur Y, Rey Camacho Y. Conocimiento de las madres sobre la diarrea y su prevención. Rev Cienc Med Habana [Internet]. 2009 [citado 12 Jun 2011];15(1): [aprox. 11 p.]. Disponible en: http://www.cpicmha.sld.cu/hab/vol15_1_09/hab16109.html

Santosham M. Rotavirus vaccine--a powerful tool to combat deaths from diarrhea. N Engl J Med [Internet]. 2010 [citado 12 Jun 2011];362(4):[aprox. 3 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.ncbi.nlm.nih.gov/whalecom0/doi/pdf/10.1056/NEJMe0912141>

Song HJ, Kim JY, Jung SA, Kim SE, Park HS, Jeong Y, et al. Effect of probiotic Lactobacillus (Lacidofil® cap) for the prevention of antibiotic-associated diarrhea: a prospective, randomized, double-blind, multicenter study. J

Korean Med Sci [Internet]. 2010 [citado 8 Jun 2011]; 25(12):[aprox. 8 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.ncbi.nlm.nih.gov/whalecom0/pm/c/articles/PMC2995234/pdf/jkms-25-1784.pdf>

Whelan K, Schneider SM. Mechanisms, prevention, and management of diarrhea in enteral nutrition. *Curr Opin Gastroenterol* [Internet]. 2011[citado 8 Jun 2011];27(2):[aprox. 8 p.]. Disponible en: <http://hinari-gw.who.int/whalecomovidsp.t.x.ovid.com/whalecom0/sp-3.4.1b/ovidweb.cgi?T=JS&PAGE=fulltext&D=ovft&AN=0001574-201103000-00010&NEWS=N&CSC=Y&CHANNEL=PubMed>

Womersley K. Vaccination programme to protect children against pneumonia and diarrhoea needs more funds. *BMJ*. 2011 Jan 25;342:d534. doi: 10.1136/bmj.d534.

Xue J, Mhango Z, Hoffman IF, Mofolo I, Kamanga E, Campbell J, et al. Use of nutritional and water hygiene packages for diarrhoeal prevention among HIV-exposed infants in Lilongwe, Malawi: an evaluation of a pilot prevention of mother-to-child transmission post-natal care service. *Trop Med Int Health* [Internet]. 2010 [citado 8 Jun 2011];15(10):[aprox. 7 p.]. Disponible en: <http://hinari-gw.who.int/whalecomonlinelibrary.wiley.com/whalecom0/doi/10.1111/j.1365-3156.2010.02595.x/pdf>

Yen C, Steiner CA, Barrett M, Curns AT, Hunter K, Wilson E, et al. Racial disparities in diarrhea-associated hospitalizations among children in five US States, before and after introduction of rotavirus

vaccine. *Vaccine* [Internet]. 2010 [citado 8 Jun 2011]; 28(46):[aprox. 4 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?ob=MIimg&imagekey=B6TD4-511G69T-2-1&cdi=5188&user=2778716&pii=S0264410X10012764&origin=&coverDate=10%2F28%2F2010&sk=999719953&view=c&wchp=dGLzVlb-zSkzk&md5=6c1b73fa141f139b25c0075d3657621&ie=/sdrarticle.pdf>

DIARREA/terapia

Allen SJ. Probiotics for acute diarrhoea? *Ann Trop Paediatr* [Internet]. 2010 [citado 13 Jun 2011];30(4):[aprox. 4 p.]. Disponible en: <http://docserver.ingentaconnect.com/deliver/connect/maney/02724936/v30n4/s3.pdf?expires=1308019073&id=63161462&titleid=6208&acname=Hinari+-+Cuba&checksum=56FC2A2B1B6FD39439B982057F429B06>

Arun Babu T, Venkatesh C. Nitazoxanide use in rota viral diarrhea. Cure or controversy? *Indian J Pediatr* [Internet]. 2010 [citado 13 Jun 2011]; 77(12):[aprox. 1 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.springerlink.com/whalecom0/content/6015827225786p33/fulltext.pdf>

Atia A, Buchman AL. Treatment of cholera-like diarrhoea with oral rehydration. *Ann Trop Med Parasitol* [Internet]. 2010 [citado 13 Jun 2011];104(6):[aprox. 10 p.]. Disponible en: <http://docserver.ingentaconnect.com/deliver/connect/maney/00034983/v104n6/s2.pdf?expires=1308021887&id=63161827&titleid=6120&acname=Hinari+-+Cuba&checksum=44AA5FF309E3C45D80AC228A96ECB21E>

[+Cuba&checksum=44AA5FF309E3C45D80AC228A96ECB21E](http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?ob=MIimg&imagekey=B6TD4-511G69T-2-1&cdi=5188&user=2778716&pii=S0264410X10012764&origin=&coverDate=10%2F28%2F2010&sk=999719953&view=c&wchp=dGLzVlb-zSkzk&md5=6c1b73fa141f139b25c0075d3657621&ie=/sdrarticle.pdf)

Bartels MC, Mergenhagen KA. Octreotide for symptomatic treatment of diarrhea due to cytomegalovirus colitis. *Ann Pharmacother* [Internet]. 2011 [citado 12 Jun 2011];45(1):[aprox. 4 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.thiemeannals.com/whalecom0/cgi/print/45/1/e4>

Camilleri M. LX-1031, a tryptophan 5-hydroxylase inhibitor, and its potential in chronic diarrhea associated with increased serotonin. *Neurogastroenterol Motil* [Internet]. 2011 [citado 12 Jun 2011]; 23(3):[aprox. 8 p.]. Disponible en: <http://hinari-gw.who.int/whalecomonlinelibrary.wiley.com/whalecom0/doi/10.1111/j.1365-2982.2010.01643.x/pdf>

Ferrie S, Daley M. Lactobacillus GG as treatment for diarrhea during enteral feeding in critical illness: randomized controlled trial. *JPEN J Parenter Enteral Nutr* [Internet]. 2011 [citado 15 Jun 2011];35(1):[aprox. 8 p.]. Disponible en: <http://hinari-gw.who.int/whalecompen.sagepub.com/whalecom0/content/35/1/43.full.pdf+html>

Grandy G, Medina M, Soria R, Terán CG, Araya M. Probiotics in the treatment of acute rotavirus diarrhoea. A randomized, double-blind, controlled trial using two different probiotic preparations in Bolivian children. *BMC Infect Dis*. 2010 Aug 25;10:253. doi: 10.1186/1471-2334-10-253.

Hatchette TF, Farina D. Infectious diarrhea: when to test and when to treat. *CMAJ*. [Internet]. 2011[citado 12 Jun

- 2011];183(3):[aprox. 6 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.cmaaj.ca/whalecom0/cgi/reprint/183/3/339>
- Kim JW, Lee KL, Jeong JB, Kim BG, Shin S, Kim JS, et al. Proton pump inhibitors as a risk factor for recurrence of Clostridium-difficile-associated diarrhea. World J Gastroenterol [Internet]. 2010 [citado 13 Jun 2011];16(28):[aprox. 5 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.ncbi.nlm.nih.gov/whalecom0/pmc/articles/PMC2909558/pdf/WJG-16-3573.pdf>
- Lin R, Murtazina R, Cha B, Chakraborty M, Sarker R, Chen TE, et al. D-glucose acts via sodium/glucose cotransporter 1 to increase NHE3 in mouse jejunal brush border by a Na⁺/H⁺ exchange regulatory factor 2-dependent process. Gastroenterology [Internet]. 2011 [citado 13 Jun 2011];140(2):[aprox. 12 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science/article/pii/S0016508510015519>
- Long KZ, Santos JI, Rosado JL, Estrada-Garcia T, Haas M, Al Mamun A, et al. Vitamin A supplementation modifies the association between mucosal innate and adaptive immune responses and resolution of enteric pathogen infections. Am J Clin Nutr [Internet]. 2011 [citado 12 Jun 2011];93(3):[aprox.8 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.ajcn.org/whalecom0/content/93/3/578.full.pdf+html>
- Mazumder S, Taneja S, Bhandari N, Dube B, Agarwal RC, Mahalanabis D, et al. Effectiveness of zinc supplementation plus oral rehydration salts for diarrhoea in infants aged less than 6 months in Haryana state, India. Bull World Health Organ [Internet]. 2010 [citado 13 Jun 2011];88(10):[aprox. 7 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.ncbi.nlm.nih.gov/whalecom0/pmc/articles/PMC2947049/?tool=pubmed>
- McFarland LV. Probiotics and diarrhea. Ann Nutr Metab [Internet]. 2010 [citado 13 Jun 2011];57(Suppl):[aprox. 2 p.]. Disponible en: <http://hinari-gw.who.int/whalecomcontent.karger.com/whalecom0/produktedb/produkte.asp?DOI=000309016&typ=pdf>
- Pahwa S, Kumar GT, Toteja GS. Performance of a community-based health and nutrition-education intervention in the management of diarrhoea in a slum of Delhi, India. J Health Popul Nutr [internet]. 2010 [citado 12 Jun 2011];28(6):[aprox. 7 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.ncbi.nlm.nih.gov/whalecom0/pmc/articles/PMC2995023/pdf/jhpn0028-0553.pdf>
- Passariello A, Terrin G, De Marco G, Cecere G, Ruotolo S, Marino A, et al. Efficacy of a new hypotonic oral rehydration solution containing zinc and prebiotics in the treatment of childhood acute diarrhea: a randomized controlled trial. J Pediatr [Internet]. 2011 [citado 13 Jun 2011];158(2):[aprox. 6 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?ob=MImg&imagekey=B6WKR-51066RY-7-1&cdi=6913&user=2778716&pii=S0022347610006542&origin=&coverDate=02%2F28%2F2011&sk=9984199>
- Pathak D, Pathak A, Marrone G, Diwan V, Lundborg CS. Adherence to treatment guidelines for acute diarrhoea in children up to 12 years in Ujjain, India--a cross-sectional prescription analysis. BMC Infect Dis [Internet]. 2011 [citado 12 Jun 2011];11:[aprox. 4 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.ncbi.nlm.nih.gov/whalecom0/pmc/articles/PMC3045317/?tool=pubmed>
- Preidis GA, Hill C, Guerrant RL, Ramakrishna BS, Tannock GW, Versalovic J. Probiotics, enteric and diarrheal diseases, and global health. Gastroenterology [Internet]. 2011 [citado 13 Jun 2011];140(1): [aprox. 7 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science/article/pii/S0016508510016148>
- Rerksuppaphol S, Rerksuppaphol L. Lactobacillus acidophilus and Bifidobacterium bifidum stored at ambient temperature are effective in the treatment of acute diarrhoea. Ann Trop Paediatr [Internet]. 2010 [citado 12 Jun 2011];30(4):[aprox. 6 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.ncbi.nlm.nih.gov/whalecom0/pmc/articles/PMC3026296/pdf/atp-30-04-299.pdf>
- Ruiz Silva MD, Frómata Hierrezuelo AR, García Martínez RM, Ximelis Morales AA, Cobas Ruiz J. Actualización terapéutica sobre diarrea persistente. Rev Cubana Pediatr [Internet]. 2009 [citado 12 Jun 2011];81(4):[aprox. 13

p.]. Disponible en:
<http://scielo.sld.cu/pdf/ped/v81n4/ped07409.pdf>

Weizman Z. Probiotics therapy in acute childhood diarrhoea [carta]. Lancet. [Internet] 2010 [citado 13 Jun 2011];376 (9737):[aprox. 1 p.]. Disponible en: http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?_ob=MImg&_imagekey=B6T1B-50KS486-V-1&_cdi=4886&_user=2778716&_pii=S0140673610611439&_origin=&_coverDate=07%2F30%2F2010&_sk=996230262&view=c&wchp=dGLbVzz-zSkzV&md5=236b05ba1f38608f2b05aa669cfca429&ie=/sdarticle.pdf

Whelan K, Schneider SM. Mechanisms, prevention, and management of diarrhea in enteral nutrition. Curr Opin Gastroenterol [Internet]. 2011 [citado 11 Jun 2011];27(2): [aprox.8 p.]. Disponible en: <http://hinari-gw.who.int/whalecomovidsp.tx.ovid.com/whalecom0/sp-3.4.1b/ovidweb.cgi?T=JS&PAGE=fulltext&D=ovft&AN=0001574-201103000-00010&NEWS=N&CSC=Y&CHANNEL=PubMed>

Yen C, Steiner CA, Barrett M, Curns AT, Hunter K, Wilson E, et al. Racial disparities in diarrhea-associated hospitalizations among children in five US States, before and after

introduction of rotavirus vaccine. Vaccine [Internet]. 2010 [citado 13 Jun 2011]; 28(46):[aprox. 4 p.]. Disponible en: http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?_ob=MImg&_imagekey=B6TD4-511G69T-2-1&_cdi=5188&_user=2778716&_pii=S0264410X10012764&_origin=&_coverDate=10%2F28%2F2010&_sk=999719953&view=c&wchp=dGLbVlW-zSkWW&md5=6c1b73fa141f1f39b25c0075d3657621&ie=/sdarticle.pdf

Descriptores de los tesauros DeCS y MeSH utilizados en la recuperación de información en las Bases de datos: Pubmed / Medline a través de HINARI, CUMED y Scielo.

DeCS

DIARREA/prevencción y control

DIARREA/terapia

MeSH

DIARRHEA /prevention and control

DIARRHEA/therapy

Más información:

DynaMed [Internet]. Ipswich (MA): EBSCO Publishing. 1995 - .Record No. 900064, Prevention of acute diarrhea; [actualizado 23 Dic 2010; citado 14 Jun 2011]; [aprox. 24 pantallas].Disponible en:
<http://search.ebscohost.com/login.aspx?direct=true&site=dynamed&id=AN+900064>.
 Registro y entrada requerida.

Organización Mundial de la Salud [Internet]. Ginebra: Temas de Salud; c 2011[citado 14 Jun 2011]. Diarrea; [aprox. 3 pantallas]. Disponible en:
<http://www.who.int/topics/diarrhoea/es/>

World Gastroenterology Organisation (WGO) [Internet] . Milwaukee, WI: WGO Practice Guideline ; c 2006-2011 [citado 14 Jun 2011] . Acute diarrhea - March 2008; [aprox. 3 pantallas]. Disponible en: <http://www.worldgastroenterology.org/acute-diarrhea-in-adults.html>

Análisis bibliométrico de la información

Indicadores analizados:

- Autores
- Años
- Revistas
- Países
- Palabras claves

Autores con mayor productividad científica

Autores	Publicaciones
DuPont, H. L.	(24)
Black, R. E.	(23)
Szajewska, H.	(11)
Riddle, M. S.	(10)
Parashar, U. D.	(10)

Productividad científica por años

Años	Publicaciones
2009	(348)
2007	(338)
2008	(326)
2010	(284)
2011	(74) (hasta el 15 Jun 2011)

Revistas con mayor número de publicaciones sobre el tema

Revistas	Publicaciones
J Clin Gastroenterol	(26)
Vaccine	(23)
J Health Popul Nutr	(23)
BMJ	(23)
J Pediatr Gastroenterol Nutr	(22)
Clin Infect Dis	(22)
J Travel Med	(21)
Aliment Pharmacol Ther	(20)

Países a la vanguardia en el tema

Países	Publicaciones
India	(40)
Estados Unidos	(38)
México	(20)

Mayor incidencia de palabras claves (Descriptores MeSH) en el tema

Palabras claves	Frecuencia
Diarrhea	(1282)
Humans	(1184)
therapeutic use	(641)
prevention & control	(614)

Base de Datos: **PubMed / Medline a través de HINARI**

Gestor de referencia: **Endnote**

Cantidad de citas bibliográficas recuperadas: 1370(en los últimos cinco años).

**PARA CONSULTAR LOS TEXTOS COMPLETOS DE LAS
REFERENCIAS BIBLIOGRÁFICAS QUE APARECEN EN ESTE
BOLETÍN SOLICÍTELOS A:
aurea@infomed.sld.cu**

