

## DIABETES Y GÉNERO

### DIABETES MELLITUS/ MUJERES

Amini M, Horri N, Farmani M, Haghghi S, Sattari G, Pornaghshband Z, et al. Prevalence of polycystic ovary syndrome in reproductive-aged women with type 2 diabetes. *Gynecological Endocrinology* [serie en Internet] 2008 [citado 2 Febrero 2009];24(8): [Aprox. 6p]. Disponible en: <http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=34716926&loginpage=Login.asp&lang=es&site=ehost-live>

Drake L. Early pregnancy care is vital for women with diabetes. *Nursing Standard* [serie en Internet] 2008 [citado 2 Febrero 2009];23(6):[Aprox. 1p]. Disponible en: <http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=35142554&loginpage=Login.asp&lang=es&site=ehost-live>

Enlist Fruits and Green Veggies in Battle Against Diabetes. *Tufts University Health & Nutrition Letter* [serie en Internet] 2008 [citado 2 de Febrero 2009]; 26(7):8. Disponible en: <http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=34264763&loginpage=Login.asp&lang=es&site=ehost-live>

[Login.asp&lang=es&site=ehost-live](http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=34229452&loginpage=Login.asp&lang=es&site=ehost-live)

Heidemann C, Sun Q, van Dam R, Meigs J, Zhang C, Tworoger S, et al. Total and High-Molecular-Weight Adiponectin and Resistin in Relation to the Risk for Type 2 Diabetes in Women. *Annals of Internal Medicine* [serie en Internet] 2008, Sep 02 [citado 2 Febrero 2009];149(5): [Aprox.7 p. ] Disponible en: <http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=34229452&loginpage=Login.asp&lang=es&site=ehost-live>

Hwang L, Chen C, Lin B. Obesity and changes in body weight related to 10-year diabetes incidence in women in Taiwan (1993-2003). *Asia Pacific Journal of Clinical Nutrition* [serie en Internet] 2007 Dec [citado 2 de Febrero 2009]; 16(4):[Aprox. 5 p]. Disponible en: <http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=27763894&loginpage=Login.asp&lang=es&site=ehost-live>

Kim C, McEwen L, Sarma A, Piette J, Herman W. Stress Urinary Incontinence in Women with a History of Gestational Diabetes Mellitus. *Journal of Women's Health* (15409996) [serie en Internet] 2008 [citado 2 de Febrero 2009];17(5): [Aprox. 9 p]. Disponible en:

<http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=32543604&loginpage=Login.asp&lang=es&site=ehost-live>

Mezones-Holguín E, Biame J, Huerdo M, Vargas R, Castro J, Córdova W, et al. Impact of diabetes mellitus on the sexuality of Peruvian postmenopausal. *Gynecological Endocrinology* [serie en Internet] 2008 [citado 2 Febrero 2009] 24(8):[Aprox. 5 p.] Disponible en: <http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=34716928&loginpage=Login.asp&lang=es&site=ehost-live>

Predicting Disturbed Patterns of Eating Among Girls with Type 1 Diabetes. *Eating Disorders Review* [serie en Internet] 2008 [citado 2 Febrero 2009]; 19(6):10. [Aprox. 1 p.]. Disponible en: <http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=35566555&loginpage=Login.asp&lang=es&site=ehost-live>

Pregnancy glucose warning. *Pulse* [serie en Internet] 2008 [citado 2 Febrero, 2009];68(22). Disponible en: <http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=34238972&loginpage=Login.asp&lang=es&site=ehost-live>

Skelly AH, Leeman J, Carlson J, Soward AC, Burns D. Conceptual model of symptom-focused diabetes care for African Americans. *J Nurs Scholarsh* [serie en Internet] 2008 [citado 2 Febrero 2009];40(3):261-7. [Aprox. 7 p.]. Disponible en: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=18840210>

Sweetened fruit drinks associated with type 2 diabetes. *Nursing Standard* [serie en Internet]. 2008 [citado 2 Febrero 2009] 23(6):17. Disponible en: <http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=35142484&loginpage=Login.asp&lang=es&site=ehost-live>

#### **DIRECTORA**

**Bárbara Lazo Rodríguez**

#### **EDITORA**

**Margarita Pobeá Reyes**

#### **COMPILACIÓN**

**Ana Luisa Pinillo León**

#### **CONFECCIÓN Y DISEÑO**

**Mercedes Martínez Martos**

*Publicación mensual, contiene informaciones bibliográficas de documentos que se encuentran en la Biblioteca Médica Nacional y sus temas responden a las líneas de investigación priorizadas del Ministerio de Salud Pública, es editado por el área de Servicios Bibliotecarios y está disponible en su sitio web por la Red Telemática de Salud.*

©1994-2009

**Biblioteca Médica Nacional**  
**Dirección: 23 esq. N. Vedado,**  
**La Habana. Cuba.**  
**Teléfono: (537) 8324317**  
**Email: mpobeá@infomed.sld.cu**

#### **DIABETES MELLITUS/ diagnostico**

Bakris G, Burgess E, Weir M, Davidai G, Koval S. AMA-DEO Study Investigators. Telmisartan is more effective than losartan in reducing proteinuria in patients with diabetic nephropathy. *Kidney Int.* 2008 Aug;74(3):364-9.

Ejemplar localizado en: BMN

Becker A, Leber AW, Becker C, von Ziegler F, Tittus J, Schroeder I, et al. Predictive value of coronary calcifications for future cardiac events in asymptomatic patients with diabetes mellitus: a prospective study in 716 patients over 8 years. *BMC Cardiovasc Disord* [serie en Internet] 2008 [citado 2 Febrero 2009];8:27 [Aprox. 7 p.]. Disponible en: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=18847481>

Beeri MS, Schmeidler J, Silverman JM, Gandy S, Wysocki M, Hannigan CM, et al. Insulin in combination with other diabetes medication is associated with less Alzheimer neuropathology. *Neurology* 2008 Sep 2;71(10):750-7.

Ejemplar localizado en: CIREN

Berrazueta Fernández JR de. [When should we start the treatment of the cardiovascular risk factors]. *An R Acad Nac Med (Madr)*. 2008;125(1):125-36; discussion 136-44.]

Ejemplar localizado en: CPICM-HOL, HPD-HOL

Brixner D, Ghate SR, McAdam-Marx C, Ben-Joseph R, Said Q. Association between cardiometabolic risk factors and body mass index based on diagnosis and treatment codes

in an electronic medical record database. *J Manag Care Pharm Disord* [serie en Internet] 2008 [citado 2 Febrero 2009];14(8): [Aprox. 11 p.]. Disponible en: [http://www.ncbi.nlm.nih.gov/pubmed/18983205?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_DefaultReportPanel.Pubmed\\_RVDocSum&log\\$=freejr](http://www.ncbi.nlm.nih.gov/pubmed/18983205?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum&log$=freejr)

Hsiao FC, Hsieh CH. Images in clinical medicine. Severe soft-tissue infection. *N Engl J Med*. 2008 Feb 28;358(9):940.

Ejemplar localizado en: BMN

Jones KL. Role of obesity in complicating and confusing the diagnosis and treatment of diabetes in children. *Pediatrics*. 2008 Feb;121(2):361-8.

Ejemplar localizado en: BMN

Martínez Ramírez HR, Cortés-Sanabria L, Rojas-Campos E, Barragán G, Alfaro G, Hernández M, et al. How frequently the clinical practice recommendations for nephropathy are achieved in patients with type 2 diabetes mellitus in a primary health-care setting?. *Rev Invest Clin*. 2008 May-Jun;60(3):217-26.

Ejemplar localizado en: CPICM-CF, CPICM-SS

Park P, Simmons RK, Prevost AT, Griffin SJ. Screening for type 2 diabetes is feasible, acceptable, but associated with increased short-term anxiety: a randomised controlled trial in British general practice. *BMC Public Health* [serie en Internet] 2008 [citado 2 Febrero 2009];8:350. [Aprox. 6 p.]. Disponible en: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=18840266>

Primo ME, Niepomnische H, Poskus E, Sala MS, Guaita SS, Sica MP, et al. Frequency of pancreatic beta-cell autoimmunity markers in patients with autoimmune thyroid disease. *Medicina (B Aires)*. 2008;68(1):37-42.

Ejemplar localizado en: HPD-HOL

Rewers A, Klingensmith G, Davis C, Petitti DB, Pihoker C, Rodriguez B, et al. Presence of diabetic ketoacidosis at diagnosis of diabetes mellitus in youth: the Search for Diabetes in Youth Study. *Pediatrics*. 2008 May;121(5):e1258-66.

Ejemplar localizado en: BMN

Rodríguez-Morin M, Alvarado-Ruiz R, Morales-Franco G, Guerrero-Romero F. [Combination of a self-administered questionnaire with capillary glucose determination in the screening of type 2 diabetes]. *Salud Publica Mex* 2008 Jul-Aug;50(4):272.

Ejemplar localizado en: CPICM-C, CPICM-HOL, HPD-HOL

Schattner A, Zornitzki T, Adi M, Friedman J. Painful swelling in the thigh: diabetic muscle infarction. *CMAJ [serie en Internet]* 2009 [citado 2 Febrero 2009];180(1):72-4. [Aprox. p]. Disponible en: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=19124793>

Skelly AH, Leeman J, Carlson J, Soward AC, Burns D. Conceptual model of symptom-focused diabetes care for African Americans. *J Nurs Scholarsh [serie en Internet]* 2008 [citado 2 Febrero 2009];40(3):261-7. [Aprox. 6 p] Disponible en: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=18840210>

<http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=18840210>

Skowera A, Ellis RJ, Arif S, Huang GC, Van-Krinks C, Zaremba A, et al. CTLs are targeted to kill beta cells in patients with type 1 diabetes through recognition of a glucose-regulated preproinsulin epitope. *J Clin Invest*. 2008 Oct;118(10):3390-402. [Aprox. 12 p.] Disponible en: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=18802479>

#### DIABETES MELLITUS/ prevención y control

ADVANCE Collaborative Group, Patel A, MacMahon S, Chalmers J, Neal B, Billot L, et al. Intensive blood glucose control and vascular outcomes in patients with type 2 diabetes. *N Engl J Med*. 2008 Jun 12;358(24):2560-72.

Ejemplar localizado en: BMN

Ávila-Curiel A, Shamah-Levy T, Galindo-Gómez C, Cuevas-Nasu L, Moreno-Macias H, Chávez-Villasana A. [Diabetes mellitus within low socioeconomic strata in Mexico City: a relevant problem]. *Rev Invest Clin*. 2007 Jul-Aug;59(4):246-55.

Ejemplar localizado en: CPICM-SS

Brown WJ, Hockey R, Dobson A. Rose revisited: a "middle road" prevention strategy to reduce noncommunicable chronic disease risk. *Bull World Health Organ*. 2007 Nov;85(11):886-7

Ejemplar localizado en: CPICM-VC

Colina-Araujo JA, Godoy-Godoy N, Colina-Chourio JA, Avila R, Rincon T. Nephropro-

tection from calcium channels blocking agents: a contribution to their probable mechanism of action]. *Invest Clin*. 2008 Sep;49(3):369-85

Ejemplar localizado en: CPICM-C

Kinmonth AL, Wareham NJ, Hardeman W, Sutton S, Prevost AT, Fanshawe T, et al. Efficacy of a theory-based behavioural intervention to increase physical activity in an at-risk group in primary care (ProActive UK): a randomised trial. *Lancet*. 2008 Jan 5;371(9606):41-8.

Ejemplar localizado en: BMN

Mozaffarian D, Marfisi R, Levantesi G, Silletta MG, Tavazzi L, Tognoni G, et al. Incidence of new-onset diabetes and impaired fasting glucose in patients with recent myocardial infarction and the effect of clinical and lifestyle risk factors. *Lancet*. 2007 Aug 25;370(9588):667-75.

Ejemplar localizado en: BMN

Parving HH, Persson F, Lewis JB, Lewis EJ, Hollenberg NK. AVOID Study Investigators. Aliskiren combined with losartan in type 2 diabetes and nephropathy. *N Engl J Med*. 2008 Jun 5;358(23):2433-46.

Ejemplar localizado en: BMN

Sahyoun NR, Anderson AL, Tylavsky FA, Lee JS, Sellmeyer DE, Harris TB, et al. Dietary glycemic index and glycemic load and the risk of type 2 diabetes in older adults. *Am J Clin Nutr*. 2008 Jan; 87(1):126-31.

Ejemplar localizado en: BMN

Senior PA, MacNair L, Jindal K. Delivery of multifactorial

interventions by nurse and dietitian teams in a community setting to prevent diabetic complications: a quality-improvement report. *Am J Kidney Dis.* 2008 Mar; 51(3): 425-34.

Ejemplar localizado en: BMN

### **DIABETES MELLITUS/terapia**

Ecker JL, Greene MF. Gestational diabetes--setting limits, exploring treatments. *N Engl J Med.* 2008 May 8;358(19):2061-3. Erratum in: *N Engl J Med.* 2008 May 29;358(22):2418.

Ejemplar localizado en: BMN, H-HA, IMT-PK

Rowan JA, Hague WM, Gao W, Battin MR, Moore MP. MiG Trial Investigators. Metformin versus insulin for the treatment of gestational diabetes. *N Engl J Med.* 2008 May 8; 358(19): 2003-15. Erratum in: *N Engl J Med.* 2008 Jul 3;359(1):106.

Ejemplar localizado en: BMN

Hedderson MM, Williams MA, Holt VL, Weiss NS, Ferrara A. Body mass index and weight gain prior to pregnancy and risk of gestational diabetes mellitus. *Am J Obstet Gynecol.* 2008 Apr;198(4): 409.e1-7. Epub 2008 Feb 20.

Ejemplar localizado en: BMN

Hod M, Damm P, Kaaja R, Visser GH, Dunne F, Demidova I, et al. Fetal and perinatal outcomes in type 1 diabetes pregnancy: a randomized study comparing insulin aspart with human insulin in 322 subjects. *Am J Obstet Gynecol.* 2008 Feb;198(2): 186.e1-7.

Ejemplar localizado en: BMN

Fassett MJ, Dhillon SH, Williams TR. Effects on perinatal outcome of treating women with 1 elevated glucose tolerance test value. *Am J Obstet Gynecol.* 2007 Jun; 196(6):597.e1-4; discussion 597.e4.

Ejemplar localizado en: BMN

Hitti J, Andersen J, McComsey G, Liu T, Melvin A, Smith L, et al. Protease inhibitor-based antiretroviral therapy and glucose tolerance in pregnancy: AIDS Clinical Trials Group A5084. *Am J Obstet Gynecol.* 2007 Apr;196(4): 331.e1-7.

Ejemplar localizado en: BMN

Khurana A, Vinayek N. Case 36-2006: a pregnant woman with new hypertension. *N Engl J Med.* 2007 Mar 1;356(9):967; author reply 968.

Ejemplar localizado en: BMN

### **DIABETES GESTACIONAL/ diagnóstico**

Ecker JL, Greene MF. Gestational diabetes--setting limits, exploring treatments. *N Engl J Med.* 2008 May 8; 358(19): 2061-3. Erratum in: *N Engl J Med.* 2008 May 29; 358(22): 2418.

Ejemplar localizado en: BMN

Hawkins JS, Lo JY, Casey BM, McIntire DD, Leveno KJ. Diet-treated gestational diabetes mellitus: comparison of early vs routine diagnosis. *Am J Obstet Gynecol.* 2008 Mar; 198(3):287.e1-6.

Ejemplar localizado en: BMN

Hunt KJ, Conway DL. Who returns for postpartum glucose screening following gestational diabetes mellitus? *Am J Obstet*

*Gynecol.* 2008 Apr;198(4): 404.e1-6.

Ejemplar localizado en: BMN

### **DIABETES GESTACIONAL/ Prevención y control**

Hedderson MM, Williams MA, Holt VL, Weiss NS, Ferrara A. Body mass index and weight gain prior to pregnancy and risk of gestational diabetes mellitus. *Am J Obstet Gynecol.* 2008 Apr;198(4): 409.e1-7.

Ejemplar localizado en: BMN

Dudley DJ. Diabetic-associated stillbirth: incidence, pathophysiology, and prevention. *Clin Perinatol.* 2007 Dec; 34(4): 611-26

Ejemplar localizado en: BMN

Fassett MJ, Dhillon SH, Williams TR. Effects on perinatal outcome of treating women with 1 elevated glucose tolerance test value. *Am J Obstet Gynecol.* 2007 Jun; 196(6): 597.e1-4; discussion 597.e4.

Ejemplar localizado en: BMN

Hitti J, Andersen J, McComsey G, Liu T, Melvin A. Clinical Trials Group 5084 Study Team, et al. Protease inhibitor-based antiretroviral therapy and glucose tolerance in pregnancy: AIDS Clinical Trials Group A5084. *Am J Obstet Gynecol.* 2007 Apr; 196(4):331.e1-7.

Ejemplar localizado en: BMN

### **DIABETES GESTACIONAL/ terapia**

Hawkins JS, Lo JY, Casey BM, McIntire DD, Leveno KJ. Diet-treated gestational diabetes mellitus: comparison of early vs routine diagnosis. *Am*

J Obstet Gynecol. 2008 Mar;  
198(3):287.e1-6.

Ejemplar localizado en: BMN

Pappa KI, Vlachos G, Theodora M,  
Roubelaki M, Angelidou K,  
Antsaklis A. Intermediate  
metabolism in association with  
the amino acid profile during  
the third trimester of normal

pregnancy and diet-controlled  
gestational diabetes. Am J  
Obstet Gynecol. 2007 Jan;  
196(1):65.e1-5.

PMID: 17240238 [PubMed -  
indexed for MEDLINE]

Ejemplar localizado en: BMN

Langer O, Yogev Y, Xenakis EM,  
Brustman L. Overweight and

obese in gestational diabetes:  
the impact on pregnancy  
outcome. Am J Obstet  
Gynecol. 2005 Jun;192(6):  
1768-76.

PMID: 15970805 [PubMed -  
indexed for MEDLINE]

Ejemplar localizado en: BMN

Descriptores DeCS y MeSH utilizados en la localización de información:

### DeCS

**DIABETES MELLITUS/diagnostico**  
**DIABETES MELLITUS/prevención y control**  
**DIABETES MELLITUS/terapia**

**DIABETES GESTACIONAL/diagnostico**  
**DIABETES GESTACIONAL/prevención y control**  
**DIABETES GESTACIONAL/tratamiento**

**WOMEN**

### MeSH

**DIABETES MELLITUS/diagnosis**  
**DIABETES MELLITUS/prevention and control**  
**DIABETES MELLITUS/therapy**

**DIABETES, GESTACIONAL/diagnosis**  
**DIABETES, GESTACIONAL/prevention and control**  
**DIABETES, GESTACIONAL/therapy**

**MUJERES**

## Análisis de la información

### MUJER

Se analizan los últimos 10,000 artículos de los 24,764 recuperados

Autores más productivos en la base de datos PUBMED

| Autores      | Publicaciones |
|--------------|---------------|
| HU FU        | 82            |
| Manson j     | 75            |
| Tuomilehto J | 44            |

Países que más han publicado en la base

|                |      |
|----------------|------|
| USA            | 2996 |
| United Kingdom | 536  |
| Japan          | 492  |

**Revistas que más han abordado el tema**

|                     |     |
|---------------------|-----|
| Diabetes care       | 422 |
| J Clin endocr Metab | 178 |
| Diabetologia        | 152 |

Año más productivo

2007 con 2057 publicaciones

**DIABETES, GESTACIONAL**

7530 articulos analizados

Autores más productivos en la base de datos Pubmed

| Autores    | Publicaciones |
|------------|---------------|
| Langer O   | 70            |
| Kjos S     | 55            |
| Buchanan T | 52            |

Países

|                |      |
|----------------|------|
| USA            | 1895 |
| United Kingdom | 422  |
| Italia         | 254  |

**Revistas que más han abordado el tema**

|                   |     |
|-------------------|-----|
| Am J Obstet Gynec | 466 |
| Diabetes care     | 419 |
| Obstet Gynecol    | 302 |

Año más productivo 2008 con 265 publicaciones

Fuente: GOPUBMED

