

INFECCIONES POR COXSACKIE VIRUS

INFECCIONES POR COXSACKIEVIRUS /diagnostico

- Aspholm R, Zuo S, Fohlman J, Frisk G, Friman G, Blomberg J. A novel serological technique: polymerase chain reaction enhanced immunoassay. Application to enterovirus IgM diagnosis. *J Virol Methods*. 1999;80(2):187-96.
- Brilot F, Geenen V, Hober D, Stoddart CA. Coxsackievirus B4 infection of human fetal thymus cells. *J Virol*. [Serie en Internet] 2004 [citado 20 de Julio 2005];78(18):[aprox 24p]. Disponible en: <http://www.pubmedcentral.gov/articlerender.fcgi?tool=pubmed&pubmedid=15331720>
- Chan KP, Goh KT, Chong CY, Teo ES, Lau G, Ling AE. Epidemic hand, foot and mouth disease caused by human enterovirus 71, Singapore. *Emerg Infect Dis*. [Serie en Internet] 2003 [citado 20 de Julio 2005];9(1):[aprox, 28 p.]. Disponible en: <http://www.cdc.gov/ncidod/EID/vol9no1/02-0112.htm>
- Chang LY, Lin TY, Huang YC, Tsao KC, Shih SR, Kuo ML, et al. Comparison of enterovirus 71 and coxsackievirus A16 clinical illnesses during the Taiwan enterovirus epidemic, 1998. *Pediatr Infect Dis J*. 1999;18(12):1092-6.
- Chang LY, Huang YC, Lin TY. Fulminant neurogenic pulmonary oedema with hand, foot, and mouth disease. *Lancet*. 1998;352(9125):367-8
- Chang LY, Lin TY, Hsu KH, Huang YC, Lin KL, Hsueh C, et al. Clinical features and risk factors of pulmonary oedema after enterovirus-71-related hand, foot, and mouth disease. *Lancet*. 1999; 354(9191):1682-6.
- Chang LY, King CC, Hsu KH, Ning HC, Tsao KC, Li CC, et al. Risk factors of enterovirus 71 infection and associated hand, foot, and mouth disease /herpangina in children during an epidemic in Taiwan. *Pediatrics*. [Serie en Internet] 2002 [citado 20 de Julio 2005];109(6):[aprox, p.]. Disponible en: <http://www.ncbi.nlm.nih.gov/entrez/utils/lofref.fcgi?PrId=3051&uid=12042582&db=pubmed&url=http://www.pediatrics.org/cgi/pmidlookup?view=long&pmid=12042582>
- Chia JK, Bold EJ. Life-threatening leukocytoclastic vasculitis with pulmonary involvement due to echovirus 7. *Clin Infect Dis*. 1998;27(5):1326-7.
- Cunningham R, Silbergleit R. Viral myocarditis presenting with seizure and electrocardiographic findings of acute myocardial infarction in a 14-month-old child. *Ann Emerg Med*. 2000;35(6):618-22.
- Deonarain R, Cerullo D, Fuse K, Liu PP, Fish EN. Protective role for interferon-beta in coxsackievirus B3 infection. *Circulation*. 2004;110(23):3540-3.
- Ghazali O, Chua KB, Ng KP, Hoi PS, Pallansch MA, Oberste MS, et al. An outbreak of acute haemorrhagic conjunctivitis in Melaka, Malaysia. *Singapore Med J*. [Serie en Internet] 2003 [citado 20 de Julio 2005];44(10):[aprox, 22 p.]. Disponible en: <http://www.sma.org.sg/smj/4410/4410a2.pdf>
- Gillard P, de la Brassinne M. [Hand, foot and mouth disease, a not so benign affection: clinical reminder and potential complications] *Rev Med Liege*. 2003;58(10):635-7.
- Guala A, Silvestri T, Festa F, Colombo E. [Familial variability in the clinical expression of hand-foot-mouth disease] *Minerva Pediatr*. 2000;52(3):157-60.

Haamann P, Kessel L, Larsen M. Monofocal outer retinitis associated with hand, foot, and mouth disease caused by coxsackievirus. *Am J Ophthalmol.* 2000;129(4):552-3.

Horwitz MS, La Cava A, Fine C, Rodriguez E, Ilic A, Sarvetnick N. Pancreatic expression of interferon-gamma protects mice from lethal coxsackievirus B3 infection and subsequent myocarditis. *Nat Med.* 2000;6(6):693-7.

Horwitz MS, Ilic A, Fine C, Rodriguez E, Sarvetnick N. Presented antigen from damaged pancreatic beta cells activates autoreactive T cells in virus-mediated autoimmune diabetes. *J Clin Invest.* 2002 Jan;109(1). Disponible en: <http://www.jci.org/cgi/content/full/109/1/79>

DIRECTORA
Bárbara Lazo Rodríguez

EDITORA
Margarita Pobeá Reyes

COMPILACIÓN
Ana Luisa Pinillo León
Aurea Ramos Bosch

CONFECCIÓN Y DISEÑO
Mercedes Martínez Martos

Publicación bimestral, contiene informaciones bibliográficas de documentos que se encuentran en la Biblioteca Médica Nacional y sus temas responden a las líneas de investigación priorizadas del Ministerio de Salud Pública, es editado por el área de Acceso a la Información. Está disponible por la Red Electrónica de Salud.
©1994-2004

Biblioteca Médica Nacional
Dirección: 23 esq. N. Vedado,
La Habana. Cuba.
Teléfono: (537) 8324317
Email: mpobeá@infomed.sld.cu

Huber SA, Graveline D, Newell MK, Born WK, O'Brien RL. V gamma 1+ T cells suppress and V gamma 4+ T cells promote susceptibility to coxsackievirus B3-induced myocarditis in mice. *J Immunol.* 2000;165(8):4174-81.

Klingel K, Schnorr JJ, Sauter M, Szalay G, Kandolf R. beta2-microglobulin-associated regulation of interferon-gamma and virus-specific immunoglobulin G confer resistance against the development of chronic coxsackievirus myocarditis. *Am J Pathol.* [Serie en Internet] 2003 [citado 20 de Julio 2005]; 162(5): [aprox, 33 p.]. Disponible en: <http://ajp.amjpathol.org/cgi/content/full/162/5/1709>

Lim BK, Shin JO, Choe SC, Choi SW, Jeong JO, Seong IW, et al. Myocardial injury occurs earlier than myocardial inflammation in acute experimental viral myocarditis. *Exp Mol Med.* [Serie en Internet] 2005 [citado 20 de Julio 2005];37(1):[aprox, 20 p.]. Disponible en: http://www.e-mm.org/article/article_files/EMM037-01-07.pdf

Messner J, Miller JJ, James WD, Honig PJ. Accentuated viral exanthems in areas of inflammation. *J Am Acad Dermatol.* 1999;40(2 Pt 2):345-6.

Pohl-Koppe A. [Infections with exanthema--diseases in childhood. 2: Roseola, chickenpox and more] *MMW Fortschr Med.* 2000;142(17):39-40.

Portolani M, Bartoletti AM, Pietrosevoli P, Beretti F, Della Casa Muttini E, Roversi MF, et al. Non-specific febrile illness by Coxsackievirus A16

in a 6-day-old newborn. *Minerva Pediatr.* [Serie en Internet] 2004 [citado 20 de Julio 2005];56(3):[aprox,17 p]. Disponible en: <http://www.minervamedica.it/index2.t?show=R15Y2004N03A0341>

Rigonan AS, Mann L, Chonmaitree T. Use of monoclonal antibodies to identify serotypes of enterovirus isolates. *J Clin Microbiol.* 1998;36(7):1877-81.

Riverol M, Irimia P, Martínez-Vila E. Cerebellitis. *Lancet.* 2003;362(9394):1449.

Roivainen M, Rasilainen S, Ylipaasto P, Nissinen R, Ustinov J, Bouwens L, et al. Mechanisms of coxsackievirus-induced damage to human pancreatic beta-cells. *J Clin Endocrinol Metab.* 2000;85(1):432-40.

Rose NR. Viral damage or 'molecular mimicry'-placing the blame in myocarditis. *Nat Med.* 2000 Jun;6(6):631-2.

Scott LA, Stone MS. Viral exanthems. *Dermatol Online J.* [Serie en Internet] [citado 20 de Julio 2005];9(3):[aprox,12 p]. Disponible en: <http://www.ncbi.nlm.nih.gov/entrez/utils/lofref.fcgi?PrId=3013&uid=12952751&db=pubmed&url=http://dermatology.cdl.ibm.org/93/reviews/viral/scott.html>

Seong IW, Choe SC, Jeon ES. Fulminant coxsackieviral myocarditis. *N Engl J Med.* 2001;345(5):379.

Sepulveda RT, Jiang S, Besselsen DG, Watson RR. Alcohol consumption during murine acquired immunodeficiency syndrome accentuates heart pathology due to coxsackievirus. *Alcohol Alcohol.* [Serie

en Internet] 2002 [citado 20 de Julio 2005];37(2): [aprox, p]. Disponible en: <http://www.ncbi.nlm.nih.gov/entrez/utils/lofref.fcgi?PrId=3051&uid=11912071&db=pubmed&url=http://alcalc.oxfordjournals.org/cgi/pmidlookup?view=long&pmid=11912071>

Slavin KA, Frieden IJ. Picture of the month. Hand-foot-and-mouth disease. Arch Pediatr Adolesc Med. 1998;152(5): 505-6.

Tracy S, Drescher KM, Chapman NM, Kim KS, Carson SD, Pirruccello S, et al. Toward testing the hypothesis that group B coxsackieviruses (CVB) trigger insulin-dependent diabetes: inoculating nonobese diabetic mice with CVB markedly lowers diabetes incidence. J Virol. [Serie en Internet] 2002 [citado 20 de Julio 2005]; 76(23):[aprox, 26 p]. Disponible en: <http://jvi.asm.org/cgi/content/full/76/23/12097?view=long&pmid=12414951>

Wang CL, Wu YT, Liu CA, Lin MW, Lee CJ, Huang LT, et al. Expression of CD40 ligand on CD4+ T-cells and platelets correlated to the coronary artery lesion and disease progress in Kawasaki disease. Pediatrics [Serie en Internet] 2003 [citado 20 de Julio 2005];111(2):[aprox, 25p]. Disponible en: <http://pediatrics.aappublications.org/cgi/content/full/111/2/e140>

Wessely R, Klingel K, Santana LF, Dalton N, Hongo M, Jonathan Lederer W, et al. Transgenic expression of replication-restricted enteroviral genomes in heart muscle induces defective excitation-contraction coupling and dilated cardiomyopathy. J Clin Invest. 1998;102(7):1444-53.

Xu W, Shen Y, Jiang Z, Wang Y, Chu Y, Xiong S. Intranasal delivery of chitosan-DNA vaccine generates mucosal SIgA and anti-CVB3 protection. Vaccine. 2004;22 (27-28):3603-12.

INFECCIONES POR COXSACKIEVIRUS/ epidemiología

Centers for Disease Control and Prevention (CDC). Acute hemorrhagic conjunctivitis outbreak caused by Coxsackievirus A24--Puerto Rico, 2003.MMWR Morb Mortal Wkly Rep [Serie en Internet] 2004 [citada el 21 de julio 2005];53(28):[Aprox.19 pantallas] Disponible en: <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5328a2.htm>

Chan KP, Goh KT, Chong CY, Teo ES, Lau G, Ling AE. Epidemic hand, foot and mouth disease caused by human enterovirus 71, Singapore. Emerg Infect Dis [Serie en Internet] 2003 [citada el 21 de julio 2005];9(1):[Aprox. 66 pantallas]. Disponible en: <http://www.cdc.gov/ncidod/EID/vol9no1/02-0112.htm>

Chang LY, King CC, Hsu KH, Ning HC, Tsao KC, Li CC, et al. Risk factors of enterovirus 71 infection and associated hand, foot, and mouth disease/herpangina in children during an epidemic in Taiwan. Pediatrics [Serie en Internet] 2002 [citada el 21 de julio 2005];109(6):Aprox 42 pantallas. Disponible en: <http://pediatrics.aappublications.org/cgi/content/full/109/6/e88>

Ghazali O, Chua KB, Ng KP, Hooi PS, Pallansch MA, Oberste MS, Chua KH, Mak JW. An outbreak of acute haemorrhagic

conjunctivitis in Melaka, Malaysia. Singapore Med J [Serie en Internet] 2003 [citada el 21 de julio 2005] 44(10):[Aprox. 6 pantallas] Disponible en: <http://www.sma.org.sg/smj/4410/4410a2.pdf>

Kitahori Y, Inoue Y, Maruhashi Y, Adachi O, Imai S. An epidemic of aseptic meningitis due to coxsackievirus B5 in Nara prefecture, Japan: an epidemiological analysis by PCR-RFLP. Jpn J Infect Dis [Serie en Internet] 2003 [citada el 21 de julio 2005]; 56(2):[Aprox. 26 pantallas]. Disponible en: <http://www.nih.go.jp/JJID/56/75.pdf>

Mulders MN, Salminen M, Kalkkinen N, Hovi T. Molecular epidemiology of coxsackievirus B4 and disclosure of the correct VP1/2A(pro) cleavage site: evidence for high genomic diversity and long-term endemicity of distinct genotypes.J Gen Virol [Serie en Internet] 2000 [citada el 21 de julio 2005];81(Pt 3): [Aprox. 62 pantalla]. Disponible en: <http://vir.sgmjournals.org/cgi/content/full/81/3/803>

Oh MD, Park S, Choi Y, Kim H, Lee K, Park W, et al. Acute hemorrhagic conjunctivitis caused by coxsackievirus A24 variant, South Korea, 2002. Emerg Infect Dis [Serie en Internet] 2003 [citada el 21 de julio 2005];9(8):Aprox. 26 pantallas. Disponible en: <http://www.cdc.gov/ncidod/EID/vol9no8/03-0190.htm>

Santti J, Harvala H, Kinnunen L, Hyypia T. Molecular epidemiology and evolution of coxsackievirus A9. J Gen Virol [Serie en Internet] 2000 [citada el 21 de julio 2005]; 81(Pt 5):[Aprox. 95 pantalla]. Disponible en:

<http://vir.sgmjournals.org/cgi/content/full/81/5/1361>

Singh S, Chow VT, Phoon MC, Chan KP, Poh CL. Direct detection of enterovirus 71 (EV71) in clinical specimens from a hand, foot, and mouth disease outbreak in Singapore by reverse transcription-PCR with universal enterovirus and EV71-specific primers. *J Clin Microbiol* [Serie en Internet] 2002 [citada el 21 de julio 2005];40(8):[Aprox. 38 pantallas] Disponible en: <http://jcm.asm.org/cgi/content/full/40/8/2823?view=long&pmid=12149336>

Singh S, Poh CL, Chow VT. Complete sequence analyses of enterovirus 71 strains from fatal and non-fatal cases of the hand, foot and mouth disease outbreak in Singapore (2000). *Microbiol Immunol* [Serie en Internet] 2002 [citada el 21 de julio 2005];46(11):[Aprox. 8 pantallas]. Disponible en: http://www.jstage.jst.go.jp/article/mandi/46/11/801/_pdf

Urashima M, Shindo N, Okabe N. Seasonal models of herpangina and hand-foot-mouth disease to simulate annual fluctuations in urban warming in Tokyo. *Jpn J Infect Dis* [Serie en Internet] 2003 [citada el 21 de julio 2005];56(2):[Aprox. 6 pantallas] Disponible en: <http://www.nih.go.jp/JJID/56/48.pdf>

INFECCIONES POR COXSACKIEVIRUS /etiología

Brilot F, Geenen V, Hober D, Stoddart CA. Coxsackievirus B4 infection of human fetal thymus cells. *J Virol*. [Serie en Internet] 2004 [citado 21 de Julio 2005];78(18):[aprox, 35 p]. Disponible en:

<http://www.pubmedcentral.gov/articlerender.fcgi?tool=pubmed&pubmedid=15331720>

Chrysos G, Kokkoris S, Protopsaltis J, Korantzopoulos P, Giannoulis G. Coxsackievirus infection associated with acute pancreatitis. *JOP* [Serie en Internet] 2004 [citado 21 de Julio 2005];5(5):[aprox, 6 p]. Disponible en: <http://www.joplink.net/prev/200409/13.html>

Deonarain R, Cerullo D, Fuse K, Liu PP, Fish EN. Protective role for interferon-beta in coxsackievirus B3 infection. *Circulation*. 2004;110(23):3540-3.

Feuer R, Mena I, Pagarigan RR, Harkins S, Hassett DE, Whitton JL. Coxsackievirus B3 and the neonatal CNS: the roles of stem cells, developing neurons, and apoptosis in infection, viral dissemination, and disease. *Am J Pathol*. [Serie en Internet] 2003 [citado 21 de julio 2005];163(4):[aprox. 12p.]. Disponible en: <http://www.ncbi.nlm.nih.gov/entrez/utills/lofref.fcgi?PrId=3051&uid=14507646&db=pubmed&url=http://ajp.amjpathol.org/cgi/pmidlookup?view=long&pmid=14507646>

Fodili F, van Bommel EF. Severe rhabdomyolysis and acute renal failure following recent Coxsackie B virus infection. *Neth J Med*. [Serie en Internet] 2003 [citado 21 de julio 2005];61(5):[aprox. p.]. Disponible en: <http://www.zuidencomm.nl/nj/m/getpdf.php?id=95>

Foster HD. Coxsackie B virus and myocardial infarction. *Lancet*. 2002 ;359(9308):804.

Fujimoto T, Chikahira M, Yoshida S, Ebira H, Hasegawa A,

Totsuka A, et al. Outbreak of central nervous system disease associated with hand, foot, and mouth disease in Japan during the summer of 2000: detection and molecular epidemiology of enterovirus 71. *Microbiol Immunol*. [Serie en Internet] 2002 [citado 21 de julio 2005];46(9):[aprox. 15 p.]. Disponible en: http://www.jstage.jst.go.jp/article/mandi/46/9/621/_pdf

Gillard P, de la Brassinne M. [Hand, foot and mouth disease, a not so benign affection: clinical reminder and potential complications]. *Rev Med Liege*. 2003;58(10):635-7.

Jenson HB, Gauntt CJ, Easley KA, Pitt J, Lipshultz SE, McIntosh K; Pediatric Pulmonary and Cardiovascular Complication of HIV-1 Infection Study Group. Evaluation of coxsackievirus infection in children with human immunodeficiency virus type 1-associated cardiomyopathy. *J Infect Dis*. 2002;185(12):1798-802.

Padalko E, Nuyens D, De Palma A, Verbeken E, Aerts JL, De Clercq E, et al The interferon inducer ampligen [poly(I)-poly(C12U)] markedly protects mice against coxsackie B3 virus-induced myocarditis. *Antimicrob Agents Chemother*. 2004 [Serie en Internet] [citado 21 de Julio 2005];48(1):[aprox, 17p]. Disponible en: <http://www.ncbi.nlm.nih.gov/entrez/utills/lofref.fcgi?PrId=3494&uid=14693549&db=pubmed&url=http://www.pubmedcentral.gov/articlerender.fcgi?tool=pubmed&pubmedid=14693549>

Pankuweit S, Lamparter S, Schoppet M, Maisch B. Parvovirus B19 genome in endomyocardial biopsy

specimen. *Circulation*. 2004; 109(14):e179

Park SW, Lee CS, Jang HC, Kim EC, Oh MD, Choe KW. Rapid identification of the coxsackievirus A24 variant by molecular serotyping in an outbreak of acute hemorrhagic conjunctivitis. *J Clin Microbiol*. 2005;43(3):1069-71.

Singh S, Chow VT, Phoon MC, Chan KP, Poh CL. Direct detection of enterovirus 71 (EV71) in clinical specimens from a hand, foot, and mouth disease outbreak in Singapore by reverse transcription-PCR with universal enterovirus and EV71-specific primers. *J Clin Microbiol*. 2002;40(8):2823-7.

Takata S, Nakamura H, Umemoto S, Yamaguchi K, Sekine T, Kato T, et al. Identification of autoantibodies with the corresponding antigen for repetitive coxsackievirus infection-induced cardiomyopathy. *Circ J*. [Serie en Internet] 2004 [citada el 21 de Julio 2005];68(7): [aprox, 15p]. Disponible en: <http://www.ncbi.nlm.nih.gov/entrez/utils/lofref.fcgi?PrId=3580&uid=15226635&db=pubmed&url=http://joi.jlc.jst.go.jp/JST.JSTAGE/circj/68.677?from=PubMed>

Zautner AE, Korner U, Henke A, Badorff C, Schmidtke M. Related Articles, Links Heparan sulfates and coxsackievirus-adenovirus receptor: each one mediates coxsackievirus B3 PD infection. *J Virol*. [Serie en Internet] 2003 [citado 21 de julio 2005]; 77(18):[aprox.15p.]. Disponible en: <http://www.ncbi.nlm.nih.gov/entrez/utils/lofref.fcgi?PrId=3494&uid=12941917&db=pubmed&url=http://www.pubmedcentral.gov/articlerender.fcgi?tool=pubmed&pubmedid=12941917>

INFECCIONES POR COXSACKIEVIRUS/ mortalidad

Chan LG, Parashar UD, Lye MS, Ong FG, Zaki SR, Alexander JP, et al. Deaths of children during an outbreak of hand, foot, and mouth disease in sarawak, malaysia: clinical and pathological characteristics of the disease. For the Outbreak Study Group. *Clin Infect Dis*. 2000 Sep;31(3):678-83. Epub 2000 Oct 4.

INFECCIONES POR COXSACKIEVIRUS/ patología

Henke A, Launhardt H, Klement K, Stelzner A, Zell R, Munder T. Apoptosis in coxsackievirus B3-caused diseases: interaction between the capsid protein VP2 and the proapoptotic protein siva. *J Virol* [Serie en Internet] 2000 [citada el 21 de julio 2005]; 74(9):[Aprox. 56 pantallas] Disponible en: <http://jvi.asm.org/cgi/content/full/74/9/4284?view=long&pmid=10756043>

Sepulveda RT, Jiang S, Besselsen DG, Watson RR. Alcohol consumption during murine acquired immunodeficiency syndrome accentuates heart pathology due to Cocksackievirus. *Alcohol Alcohol* [Serie en Internet] 2002 [citada el 21 de julio 2005];37(2):[Aprox. 52 pantallas] Disponible en: <http://alcal.oxfordjournals.org/cgi/content/full/37/2/157>

INFECCIONES POR COXSACKIEVIRUS/ prevención y control

Chapman NM, Ragland A, Leser JS, Hofling K, Willian S, Semler BL, et al. A group B coxsackievirus/poliovirus 5'

nontranslated region chimera can act as an attenuated vaccine strain in mice. *J Virol*. 2000 May;74(9):[Aprox. 73 pantallas]. Disponible en: <http://aac.asm.org/cgi/content/full/48/1/267?view=long&pmid=14693549>

Dorner A, Xiong D, Couch K, Yajima T, Knowlton KU. Alternatively spliced soluble coxsackie-adenovirus receptors inhibit coxsackievirus infection. *J Biol Chem* [Serie en Internet] 2004 [citada el 21 de julio 2005];279(18)

FactSheet: hand, foot and mouth disease. *N S W Public Health Bull* [Serie en Internet] 2003 [citada el 21 de julio 2005]; 14(4-5):[Aprox.42 Pantallas]. Disponible en: <http://www.jbc.org/cgi/content/full/279/18/18497>

Padalko E, Nuyens D, De Palma A, Verbeken E, Aerts JL, De Clercq E, et al. The interferon inducer amplitgen [poly(I)-poly (C12U)] markedly protects mice against coxsackie B3 virus-induced myocarditis. *Antimicrob Agents Chemother* [Serie en Internet] 2004 [citada el 21 de julio 2005]; 48(1):[Aprox. 62 Pantallas]. Disponible en: <http://aac.asm.org/cgi/content/full/48/1/267?view=long&pmid=14693549>

Padalko E, Ohnishi T, Matsushita K, Sun H, Fox-Talbot K, Bao C, et al. Peroxynitrite inhibition of Cocksackievirus infection by prevention of viral RNA entry. *Proc Natl Acad Sci USA* [Serie en Internet] 2004 [citada el 21 de julio 2005];101(32): [Aprox. 26 pantallas]

Weir E. Foot-and-mouth disease in animals and humans. *CMAJ*[Serie en Internet] 2001 [citada el 21 de julio 2005];

164(9):[Aprox.30 pantallas]. Disponible en: <http://www.cmaj.ca/cgi/content/full/164/9/1338>

INFECCIONES POR COXSACKIEVIRUS /tratamiento

- Abe S, Okura Y, Hoyano M, Kazama R, Watanabe S, Ozawa T, et al. Plasma concentrations of cytokines and neurohumoral factors in a case of fulminant myocarditis successfully treated with intravenous immunoglobulin and percutaneous cardiopulmonary support. *Circ J*. [Serie en Internet] 2004 [citado 20 de Julio 2005];68(12) [aprox, 18 p]. Disponible en: http://www.jstage.jst.go.jp/article/circj/68/12/1223/_pdf
- Arbustini E, Porcu E, Bellini O, Grasso M, Pilotto A, Dal Bello B, et al. Enteroviral infection causing fatal myocarditis and subclinical myopathy. *Heart*. [Serie en Internet] 2000 [citado 21 de Julio 2005];83(1):[aprox, p]. Disponible en: <http://www.ncbi.nlm.nih.gov/entrez/utills/lofref.fcgi?PrId=3051&uid=10618342&db=pubmed&url=http://heart.bmjournals.com/cgi/pmidlookup?view=long&pmid=10618342>
- Cunningham R, Silbergleit R. Viral myocarditis presenting with seizure and electrocardiographic findings of acute myocardial infarction in a 14-month-old child. *Ann Emerg Med*. 2000;35(6):618-22.
- Chapman NM, Ragland A, Leser JS, Hofling K, Willian S, Semler BL, et al. A group B coxsackievirus/poliovirus 5' nontranslated region chimera can act as an attenuated vaccine strain in mice. *J Virol*. [Serie en Internet] 2000 [citado 21 de Julio 2005];74(9):[aprox, 15p]. Disponible en: <http://www.ncbi.nlm.nih.gov/entrez/utills/lofref.fcgi?PrId=3494&uid=10756016&db=pubmed&url=http://www.pubmedcentral.gov/articlerender.fcgi?tool=pubmed&pubmedid=10756016>
- Dorner A, Xiong D, Couch K, Yajima T, Knowlton KU. Alternatively spliced soluble coxsackie-adenovirus receptors inhibit coxsackievirus infection. *J Biol Chem*. [Serie en Internet] 2004 [citado 20 de Julio 2005];279(18):[aprox, 25 p]. Disponible en: <http://www.jbc.org/cgi/content/full/279/18/18497>
- FactSheet: hand, foot and mouth disease. NSW Public Health Bull. [Serie en Internet] 2003 [citado 21 de Julio 2005];14(4-5):[aprox, p]. Disponible en: <http://www.health.nsw.gov.au/public-health/phb/HTML2003/aprilmay03html/factsheetp95.html>
- Fodili F, van Bommel EF. Severe rhabdomyolysis and acute renal failure following recent Coxsackie B virus infection. *Neth J Med*. [Serie en Internet] 2003 [citado 21 de Julio 2005];61(5): [aprox, 12 p]. Disponible en: <http://www.zuidencomm.nl/nj/m/getpdf.php?id=95>
- Fohlman J, Pauksen K, Hyypia T, Eggertsen G, Ehrnst A, Ilback NG, et al. Antiviral treatment with WIN 54 954 reduces mortality in murine coxsackievirus B3 myocarditis. *Circulation*. 1996;94(9):2254-9.
- Henke A, Wagner E, Whitton JL, Zell R, Stelzner A. Protection of mice against lethal coxsackievirus B3 infection by using DNA immunization. *J Virol*. [Serie en Internet] 1998 [citado 21 de Julio 2005];72(10):[aprox, 14p]. Disponible en: <http://www.ncbi.nlm.nih.gov/entrez/utills/lofref.fcgi?PrId=3494&uid=9733878&db=pubmed&url=http://www.pubmedcentral.gov/articlerender.fcgi?tool=pubmed&pubmedid=9733878>
- Hiraoka Y, Kishimoto C, Takada H, Nakamura M, Kurokawa M, Ochiai H, et al. Nitric oxide and murine coxsackievirus B3 myocarditis: aggravation of myocarditis by inhibition of nitric oxide synthase. *J Am Coll Cardiol*. 1996;28(6):1610-5.
- Huber SA, Graveline D, Newell MK, Born WK, O'Brien RL. V gamma 1+ T cells suppress and V gamma 4+ T cells promote susceptibility to coxsackievirus B3-induced myocarditis in mice. *J Immunol*. 2000 Oct 15;165(8):4174-81.
- Kadrmaz EF, Buzney SM. Coxsackievirus B4 as a cause of adult chorioretinitis. *Am J Ophthalmol*. 1999;127(3):347-9.
- Kearney MT, Cotton JM, Richardson PJ, Shah AM. Viral myocarditis and dilated cardiomyopathy: mechanisms, manifestations, and management. *Postgrad Med J*. [Serie en Internet] 2001 [citado 21 de Julio 2005];77(903): [aprox, 31 p]. Disponible en: <http://www.ncbi.nlm.nih.gov/entrez/utills/lofref.fcgi?PrId=3051&uid=11123385&db=pubmed&url=http://pmj.bmjournals.com/cgi/pmidlookup?view=long&pmid=11123385>
- Kim JY, Jeon ES, Lim BK, Kim SM, Chung SK, Kim JM, Park SI, Jo I, Nam JH. Immunogenicity of a DNA vaccine for coxsackievirus B3 in mice: protective effects of

capsid proteins against viral challenge. *Vaccine*. 2005; 23(14):1672-9.

Mena I, Perry CM, Harkins S, Rodriguez F, Gebhard J, Whitton JL. The role of B lymphocytes in coxsackievirus B3 infection. *Am J Pathol*. [Serie en Internet] 1999 [citado 21 de Julio 2005];155(4): [aprox, 15 p]. Disponible en: <http://ajp.amjpathol.org/cgi/content/full/155/4/1205>

Padalko E, Nuyens D, De Palma A, Verbeke E, Aerts JL, De Clercq E, et al. The interferon inducer amplitgen [poly(I)-poly (C12U)] markedly protects mice against coxsackie B3 virus-induced myocarditis. *Antimicrob Agents Chemother*. [Serie en Internet] 2004 [citado 21 de Julio 2005];48(1):[aprox, 28 p] Disponible en: <http://www.pubmedcentral.gov/articlerender.fcgi?tool=pubmed&pubmedid=14693549>

Padalko E, Ohnishi T, Matsushita K, Sun H, Fox-Talbot K, Bao C, et al. Peroxynitrite inhibition of Coxsackievirus infection by prevention of viral RNA entry. *Proc Natl Acad Sci USA*. [Serie en Internet] 2004 [citado 20 de

Julio 2005];101(32):[aprox, 15 p]. Disponible en: <http://www.pubmedcentral.gov/articlerender.fcgi?tool=pubmed&pubmedid=15286280>

Pevear DC, Tull TM, Seipel ME, Groarke JM. Activity of pleconaril against enteroviruses. *Antimicrob Agents Chemother*. [Serie en Internet] 1999 [citado 21 de Julio 2005];43(9):[aprox, 26 p]. Disponible en: <http://www.pubmedcentral.gov/articlerender.fcgi?tool=pubmed&pubmedid=10471549>

Schiff GM, Sherwood JR. Clinical activity of pleconaril in an experimentally induced coxsackievirus A21 respiratory infection. *J Infect Dis*. 2000; 181(1):20-6.

Seko Y, Takahashi N, Yagita H, Okumura K, Azuma M, Yazaki Y. Effects of in vivo administration of anti-B7-1/B7-2 monoclonal antibodies on the survival of mice with chronic ongoing myocarditis caused by Coxsackievirus B3. *J Pathol*. 1999;188(1):107-12.

Weir E Foot-and-mouth disease in animals and humans. *CMAJ*. [Serie en Internet] 2001 [citado 21 de Julio 2005]; 164(9):[aprox, 6 p]. Dispo-

nible en: <http://www.cmaj.ca/cgi/content/full/164/9/1338>

Wessely R, Klingel K, Knowlton KU, Kandolf R. Cardioslective infection with coxsackievirus B3 requires intact type I interferon signaling: implications for mortality and early viral replication. *Circulation*. 2001; 103(5):756-61.

Xu W, Shen Y, Jiang Z, Wang Y, Chu Y, Xiong S. Intranasal delivery of chitosan-DNA vaccine generates mucosal SIgA and anti-CVB3 protection. *Vaccine*. 2004;22 (27-28):3603-12.

Zaragoza C, Ocampo CJ, Saura M, Bao C, Leppo M, Lafond-Walker A, et al Inducible nitric oxide synthase protection against coxsackievirus pancreatitis. *J Immunol*. [Serie en Internet] 1999 [citado 21 de Julio 2005];163(10): [aprox, 25 p.]. Disponible en: <http://www.ncbi.nlm.nih.gov/entrez/utils/lofref.fcgi?PrId=3051&uid=10553076&db=pubmed&url=http://www.jimmunol.org/cgi/pmidlookup?view=long&pmid=10553076>

Descriptores utilizados para la recuperación de información sobre Infecciones por Coxsackievirus en las bases de datos CUMED, LILACS y MEDLINE en ingles y español, tomados de los tesauros DeCS y MeSH

MeSH

DeCS

COXSACKIEVIRUS INFECTIONS /diagnosis

INFECCIONES POR COXSACKIEVIRUS /diagnostico

COXSACKIEVIRUS INFECTIONS /epidemiology

INFECCIONES POR COXSACKIEVIRUS /epidemiología

COXSACKIEVIRUS INFECTIONS
/etiology

COXSACKIEVIRUS INFECTIONS
/mortality

COXSACKIEVIRUS INFECTIONS
/pathology

COXSACKIEVIRUS INFECTIONS
/prevention and control

COXSACKIEVIRUS INFECTIONS
/treatment

INFECCIONES POR COXSACKIEVIRUS
/etiología

INFECCIONES POR COXSACKIEVIRUS/
/mortalidad

INFECCIONES POR COXSACKIEVIRUS
/patología

INFECCIONES POR COXSACKIEVIRUS
/prevención y control

INFECCIONES POR COXSACKIEVIRUS
/tratamiento

