



## SIDA Y ENFERMEDADES NO TRANSMISIBLES

### SINDROME DE INMUNODEFICIENCIA ADQUIRIDA/HIPERLIPIDEMIA

Addy CL, Gavrila A, Tsiodras S, Brodovicz K, Karchmer AW, Mantzoros CS. Hypoadiponectinemia is associated with insulin resistance, per triglyceridemia, and fat redistribution in human immunodeficiency virus-infected patients treated with highly active antiretroviral therapy. *J Clin Endocrinol Metab* [serie en Internet] 2003 [citado 26 de jun 2006];88(2): [aprox. 42 p.]. Disponible en: <http://jcem.endojournals.org/cgi/content/full/88/2/627>

Albuquerque EM, de Faria EC, Oliveira HC, Magro DO, Castilho LN. High frequency of Fredrickson's phenotypes IV and IIb in Brazilians infected by human immunodeficiency virus. *BMC Infect Dis* [serie en Internet] 2005 [citado 26 de Jun 2006];5(1):[aprox. 23 p.]. Disponible en: <http://www.pubmedcentral.gov/articlerender.fcgi?tool=pubmed&pubmedid=15955243>

Badiou S, De Boever CM, Dupuy AM, Baillat V, Cristol JP, Reynes J. Small dense LDL

and atherogenic lipid profile in HIV-positive adults: influence of lopinavir/ritonavir-containing regimen. *AIDS*. 2003; 17(5):772-4.

Batterham MJ, Brown D, Workman C. Modifying dietary fat intake can reduce serum cholesterol in HIV-associated hypercholesterolemia. *AIDS*. 2003;17(9):1414-6.

Behrens GM. Cardiovascular risk and body-fat abnormalities in HIV-infected adults. *N Engl J Med*. 2005;352(16):1721-2

Calza L, Colangeli V, Manfredi R, Legnani G, Tampellini L, et al. Rosuvastatin for the treatment of hyperlipidaemia in HIV-infected patients receiving protease inhibitors: a pilot study. *AIDS*. 2005; 19(10):1103-5.

Calza L, Manfredi R, Colangeli V, Tampellini L, Sebastiani T, Pocaterra D, et al. Substitution of nevirapine or efavirenz for protease inhibitor versus Lipid-lowering therapy for the management of dyslipidaemia. *AIDS*. 2005;19(10):1051-8.

Calza L, Manfredi R, Chiodo F. Statins and fibrates for the treatment of hyperlipidaemia in HIV-infected patients receiving HAART. *AIDS* 2003;17(6):851-9.

Caramelli B, de Bernoche CY, Sartori AM, Sposito AC,

Santos RD, Monachini MC, et al. Hyperlipidemia related to the use of HIV-protease inhibitors: natural history and results of treatment with fenofibrate. *Braz J Infect Dis* [serie en Internet] 2001 [citado 26 de jun 2006];5(6): [aprox. 17 p.]. Disponible en: [http://www.scielo.br/scielo.php?script=sci\\_arttext&pid=S1413-86702001000600007&tlang=es&lng=en&nrm=iso](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S1413-86702001000600007&tlang=es&lng=en&nrm=iso)

Collazos J, Mayo J, Ibarra S, Cazallas J. Hyperlipidemia in HIV-infected patients: the protective effect of hepatitis C virus co-infection. *AIDS* 2003;17(6):927-9.

Drechsler H, Powderly WG. Switching effective antiretroviral therapy: a review. *Clin Infect Dis*. 2002;35(10):1219-30.

Dube MP, Stein JH, Aberg JA, Fichtenbaum CJ, Gerber JG, Tashima KT, et al. Adult AIDS Clinical Trials Group Cardiovascular Subcommittee; HIV Medical Association of the Infectious Disease Society of America. Guidelines for the evaluation and management of dyslipidemia in human immunodeficiency virus (HIV)-infected adults receiving antiretroviral therapy: recommendations of the HIV Medical Association of the Infectious Disease Society of America and the

Adult AIDS Clinical Trials Group. Clin Infect Dis. 2003; 37(5):613-27.

Dube M, Fenton M. Lipid abnormalities. Clin Infect Dis. 2003;36(Suppl 2):S79-83.

Friis-Moller N, Weber R, Reiss P, Thiebaut R, Kirk O, d'Arminio Monforte A, et al. Cardiovascular disease risk factors in HIV patients--association with Antiretroviral therapy. Results from the DAD study. AIDS 2003;7(8): 1179-93.

Grinspoon S, Carr A. Cardiovascular risk and body-fat abnormalities in HIV-infected adults. N Engl J Med. 2005; 352(1):48-62.

Keiser PH, Sension MG, DeJesus E, Rodríguez A, Olliffe JF, Williams VC, et al. Substi-

**DIRECTORA**  
*Bárbara Lazo Rodríguez*

**EDITORA**  
*Margarita Pobea Reyes*

**COMPILACIÓN**  
*Aurea Ramos Bosch*

**CONFECCIÓN Y DISEÑO**  
*Mercedes Martínez Martos*

*Publicación bimestral, contiene informaciones bibliográficas de documentos que se encuentran en la Biblioteca Médica Nacional y sus temas responden a las líneas de investigación priorizadas del Ministerio de Salud Pública, es editado por el área de Servicios Bibliotecarios y está disponible en su sitio web por la Red Electrónica de Salud.*

©1994-2006

*Biblioteca Médica Nacional  
Dirección: 23 esq. N. Vedado,  
La Habana. Cuba.*

*Teléfono: (537) 8324317  
Email: mpobea@infomed.sld.cu*

tuting abacavir for hyperlipidemia-associated protease inhibitors in HAART regimens improves fasting lipid profiles, maintains virologic suppression, and simplifies treatment. BMC Infect Dis [serie en Internet] 2005 [citado 26 de jun 2006]; 5(1):[aprox. 17 p]. Disponible en: <http://www.pubmedcentral.gov/v/articlerender.fcgi?tool=pubmed&pubmedid=15647105>

Kulasekaram R, Peters BS, Wierzbicki AS. Dyslipidaemia and cardiovascular risk in HIV infection. Curr Med Res Opin. 2005;21(11):1717-25.

Lainka E, Oezbek S, Falck M, Ndagijimana J, Niehues T. Marked dyslipidemia in human immunodeficiency virus-infected children on protease inhibitor-containing antiretroviral therapy. Pediatrics. 2002;110(5):e56.

Landauer N, Goebel FD. [Disorders of lipid and glucose metabolism. Long-term adverse effects of antiretroviral therapy]. MMW Fortschr Med. 2002;144(Suppl 1):16-8.

Reeds DN, Mittendorfer B, Patterson BW, Powderly WG, Yarasheski KE, Klein S. Alterations in lipid kinetics in men with HIV-dyslipidemia. Am J Physiol Endocrinol Metab [serie en Internet] 2003 [citado 26 de Jun 2006]; 285(3):[Aprox. 33 pl]. Disponible en: <http://ajpendo.physiology.org/cgi/content/full/285/3/E490>

Shahmanesh M, Das S, Stolinski M, Shojaee-Moradie F, Jackson NC, Jefferson W, et al. Antiretroviral treatment reduces very-low-density lipoprotein and intermediate-density lipoprotein apolipoprotein B fractional catabolic rate in human immunode-

ficiency virus-infected patients with mild dyslipidemia. J Clin Endocrinol Metab [Serie en Internet] 2005 [citado 26 de jun 2006];90(2): [aprox. 29 p]. Disponible en: <http://jcem.endojournals.org/cgi/content/full/90/2/755>

Sekhar RV, Jahoor F, Pownall HJ, Rehman K, Gaubatz J, et al. Severely dysregulated disposal of postprandial triacylglycerols exacerbates hypertriacylglycerolemia in HIV lipodystrophy syndrome. Am J Clin Nutr. 2005;81(6): 1405-10.

Stein JH, Merwood MA, Bellehumeur JB, McBride PE, Wiebe DA, Sosman JM, et al. Postprandial lipoprotein changes in patients taking antiretroviral therapy for HIV infection. Arterioscler Thromb Vasc Biol [serie en Internet] 2005 [citado 28 de jun 2006]; 25(2):[aprox. 28p]. Disponible en: <http://atvb.ahajournals.org/cgi/content/full/25/2/399>

Taylor P, Worrell C, Steinberg SM, Hazra R, Jankelevich S, Wood LV, et al. Natural history of lipid abnormalities and fat redistribution among human immunodeficiency virus-infected children receiving long-term, protease inhibitor-containing, highly active antiretroviral therapy regimens. Pediatrics [serie en Internet] 2004 [citado 26 de jun 2006];114(2):[aprox. 29p]. Disponible en: <http://pediatrics.aappublications.org/cgi/content/full/114/2/e235>

Thoni GJ, Fedou C, Brun JF, Fabre J, Renard E, Reynes J, et al. Reduction of fat accumulation and lipid disorders by individualized light aerobic training in human immunodeficiency virus infected patients with lipodystrophy

- and/or dyslipidemia. Diabetes Metab [serie en Internet] 2002 [citado 26 de jun 2006]; 28(5):[aprox. 21p]. Disponible en: <http://www.masson.fr/masson/portal/bookmark?Global=1&Page=18&MenuItemSelected=106&MenuItemSelected=0&MenuSupportSelected=0&CodeProduct4=535&CodeRevue4=DM&Path=REVUE/DM/2002/28/5/ARTICLE11106171089.xml&Locations>
- Yarasheski KE, Tebas P, Claxton S, Marin D, Coleman T, Powderly WG, et al. Visceral adiposity, C-peptide levels, and low lipase activities predict HIV-dyslipidemia. Am J Physiol Endocrinol Metab [serie en Internet] 2003 [citado 26 de jun 2006];285(4): [aprox. 26 p.]. Disponible en: <http://ajpendo.physiology.org/cgi/content/full/285/4/E899>
- SINDROME DE INMUNODEFICIENCIA ADQUIRIDA / ENFERMEDADES CARDIOVASCULARES**
- Bachman DM, Green WR, Holman R. Bilateral ophthalmic artery occlusion in a patient with acquired immunodeficiency syndrome and central nervous system lymphoma. Ophthalmology. 2002;109(6): 1142-7.
- Behrens GM. Cardiovascular risk and body-fat abnormalities in HIV-infected adults. N Engl J Med. 2005;352(16):1721-2.
- Blanchard JN, Powell HC, Freeman WR, Letendre S, Blanchard D, Shimizu C, et al. Recurrent Kawasaki disease-like syndrome in a patient with acquired immunodeficiency syndrome. Clin Infect Dis. 2003;36(1): 105-11.
- Calabrese LH, Albrecht M, Young J, McCarthy P, Haug M, Jarcho J, et al. Successful cardiac transplantation in an HIV-1-infected patient with advanced disease. N Engl J Med. 2003;348(23):2323-8.
- Carvalho Neto Ad, Bruck I, Coelho LO, Cruz CR, Liu CB, Gomes AF, et al. [Cerebral arterial aneurysm in a child with acquired immunodeficiency syndrome: case report]. Arq Neuropsiquiatr [serie en Internet] 2001 [citado 26 de jun 2006];59(2-B):[aprox. 18 p.]. Disponible en: [http://www.scielo.br/scielo.php?script=sci\\_arttext&pid=S00282X2001000300026&tlang=e&slng=en&nrm=iso](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S00282X2001000300026&tlang=e&slng=en&nrm=iso)
- Casanova-Sotolongo P, Casanova-Carrillo P, Casanova-Carrillo C. [Aids: is it a risk factor in cerebrovascular disease?]. Rev Neurol. 2002;35(9):808-11.
- Cole JW, Pinto AN, Hebel JR, Buchholz DW, Earley CJ, Johnson CJ, et al. Acquired immunodeficiency syndrome and the risk of stroke. Stroke. 2004;35(1):51-6.
- Corti M, Trione N, Corbera K. [Spleen infarction associated with the presence of lupic inhibitor in a patient with AIDS]. Enferm Infecc Microbiol Clin [serie en Internet]. 2001 [citado 26 de jun 2006];19(8):[aprox. 5 p.]. Disponible en: [http://db.doyma.es/cgi-bin/wdbcgi.exe/doyma/mrevis\\_ta.pubmed\\_full?inctrl=05ZI0106&rev=28&vol=19&num=8&pag=408](http://db.doyma.es/cgi-bin/wdbcgi.exe/doyma/mrevis_ta.pubmed_full?inctrl=05ZI0106&rev=28&vol=19&num=8&pag=408)
- Cunningham ET, Levinson RD, Jampol LM, Engstrom RE, Lewis H, Holland GN. Ischemic maculopathy in patients with acquired immunodeficiency syndrome. Am J Ophthalmol. 2001; 132(5):727-33.
- Delayed virus suppression has its price. Heart and liver are no longer secondary theaters] MMW Fortschr Med. 2002; 144(Suppl 1):12-4.
- Fernandes AR, Favoreto A, Cruz A, Aloe M, Penna C. [Cerebral aneurysm related to pediatric AIDS. Case report]. Rev Neurol. 2005;41(12):722-4.
- Holmberg SD, Moorman AC, Greenberg AE. Trends in rates of myocardial infarction among patients with HIV. N Engl J Med. 2004;350(7): 730-2.
- Hsue PY, Giri K, Erickson S, MacGregor JS, Younes N, Shergill A, et al. Clinical features of acute coronary syndromes in patients with human immunodeficiency virus infection. Circulation. 2004;109(3):316-9.
- Hyde JK, Krantz MJ, Woods JE. Intracardiac mass in a man infected with human immunodeficiency virus. Arch Pathol Lab Med. 2005;129(7):943-4.
- Imanaka K, Takamoto S, Kimura S, Morisawa Y, Ohtsuka T, Suematsu Y, et al. Coronary artery bypass grafting in a patient with human immunodeficiency virus: role of perioperative active antiretroviral therapy. Jpn Circ [Serie en Internet] 1999 [Citado 26 de Junio 2006];63(5):[Aprox. 5 p.]. Disponible en: [http://www.jstage.jst.go.jp/article/jcj/63/5/423/\\_pdf](http://www.jstage.jst.go.jp/article/jcj/63/5/423/_pdf)
- Iwahashi N, Nakatani S, Kakuchi H, Yamagishi M, Fukuchi K, Ishida Y, et al. Cardiac tumor as an initial manifestation of acquired immunodeficiency syndrome. Circ J. 2005;69(2): 243-5.
- Jimenez FJ, Pinilla J, Repiso M, Labarga P. [Complete auriculoventricular block in a patient

treatment with Lopinavir/Ritonavir]. Enferm Infect Microbiol Clin [Serie en Internet] 2002 [Citado 26 de Junio 2006];20(8):[Aprox. 5 p.]. Disponible en: [http://www.ncbi.nlm.nih.gov/entrez/utils/loref.fcgi?PrId=3145&uid=12372245&db=pubmed&url=http://db.doyma.es/cgi-bin/wdbcgi.exe/doyma/mrevisa\\_pubmed\\_full?inctrl=05ZI0106&rev=28&vol=20&num=8&pag=418](http://www.ncbi.nlm.nih.gov/entrez/utils/loref.fcgi?PrId=3145&uid=12372245&db=pubmed&url=http://db.doyma.es/cgi-bin/wdbcgi.exe/doyma/mrevisa_pubmed_full?inctrl=05ZI0106&rev=28&vol=20&num=8&pag=418)

Kikuchi Y, Genka I, Ishizaki A, Sunagawa K, Yasuoka A, Oka S. Serious bradycardia that was possibly induced by lopinavir-ritonavir in 2 patients with acquired immunodeficiency syndrome. Clin Infect Dis. 2002;35(4): 488-90.

Lewis W. Use of the transgenic mouse in models of AIDS cardiomyopathy. AIDS. 2003; 17(Suppl 1):S36-45.

Lewis W. Defective mitochondrial DNA replication and NRTIs: pathophysiological implications in AIDS cardiomyopathy. Am J Physiol Heart Circ Physiol [Serie en Internet] 2003 [Citado 26 de Junio 2006];284(1):[Aprox. 49 p.]. Disponible en: <http://ajpheart.physiology.org/cgi/content/full/284/1/H1>

Ouedraogo N, Niakara A, Lougue-Sorgho C. [Abdominal aortic aneurysm manifested by hematemesis in a 32 year old patient infected by HIV]. Med Trop (Mars). 2003; 63(1):64-7.

Perez-Atayde AR, Kearney DI, Bricker JT, Colan SD, Easley KA, Kaplan S, et al. P2C2 HIV Study Group. Cardiac, aortic, and pulmonary arteriopathy in HIV-infected children: the Prospective P2C2 HIV Multicenter Study.

Pediatr Dev Pathol 2004;7(1): 61-70.

Petropoulou F, Mostrou G, Papae-vangelou V, Theodoridou M. Central nervous system aneurysms in childhood AIDS. AIDS. 2003;17(2): 273-5.

Possible cardiovascular complications. What leads to "switching"]. MMW Fortschr Med. 2002;144(Suppl 1):82.

Reche M, Caballero T, Lopez-Trascasa M, Arribas JR, Lopez Serrano MC. Angioedema and transient acquired C1 inhibitor functional deficiency in HIV infection: case report. AIDS. 2002; 16(11):1561.

Restrepo L, McArthur J. Stroke and HIV infection. Stroke. 2003; 34(10):e176-7

Rocha C, Gouvea AT, Machado DM, Hornke L, Succi RC. [Ischaemic stroke in two children with HIV-1]. Arq Neuropsiquiatr [Serie en Internet] 2003 [Citado 27 de Junio 2006];61(4):[Aprox. 13 p.]. Disponible en: [http://www.scielo.br/scielo.php?script=sci\\_arttext&pid=S004282X2003000600024&tlang=en&nrm=iso](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S004282X2003000600024&tlang=en&nrm=iso)

Santos JL, Cruz I, Martin Herrero F, Albaran C, Gonzalez Matas JM, Martin Luengo C. [Recurrent coronary thrombosis, factor V Leiden, primary antiphospholipid syndrome and HIV]. Rev Esp Cardiol. 2004;57(10):997-9.

Twu C, Liu NQ, Popik W, Bukrinsky M, Sayre J, Roberts J, et al. Cardiomyocytes undergo apoptosis in human immunodeficiency virus cardiomyopathy through mitochondria- and death receptor-controlled pathways. Proc Natl Acad Sci U S A [Serie en Internet] 2002 [Citado 26 de Junio 2006]; 99(22):[Aprox. 25p]. Disponible en: <http://www.pubmedcentral.gov>

[v/articlerender.fcgi?tool=pubmed&pubmedid=12379743](http://articlerender.fcgi?tool=pubmed&pubmedid=12379743)

Yotsumoto M, Kitano K, Saito H. Bradycardia-tachycardia syndrome induced by lopinavir-ritonavir in a patient with AIDS. AIDS. 2005;19(14): 1547-8.

### SINDROME DE INMUNODEFICIENCIA ADQUIRIDA/ ACCIDENTE CEREBROVASCULAR

Cole JW, Pinto AN, Hebel JR, Buchholz DW, Earley CJ, Johnson CJ, et al. Acquired immunodeficiency syndrome and the risk of stroke. Stroke. 2004;35(1):51-6.

Rocha C, Gouvea AT, Machado DM, Hornke L, Succi RC. [Ischaemic stroke in two children with HIV-1]. Arq Neuropsiquiatr [Serie en Internet] 2003 [Citado 27 de Junio 2006];61(4):[Aprox. 13 p.]. Disponible en: [http://www.scielo.br/scielo.php?script=sci\\_arttext&pid=S004282X2003000600024&tlang=en&nrm=iso](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S004282X2003000600024&tlang=en&nrm=iso)

Restrepo L, McArthur J. Stroke and HIV infection. Stroke. 2003; 34(10):e176-7

Rocha C, Gouvea AT, Machado DM, Hornke L, Succi RC. [Ischaemic stroke in two children with HIV-1]. Arq Neuropsiquiatr. 2003;61(4): 1015-7.

### SINDROME DE INMUNODEFICIENCIA ADQUIRIDA/ HEPATOPATIAS

Hepatotoxicity with antiretroviral therapy. The liver is affected as well]. MMW Fortschr Med. 2002;144(Suppl 1):14-5.

Kazi KC, Deshpande R, Soman R, Lala M, Shah S. Liver cell adenoma with co-existing

- hepatic granulomas in an HIV-positive patient. Indian J Gastroenterol [Serie en Internet] 2005 [Citado 27 de Junio 2006];24(6):[Aprox. 4 p]. Disponible en: <http://www.indianjgastro.com/article.asp?issn=0254-8860;year=2005;volume=24;issue=6;spage=274;epage=275;aulast=Kazi>
- Scherpbier HJ, Hilhorst MI, Kuijpers TW. Liver failure in a child receiving highly active antiretroviral therapy and voriconazole. Clin Infect Dis. 2003;15;37(6):828-30.
- SINDROME DE INMUNODEFICIENCIA ADQUIRIDA /ENFERMEDAD PULMONAR OBSTRUCTIVA CRONICA**
- Beck JM, Rosen MJ, Peavy HH. Pulmonary complications of HIV infection. Report of the Fourth NHLBI Workshop. Am J Respir Crit Care Med [Serie en Internet] 2001 [Citado 27 de Junio 2006];164(11):[Aprox. 41 p]. Disponible en: <http://www.ncbi.nlm.nih.gov/entrez/utils/loref.fcgi?PrId=3051&uid=11739145&db=pubmed&url=http://ajrccm.atsjournals.org/cgi/pmidlookup?view=long&pmid=11739145>
- Curtis JR, Wenrich MD, Carline JD, Shannon SE, Ambrozy DM, Ramsey PG. Patients' perspectives on physician skill in end-of-life care: differences between patients with COPD, cancer, and AIDS. Chest. 2002;122(1):356-62.
- Diaz PT, King MA, Pacht ER, Wewers MD, Gadek JE, Nagaraja HN, et al. Increased susceptibility to pulmonary emphysema among HIV-seropositive smokers. Ann Intern Med. 2000;132(5):369-72.
- Diaz PT, Wewers MD, King M, Wade J, Hart J, Clanton TL. Regional differences in emphysema scores and BAL glutathione levels in HIV-infected individuals. Chest [Serie en Internet] 2004 [Citado 27 de Junio 2006];126(5):[Aprox. 15 p]. Disponible en: <http://www.chestjournal.org/cgi/content/full/126/5/1439>
- Poirier CD, Inhaber N, Lalonde RG, Ernst P. Prevalence of bronchial hyperresponsiveness among HIV-infected men. Am J Respir Crit Care Med [Serie en Internet] 2001 [Citado 27 de Junio 2006];164(4):[Aprox. 12 p]. Disponible en: <http://ajrccm.atsjournals.org/cgi/content/full/164/4/542>
- NEFROPATÍA ASOCIADA A SIDA**
- Alpers CE. Light at the end of the TUNEL: HIV-associated thrombotic microangiopathy. Kidney Int. 2003;63(1):385-96.
- Ahuja TS, Weiss VP. Cohort study of the treatment of severe HIV-associated nephropathy with corticosteroids. Kidney Int. 2001;59(2):802-3.
- Behar DM, Shlush LI, Maor C, Lorber M, Skorecki K. Absence of HIV-associated nephropathy in Ethiopians. Am J Kidney Dis. 2006;47(1):88-94.
- Cosgrove CJ, Abu-Alfa AK, Perazella MA. Observations on HIV-associated renal disease in the era of highly active antiretroviral therapy. Am J Med Sci. 2002;323(2):102-6.
- Foster MH. Taking HAART in HIVAN: will protease inhibitor sparing regimens alter renal outcome? Kidney Int. 2004;65(3):1105-6.
- Halevy D, Radhakrishnan J, Appel GB. Racial and socioeconomic factors in glomerular disease. Semin Nephrol. 2001;21(4):403-10.
- Husain M, Gusella GL, Klotman ME, Gelman IH, Ross MD, Schwartz EJ, et al. HIV-1 Nef induces proliferation and anchorage-independent growth in podocytes. J Am Soc Nephrol. 2002;13(7):1806-15.
- Izzedine H, Warden M, Launay-Vacher V. Viral load and HIV-associated nephropathy. N Engl J Med. 2005;353(10):1072-4.
- Izzedine H, Launay-Vacher V, Deray G. Inadequacy of antiretroviral drugs dosage adjustment in HIV patients receiving dialysis. Kidney Int. 2003;64(6):2324.
- Kopp JB, Winkler C. HIV-associated nephropathy in African Americans. Kidney Int Suppl. 2003;(83):S43-9.
- Madrigal-Jimenez HM, Flores Flores L, Carrillo Estrada F, Zuniga-Silva MA. [High levels of HIV-1 RNA Associated with Early-Onset Glomerulopathy in Patients with HIV Infection]. Gac Med Mex. 2003;139(3):227-33.
- Meng QY, Du JF, Lai H, Lai SH. Coronary artery calcification is associated with atherogenic lipid changes, cardiac dysfunction and morphologic abnormalities in HIV-1 infected black adults. Chin Med J (Engl). 2005;118(5):412-4.
- Mongia A, Bhaskaran M, Reddy K, Manjappa N, Baqi N, Singhal PC. Protease inhibitors modulate apoptosis in mesangial cells derived from a mouse model of HIVAN.

- Kidney Int. 2004;65(3):860-70.
- Ray PE, Liu XH, Robinson LR, Reid W, Xu L, Owens JW, et al. A novel HIV-1 transgenic rat model of childhood HIV-1-associated nephropathy. Kidney Int. 2003;63(6):2242-53.
- Ross MJ, Klotman PE. Recent progress in HIV-associated nephropathy. J Am Soc Nephrol. 2002;13(12):2997-3004.
- Sfakianakis GN, Carmona AJ, Sharma A, Strauss J, Georgiou MF, Zilleruelo GE, et al. Diuretic MAG3 scintigraphy in children with HIV nephropathy: diffuse parenchymal dysfunction. J Nucl Med. 2000;41(6):1037-42.
- Sunamoto M, Husain M, He JC, Schwartz EJ, Klotman PE. Critical role for Nef in HIV-1-induced podocyte dedifferentiation. Kidney Int. 2003; 64(5):1695-701.
- Szczech LA, Gupta SK, Habash R, Guasch A, Kalayjian R, Appel R, et al. The clinical epidemiology and course of the spectrum of renal diseases associated with HIV infection. Kidney Int. 2004;66(3):1145-52.
- Szczech LA, Winston JA. The impact of antiretroviral therapy on HIVAN. Kidney Int. 2004;65(3):1114
- Szczech LA, Kalayjian R, Rodriguez R, Gupta S, Coladonato J, Winston J. Adult AIDS Clinical Trial Group Renal Complications Committee. The clinical characteristics and antiretroviral dosing patterns of HIV-infected patients receiving dialysis. Kidney Int. 2003; 63(6):2295-301.
- Wang Y, Rossini M, Fogo AB. Quiz page. HIV-associated nephropathy is the overwhelmingly most likely diagnosis. Am J Kidney Dis. 2004; 43(4):A47, e1.
- Wei A, Burns GC, Williams BA, Mohammed NB, Visintainer P, Sivak SL. Long-term renal survival in HIV-associated nephropathy with angiotensin-converting enzyme inhibition. Kidney Int. 2003;64(4):1462-71.
- Weiner NJ, Goodman JW, Kimmel PL. The HIV-associated renal diseases: current insight into pathogenesis and treatment. Kidney Int. 2003;63(5):1618-31.
- Zhong J, Zuo Y, Ma J, Fogo AB, Jolicoeur P, Ichikawa I, et al. Expression of HIV-1 genes in podocytes alone can lead to the full spectrum of HIV-1-associated nephropathy. Kidney Int. 2005;68(3):1048-60.
- SINDROME DE INMUNODEFICIENCIA ADQUIRIDA/NEOPLASMAS**
- Bundow D, Aboulafia DM. Potential drug interaction with paclitaxel and highly active antiretroviral therapy in two patients with AIDS-associated Kaposi sarcoma. Am J Clin Oncol. 2004;27(1):81-4.
- Burgi A, Brodine S, Wegner S, Milazzo M, Wallace MR, Spooner K, et al. Incidence and risk factors for the occurrence of non-AIDS-defining cancers among human immunodeficiency virus-infected individuals. Cancer. 2005;104(7):1505-11.
- Corti ME, Yampolsky C, Metta H, Valerga M, Sevlever G, Capizzano A. Oligodendroglioma in a patient with AIDS: case report and review of the literature. Rev Inst Med Trop Sao Paulo. 2004;46(4): 195-7.
- Chadha KC, Ambrus JL, Dembinski W, Ambrus JL. Interferons and interferon inhibitory activity in disease and therapy. Exp Biol Med (Maywood) [Serie en Internet] 2004 [Citado 27 de Junio 2006];229(4);[Aprox. 20p.]. Disponible en: <http://www.ebmonline.org/cgi/content/full/229/4/285>
- Cheung MC, Pantanowitz L, Dezube BJ. AIDS-related malignancies: emerging challenges in the era of highly active antiretroviral therapy. Oncologist [Serie en Internet] 2005 [Citado 27 de Junio 2006];10(6);[Aprox. 25 p.]. Disponible en: <http://www.ncbi.nlm.nih.gov/entrez/utils/loref.fcgi?Prld=3051&uid=15967835&db=pubmed&url=http://theoncologist.alphamedpress.org/cgi/pmidlookup?view=long&pmid=15967835>
- Dal Maso L, Polesel J, Serraino D, Franceschi S. Lung cancer in persons with AIDS in Italy, 1985-1998. AIDS 2003; 17(14):2117-9.
- Gastaldi R, Martino P, Gentile G, De Propris MS, Pirillo MF, De Vellis A, et al. High dose of idarubicin-based regimen for diffuse large cell AIDS-related non-Hodgkin's lymphoma with or without antiretroviral therapy during antineoplastic agents. Ann Oncol. [Serie en Internet] 2003 [Citado 27 de Junio 2006];14(12);[Aprox. 9p.]. Disponible en: <http://annonc.oxfordjournals.org/cgi/content/full/14/12/1792-a>
- Gulinelli A, Aisawa RK, Konno SN, Morinaga CV, Costardi WL, Antonio RO, et al.

- [Desire for information and participation in therapeutic decisions concerning severe diseases, in patients of a university hospital]. Rev Assoc Med Bras. 2004;50(1): 41-7.
- Herrejon A, Cervera A, Macia M, Ferrer R, Blanquer R. [Bronchioloalveolar adenoma associated with bronchiolitis obliterans and leishmaniasis with lung involvement in acquired immunodeficiency syndrome]. Arch Bronconeumol [Serie en Internet] 2005 [Citado 27 de Junio 2006];41(4):[Aprox. 7p]. Disponible en: <http://www.archbronconeumol.org/cgi-bin/wdbcgi.exe/abn/abneng.mrevista.fulltext?pident=13073843>
- Iwahashi N, Nakatani S, Kakuchi H, Yamagishi M, Fukuchi K, Ishida Y, et al. Cardiac tumor as an initial manifestation of acquired immunodeficiency syndrome. Circ J. 2005;69(2): 243-5.
- Jensen SL, Bowman PH. Purple polypoid masses on the legs. Arch Dermatol. 2005;141(10): 1311-6
- Kamiyama K, Kinjo T, Chinen K, Iwamasa T, Uezato H, Miyagi JI, et al. Human herpesvirus 8 (HHV8) sequence variations in HHV8 related tumours in Okinawa, a subtropical island in southern Japan. J Clin Pathol [Serie en Internet] 2004 [Citado 27 sw Junio 2006]; 57(5):[Aprox. 27 p.]. Disponible en: <http://jcp.bmjjournals.com/cgi/content/full/57/5/529>
- Kazi KC, Deshpande R, Soman R, Lala M, Shah S Liver cell adenoma with co-existing hepatic granulomas in an HIV-positive patient. Indian J Gastroenterol [Serie en Internet] 2005 [Citado 27 de Junio 2006];24(6):[Aprox. 4 p.]. Disponible en: <http://www.indianjgastro.com/article.asp?issn=0254-8860;year=2005;volume=24;issue=6;spage=274;epage=275;aulast=Kazi>
- Kouri V, Liang X, Rodriguez ME, Capo V, Resik S, Barrios J. Molecular epidemiology and KSHV K1 subtypes in a Cuban AIDS-Kaposi's sarcoma population. AIDS. 2005;19(9):984-7.
- Lim ST, Tupule A, Espina BM, Levine AM. Weekly docetaxel is safe and effective in the treatment of advanced-stage acquired immunodeficiency syndrome-related Kaposi sarcoma. Cancer. 2005; 103(2):417-21.
- Logie DE, Harding R. An evaluation of a morphine public health programme for cancer and AIDS pain relief in Sub-Saharan Africa. BMC Public Health [Serie en Internet] 2005 [Citado 27 de Junio 2006];5:[Aprox. 21 p.]. Disponible en: <http://www.pubmedcentral.gov/v/articlerender.fcgi?tool=pubmed&pubmedid=16092958>
- Manfredi R, Tadolini M, Fortunato L, Calza L, Marinacci G, Chiodo F. Rituximab alone proves effective in the treatment of refractory, severe stage III AIDS-related non-Hodgkin's paediatric lymphoma. AIDS. 2003;17(14): 2146-8.
- Mallery SR, Pei P, Landwehr DJ, Clark CM, Bradburn JE, Ness GM, et al. Implications for oxidative and nitrative stress in the pathogenesis of AIDS-related Kaposi's sarcoma. Carcinogenesis [Serie en Internet] 2004 [Citado 27 de Junio 2006];25(4):[Aprox. 25 p.]. Disponible en: <http://carcin.oxfordjournals.org/cgi/content/full/25/4/597>
- Mosam A, Cassol E, Page T, Bodasing U, Cassol S, Dawood H, et al. Generic antiretroviral efficacy in AIDS-associated Kaposi's sarcoma in sub-Saharan Africa. AIDS. 2005;19(4): 441-3.
- Oluwole SF, Ali AO, Shafae Z, DePaz HA. Breast cancer in women with HIV/AIDS: report of five cases with a review of the literature. J Surg Oncol. 2005;89(1):23-7.
- Porcel Perez JM, Rubio Caballero M. [Primary pulmonary lymphoma with pleural involvement as the first sign of Adquired immunodeficiency syndrome]. Arch Bronconeumol. 2003;39(9): 433-4.
- Nasti G, Martellotta F, Berretta M, Mena M, Fasan M, Di Perri G, et al. GICAT; ICONA. Impact of highly active antiretroviral therapy on the presenting features and outcome of patients with acquired immunodeficiency syndrome-related Kaposi sarcoma. Cancer. 2003;98(11):2440-6.
- Ramsay S. Leading the way in African home-based palliative care. Free oral morphine has allowed expansion of model home-based palliative care in Uganda. Lancet. 2003;362 (9398):1812-3.
- Sriplung H, Parkin DM. Trends in the incidence of acquired immunodeficiency syndrome-related malignancies in Thailand. Cancer. 2004; 101(11):2660-6.
- Stebbing J, Wildfire A, Portsmouth S, Powles T, Thirlwell C, Hewitt P, et al. Paclitaxel for anthracycline-resistant AIDS-related Kaposi's sarcoma:

- clinical and angiogenic correlations. Ann Oncol. 2003;14(11):1660-6.
- Valerga M, Rodriguez-Rios E, Schtirbu R, Marino R. [Primary non-Hodgkin lymphoma of the uterine neck in a woman with acquired immunodeficiency syndrome (AIDS)]. Enferm Infect Microbiol Clin [Serie en Internet] 2005 [Citado 27 de Junio 2006];23(8):[Aprox. 7 p.]. Disponible en: [http://www.ncbi.nlm.nih.gov/entrez/utils/loref.fcgi?PrId=3145&uid=16185571&db=pubmed&url=http://db.doyma.es/cgi-bin/wdbcgi.exe/doyma/mrevisa\\_pubmed\\_full?inctrl=05ZI0106&rev=28&vol=23&num=8&pag=509](http://www.ncbi.nlm.nih.gov/entrez/utils/loref.fcgi?PrId=3145&uid=16185571&db=pubmed&url=http://db.doyma.es/cgi-bin/wdbcgi.exe/doyma/mrevisa_pubmed_full?inctrl=05ZI0106&rev=28&vol=23&num=8&pag=509)
- SINDROME DE INMUNODEFICIENCIA ADQUIRIDA / DIABETES MELLITUS**
- Behrens GM, Meyer-Olson D, Stoll M, Schmidt RE. Clinical impact of HIV-related lipodystrophy and metabolic abnormalities on cardiovascular disease. AIDS. 2003;17 (Suppl 1):S149-54.
- Mehta R, Loredo B, Sanudo ME, Hernandez-Jimenez S, Rodriguez-Carranza SI, Gomez-Perez FJ, et al. [Epidemiology of the metabolic abnormalities in patients with HIV infections]. Rev Invest Clin. 2004;56(2):209-21.
- Mikhail N. Insulin resistance and HIV-related lipoatrophy. JAMA. 2002;288(14):1716
- Holmberg SD, Moorman AC, Greenberg AE. Trends in rates of myocardial infarction among patients with HIV. N Engl J Med. 2004;350(7):730-2
- Polgreen PM, Putz D, Stapleton JT. Inaccurate glycosylated hemoglobin A1C measurements in human immunodeficiency virus-positive patients with diabetes mellitus. Clin Infect Dis. 2003;37(4):e53-6.
- Polo R, Jose Galindo M, Martinez E, Alvarez J, Arevalo JM, Asensi V, et al. Study Group for Metabolic Alterations/Secretariat for the National AIDS Plan (GEAM/SPNS).
- [Recommendations of the Study Group for Metabolic Alterations/Secretariat for the National AIDS Plan (GEAM/SPNS) on the management of metabolic and morphologic alterations in patients with HIV infection]. Enferm Infect Microbiol Clin [Serie en Internet] 2006 [Citado 27 de Junio 2006];24(2):[Aprox. 10 p.]. Disponible en: [http://www.ncbi.nlm.nih.gov/entrez/utils/loref.fcgi?PrId=3145&uid=16545318&db=pubmed&url=http://db.doyma.es/cgi-bin/wdbcgi.exe/doyma/mrevisa\\_pubmed\\_full?inctrl=05ZI0106&rev=28&vol=24&num=2&pag=96](http://www.ncbi.nlm.nih.gov/entrez/utils/loref.fcgi?PrId=3145&uid=16545318&db=pubmed&url=http://db.doyma.es/cgi-bin/wdbcgi.exe/doyma/mrevisa_pubmed_full?inctrl=05ZI0106&rev=28&vol=24&num=2&pag=96)
- Virally ML, Riveline JP, Virally J, Chevojon P, Regnard JF, Belmekki A, et al. Pulmonary mucormycosis in a diabetic patient with HIV. Diabetes Care [Serie en Internet] 2002 [Citado 27 de Junio 2006];25(11):[Aprox. 5 p.]. Disponible en: <http://care.diabetesjournals.org/cgi/content/full/25/11/2105>

A continuación le ofrecemos los Descriptores empleados para la recuperación de información en las Bases de Datos: CUMED; MEDLINE; SCIELO, Doyma, en idioma español e inglés:

### Descriptores Mesh

ACQUIRED IMMUNODEFICIENCY SYNDROME/HYPERLIPIDEMIA

ACQUIRED IMMUNODEFICIENCY SYNDROME /CARDIOVASCULAR DISEASES

ACQUIRED IMMUNODEFICIENCY SYNDROME/CEREBROVASCULAR ACCIDENT

### Descriptores DeCS

SINDROME DE INMUNODEFICIENCIA ADQUIRIDA/HIPERLIPIDEMIA

SINDROME DE INMUNODEFICIENCIA ADQUIRIDA/ENFERMEDADES CARDIOVASCULARES

SINDROME DE INMUNODEFICIENCIA ADQUIRIDA/ACCIDENTE CEREBROVASCULAR

ACQUIRED IMMUNODEFICIENCY  
SYNDROME /LIVER DISEASES

SINDROME DE INMUNODEFICIENCIA  
ADQUIRIDA/HEPATOPATIAS

ACQUIRED IMMUNODEFICIENCY  
SYNDROME /PULMONARY DISEASE,  
CHRONIC OBSTRUCTIVE

SINDROME DE INMUNODEFICIENCIA  
ADQUIRIDA /ENFERMEDAD PULMONAR  
OBSTRUCTIVA CRONICA

AIDS-Associated Nephropathy

NEFROFATIA ASOCIADA A SIDA

ACQUIRED IMMUNODEFICIENCY  
SYNDROME /NEOPLASMS

SINDROME DE INMUNODEFICIENCIA  
ADQUIRIDA /NEOPLASIAS

ACQUIRED IMMUNODEFICIENCY  
SYNDROME /DIABETES MELLITUS

SINDROME DE INMUNODEFICIENCIA  
ADQUIRIDA /DIABETES MELLITUS

**Próximo número, Septiembre 2006**

**SIDA: Mortalidad**

