

## SIDA: GRUPOS VULNERABLES

### SINDROME DE INMUNODEFICIENCIA ADQUIRIDA/Adolescente

- Báez-Feliciano DV, Thomas JC, Gómez MA, Miranda S, Fernández DM, Velásquez M, et al. Changes in the AIDS epidemiologic situation in Puerto Rico following health care reform and the introduction of HAART. *Rev Panam Salud Pública.* 2005; 17(2):92-101.
- Bronfman MN, Leyva R, Negroni MJ, Rueda CM. Mobile populations and HIV/AIDS in Central America and Mexico: research for action. *AIDS.* 2002;16(Suppl 3):S42-9.
- Burstein GR, Lowry R, Klein JD, Santelli JS. Missed opportunities for sexually transmitted diseases, human immunodeficiency virus, and pregnancy prevention services during adolescent health supervision visits. *Pediatrics.* 2003;111(5 Pt 1):996-1001.
- Campbell C, Foulis CA, Maimane S, Sibiyi Z. "I have an evil child at my house": stigma and HIV/AIDS management in a South African community. *Am J Public Health.* 2005;95(5):808-15.
- Caplinskas S. Epidemiology of HIV/AIDS in Lithuania in 1988-2001: review of present situation and prognosis of HIV transmission trends. *Medicina (Kaunas) [Serie en Internet]* 2004 [Citado 31 de Enero 2006];40(2):[Aprox.22 p.]. Disponible en: <http://medicina.kmu.lt/0402/0402-09e.pdf>
- Cohen J, Schleifer R, Tate T. AIDS in Uganda: the Human - rights dimension. *Lancet* 2005;365 (9477):2075-6.
- Crocetti E, Giovannetti L. Decreasing AIDS mortality rates among young adults in the city of Florence, 1987-1999. *J Epidemiol Community Health [Serie en Internet]* 2002 [Citado 31 de Enero 2006]; 56(5):[Aprox. 9p.]. Disponible en: <http://jech.bmjournals.com/cgi/content/full/56/5/399>
- Christie C, Bain B, Pierre R, Smikle MF, Evans-Gilbert T, Fredericks J, et al. HIV/AIDS in women, infants, children and adolescents in Jamaica. A further "call to action". *West Indian Med J.* 2001;50(4): 258-62.
- Dabis F, Ekpini ER. HIV-1/AIDS and maternal and child health in Africa. *Lancet.* 2002; 359(9323):2097-104.
- Dunn D. HIV Paediatric Prognostic Markers Collaborative Study Group. Short-term risk of disease progression in HIV-1-infected children receiving no antiretroviral therapy or zidovudine monotherapy: a meta-analysis. *Lancet.* 2003; 362(9396):1605-11.
- Fernández Costa S, Juárez Martínez O, Díez David E. Prevención del sida en la escuela secundaria: recopilación y valoración de programas. *Rev Esp. Salud Pública [Serie en Internet]* 1999;73(6):[Aprox. 38 p.]. Disponible en: [http://scielo.isciii.es/scielo.php?script=sci\\_arttext&pid=S1135-57271999000600004&lng=es&nrm=iso](http://scielo.isciii.es/scielo.php?script=sci_arttext&pid=S1135-57271999000600004&lng=es&nrm=iso)
- Fernández García C, Molina Quilis R, Ramírez Sampedro C, Pérez E, Castilla Catalán J, Marrodán Gironés J et al. Cambios en las actitudes y conocimientos de los adolescentes sobre la infección por VIH tras la intervención escolar Aulasida, 1996-1997. *Rev Esp Salud Publica [Serie en Internet]* 2000 [Citado 10 de febrero 2006;74(2): [Aprox. 34 p.]. Disponible en: [http://scielo.isciii.es/scielo.php?script=sci\\_arttext&pid=S1135-57272000000200007&lng=es&nrm=iso](http://scielo.isciii.es/scielo.php?script=sci_arttext&pid=S1135-57272000000200007&lng=es&nrm=iso)
- García de la Hera M, Ferreros I, del Amo J, García de Olalla P, Pérez Hoyos S, Muga R, et al. Gender differences in progression to AIDS and death from HIV seroconversion in a

cohort of injecting drug users from 1986 to 2001. J Epidemiol Community Health [Serie en Internet] 2004 [Citado 31 de Enero 2006];58 (11):[Aprox. 32 p.]. Disponible en: <http://jech.bmjournals.com/cgi/content/full/58/11/944>

Gayet C, Rosas CA, Magis C, Uribe P. [Whom do Mexican adolescents talk to about AIDS?]. Salud Pública Mex. 2002 Mar-Apr; 44(2):122-8.

Global situation of the HIV/ AIDS' epidemic, end 2004. Wkly Epidemiol Rec. 2004;79(50): 441-9.

Global situation of the HIV/AIDS pandemic, end 2003. Part II: Estimating ARV global treatment needs (2003-2005). Wkly Epidemiol Rec. 2003; 78(50):426-30.

#### **DIRECTORA**

***Bárbara Lazo Rodríguez***

#### **EDITORA**

***Margarita Pobeá Reyes***

#### **COMPILACIÓN**

***Aurea Ramos Bosh***

#### **CONFECCIÓN Y DISEÑO**

***Mercedes Martínez Martos***

*Publicación bimestral, contiene informaciones bibliográficas de documentos que se encuentran en la Biblioteca Médica Nacional y sus temas responden a las líneas de investigación priorizadas del Ministerio de Salud Pública, es editado por el área de Servicios Bibliotecarios y está disponible en su sitio web por la Red Electrónica de Salud.*

©1994-2006

*Biblioteca Médica Nacional  
Dirección: 23 esq. N. Vedado,  
La Habana. Cuba.*

*Teléfono: (537) 8324317*

*Email: mpobeá@infomed.sld.cu*

Lau JT, Siah PC, Tsui HY. A study of the STD/AIDS related attitudes and behaviors of men who have sex with men in Hong Kong. Arch Sex Behav. 2002; 31(4):367-73.

Le Pont F, Pech N, Boelle PY, Giraud M, Gilloire A, Halfen S. A new scale for measuring dynamic patterns of sexual partnership and concurrency: application to three French Caribbean regions. Sex Transm Dis. 2003;30(1):6-9.

Mason DJ. When nurses die of AIDS: help for those left behind: a new initiative. Am J Nurs. 2005;105(8):11.

Matida LH, Marcopito LF, Succi RC, Marques HH, Della Negra M, Grangeiro A. Improving survival among Brazilian children with perinatally-acquired AIDS. Braz J Infect Dis [Serie en Internet] 2004 [Citado 30 de Enero 2006];8(6):[Aprox. 15 p.]. Disponible en: [http://www.scielo.br/scielo.php?script=sci\\_arttext&pid=S1413-86702004000600005&tlng=es&lng=en&nrm=iso](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S1413-86702004000600005&tlng=es&lng=en&nrm=iso)

O'Malley DP, Sen J, Juliar BE, Orazi A. Evaluation of stroma in human immunodeficiency virus/acquired immunodeficiency Syndrome-affected bone marrows and correlation with CD4 counts. Arch Pathol Lab Med. 2005;129(9):1137-40.

Paiva V, Latorre Mdo R, Gravato N, Lacerda R, Ayres JR, Segurado A, et al. [Sexuality of women living with HIV/AIDS in Sao Paulo]. Cad Saude Publica. 2002;18(6): 1609-20.

Peltzer K, Nzewi E, Mohan K. Attitudes towards HIV-antibody testing and people

with AIDS among university students in India, South Africa and United States. Indian J Med Sci. 2004;58(3):[Aprox. 30 p.]. Disponible en: <http://www.indianjmedsci.org/article.asp?issn=0019-5359;year=2004;volume=58;issue=3;spage=95;epage=108;ajust=Peltzer>

Rebull Fatsini J, Reverté Simó M, Piñas Forcadell I, Ortí Llavería A, González Gavilán L, Contreras Barbeta E. Evaluación pre-post de una actividad preventiva de la infección por VIH dirigida a los adolescentes de las comarcas del sur de Tarragona. Rev Esp Salud Publica [Serie en Internet] 2003 [Citado 10 de Febrero 2006];77(3):[Aprox. 22p.]. Disponible en: [http://scielo.isciii.es/scielo.php?script=sci\\_arttext&pid=S1135-57272003000300007&lng=es&nrm=iso](http://scielo.isciii.es/scielo.php?script=sci_arttext&pid=S1135-57272003000300007&lng=es&nrm=iso)

Seoane Pascual L. Evaluación cualitativa de una campaña de promoción del uso del preservativo en la población adolescente y juvenil de la Comunidad de Madrid. Rev Esp. Salud Publica [Serie en Internet] 2002 [Citado 10 de febrero 2006];76(5):[Aprox. 20 p.]. Disponible en: [http://scielo.isciii.es/scielo.php?script=sci\\_arttext&pid=S1135-57272002000500012&lng=es&nrm=iso](http://scielo.isciii.es/scielo.php?script=sci_arttext&pid=S1135-57272002000500012&lng=es&nrm=iso)

Simon CP, Silva RC, Paiva V. [Female juvenile prostitution and AIDS prevention programs in Brazil]. Rev Saude Publica. [Serie en Internet] 2002 [Citado 31 de Enero 2006];36(4 Suppl):[Aprox. 21 p.]. Disponible en: [http://www.scielo.br/scielo.php?script=sci\\_arttext&pid=S0034-](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S0034-)



- Brazil, from 1991 to 2002. *J Clin Microbiol.* 2005;43(3): 1439-42.
- Fernández Morín J, Báez Pérez E, Dihigo Faz T, Gonzalo Zambrano RD, Marín Hernández A, Martínez Montenegro I, et al. Conocimientos sobre VIH-SIDA en las mujeres matanceras. *Rev medica electrón [Serie en Internet]* 2004 [Citado 9 de febrero 2006]; 26(3):[Aprox. 5 p.] Disponible en: <http://www.cpimtz.sld.cu/revista%20medica/ano%202004/vol3%202004/tema03.htm>
- Guenther PC, Secor WE, Dezzutti CS. Trichomonas vaginalis-induced epithelial monolayer disruption and human immunodeficiency virus type 1 (HIV-1) replication: implications for the sexual transmission of HIV-1. *Infect Immun [Serie en Internet]*. 2005 [Citado 31 de Enero]; 73(7):[Aprox. 27 p.] Disponible en: <http://www.ncbi.nlm.nih.gov/entrez/utills/lofref.fcgi?PrId=3051&uid=15972505&db=pubmed&url=http://ia.asm.org/cgi/pmidlookup?view=long&pmid=15972505>
- Hebling EM, Guimaraes IR. Women and AIDS: gender relations and condom use with steady partners. *Cad Saude Publica.* 2004;20(5):1211-8
- Iloff PJ, Piwoz EG, Tavengwa NV, Zunguza CD, Marinda ET, Nathoo KJ, et al. ZVITAMBO study group. Early exclusive breastfeeding reduces the risk of postnatal HIV-1 transmission and increases HIV-free survival. *AIDS.* 2005;19(7): 699-708.
- Mason DJ. When nurses die of AIDS: help for those left behind: a new initiative. *Am J Nurs.* 2005;105(8):11.
- Matida LH, Marcopito LF, Succi RC, Marques HH, Della Negra M, Grangeiro A, et al. Improving survival among Brazilian children with perinatally - acquired AIDS. *Braz J Infect Dis [Serie en Internet]* 2004 [Citado 1ro. Febrero 2006];8(6):[Aprox. 15 p.] Disponible en: [http://www.scielo.br/scielo.php?script=sci\\_arttext&pid=S1413-86702004000600005&tlng=es&lng=en&nrm=iso](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S1413-86702004000600005&tlng=es&lng=en&nrm=iso)
- Oliveira DL, Meyer DE, Santos LH, Wilhelms DM. [Safe sex negotiation on TV: gender discourses among female community health workers under the Family Health Program in Porto Alegre, Rio Grande do Sul, Brazil]. *Cad Saude Publica.* 2004;20(5): 1309-18
- New guidelines for preventing mother-to-child transmission of the human immunodeficiency virus. *Rev Panam Salud Publica.* 2004;16(4): 289-94.
- Nunes C de L, Goncalves LA, Silva PT, Bina JC. [Clinical-epidemiological characteristics of a group of HIV/AIDS infected women in Salvador-Bahia]. *Rev Soc Bras Med Trop.* 2004;37(6):436-40
- Porto MP. [The fight against AIDS among adolescent girls: the impact of the 2003 Carnival campaign by the Brazilian Ministry of Health]. *Cad Saude Pública.* 2005;21(4): [Aprox. 29 p.]. Disponible en: [http://www.scielo.br/scielo.php?script=sci\\_arttext&pid=S0102-311X2005000400026&tlng=es&lng=en&nrm=iso](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S0102-311X2005000400026&tlng=es&lng=en&nrm=iso)
- Quiñan RJ, Visconti GA, Gutiérrez RS, Galli RA, Maturo RM, Galeano VR, et al. Detección de infección por VIH a través de test rápido en mujeres embarazadas: Una estrategia exitosa para disminuir su transmisión vertical. *Rev Chil Infectol [Serie en Internet]* 2005 [Citado 10 de Febrero 2006];22(4):[Aprox. 22 p.]. Disponible en: [http://www.scielo.cl/scielo.php?script=sci\\_arttext&pid=S0716-10182005000600004&lng=es&nrm=iso](http://www.scielo.cl/scielo.php?script=sci_arttext&pid=S0716-10182005000600004&lng=es&nrm=iso)
- Quinn TC, Overbaugh J. HIV/AIDS in women: an expanding epidemic. *Science.* 2005;308 (5728):1582-3.
- Sinding SW. Does 'CNN' (condoms, needles and negotiation) work better than 'ABC' (abstinence, being faithful and condom use) in attacking the AIDS epidemic?. *Int Fam Plan Perspect.* 2005;31(1):38-40.
- Soto LJA. Vih / Sida Materno-Infantil, es posible erradicar la infección neonatal. *Rev Chil Obstet Ginecol [Serie En Internet]* 2002 [Citado 10 de Febrero 2006];67(1):[Aprox. 24 p.]. Disponible en: [http://www.scielo.cl/scielo.php?script=sci\\_arttext&pid=S0717-75262002000100016&lng=es&nrm=iso](http://www.scielo.cl/scielo.php?script=sci_arttext&pid=S0717-75262002000100016&lng=es&nrm=iso)
- Sterne JA, Hernan MA, Ledergerber B, Tilling K, Weber R, Sendi P, et al. Swiss HIV Cohort Study. Long-term effectiveness of potent antiretroviral therapy in preventing AIDS and death: a prospective cohort study. *Lancet.* 2005;366(9483):378-84.
- Teplin LA, Elkington KS, McClelland GM, Abram KM, Mericle AA, Washburn JJ. Major mental disorders, substance use disorders, comorbidity, and HIV-AIDS



risk behaviors in juvenile detainees. *Psychiatr Serv.* 2005;56(7):823-8.

Wawer MJ, Gray RH, Sewankambo NK, Serwadda D, Li X, Laeyendecker O, et al. Rates of HIV-1 transmission per coital act, by stage of HIV-1 infection, in Rakai, Uganda. *J Infect Dis.* 2005;191(9):1403-9.

World AIDS Day—1 December 2004. Women and girls need equitable access to AIDS prevention and treatment, and protection from violence. *Wkly Epidemiol Rec.* 2004;79(49):433-5.

#### **SINDROME DE INMUNODEFICIENCIA ADQUIRIDA / Homosexualidad**

Centers for Disease Control and Prevention (CDC). HIV/AIDS among racial/ethnic minority men who have sex with men--United States, 1989-1998. *MMWR Morb Mortal Wkly Rep* [Serie en Internet] 2000 [Citado 2 de febrero 2006] 14;49(1):[Aprox. 16 p.]. Disponible en: <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm4901a2.htm>

Dubois-Arber F, Moreau-Gruet F, Jeannin A. Men having sex with men and HIV/AIDS prevention in Switzerland: 1987-2000. *Euro Surveill* [Serie en Internet] 2002 [Citado 2 de febrero 2006];7(2):[Aprox. 11 p.]. Disponible en: <http://www.eurosurveillance.org/em/v07n02/0702-222.asp>

Lau JT, Siah PC, Tsui HY. A study of the STD/AIDS related attitudes and behaviors of men who have sex with men in Hong Kong. *Arch Sex Behav.* 2002;31(4):367-73.

Rodés A. El compromiso colectivo de los hombres homosexuales en la lucha contra el SIDA. *Rev. Esp Salud Publica* [Serie en Internet] 2000 [Citado 10 de Febrero 2006];74(1): [Aprox. 8 p.]. Disponible en: [http://scielo.isciii.es/scielo.php?script=sci\\_arttext&pid=S1135-57272000000100001&lng=es&nrm=iso](http://scielo.isciii.es/scielo.php?script=sci_arttext&pid=S1135-57272000000100001&lng=es&nrm=iso)

Silversides A. Fallout from the plague years: multiple loss and its impact on gay men. *CMAJ.* 1998;158(10):1351-3.

Stokes JP, Vanable P, McKirnan DJ. Comparing gay and bisexual men on sexual behavior, condom use, and psychosocial variables related to HIV/AIDS. *Arch Sex Behav.* 1997;26(4):383-97.

Stolte G, Dukers NH, de Wit JB, Fennema H, Coutinho RA. A summary report from Amsterdam: increase in sexually transmitted diseases and risky sexual behaviour among homosexual men in relation to the introduction of new anti-HIV drugs. *Euro Surveill* [Serie en Internet] 2002 [Citado 2 de febrero 2006];7(2):[Aprox. 11 p.]. Disponible en: <http://www.ncbi.nlm.nih.gov/entrez/utills/lofref.fcgi?PrId=3483&uid=12631950&db=pubmed&url=http://www.eurosurveillance.org/em/v07n02/0702-223.asp>

#### **SINDROME DE INMUNODEFICIENCIA ADQUIRIDA/ TRASTORNOS RELACIONADOS CON SUSTANCIAS**

Barber Y, Rubio C, Fernández E, Rubio M, Fibla J. Host genetic background at CCR5 chemokine receptor and vitamin D receptor loci and human immunodeficiency

virus (HIV) type 1 disease progression among HIV-seropositive injection drug users. *J Infect Dis.* 2001;184(10):1279-88.

Bastos FI, Bongertz V, Teixeira SL, Morgado MG, Hacker MA. Is human immunodeficiency virus/acquired immunodeficiency syndrome decreasing among Brazilian injection drug users? Recent findings and how to interpret them. *Mem Inst Oswaldo Cruz.* 2005;100(1):91-6.

Davey S. Sex and drugs fuel simmering AIDS crisis in Asia and Pacific. *Bull World Health Organ.* 2001;79(10):1000.

De Castro S, Sabate E. Adherence to heroin dependence therapies and human immunodeficiency virus/acquired immunodeficiency syndrome infection rates among drug abusers. *Clin Infect Dis.* 2003;37(Suppl 5):S464-7.

De La Fuente L, Bravo MJ, Barrio G, Parras F, Suárez M, Rodes A, et al. Lessons from the history of the human immunodeficiency virus/ acquired immunodeficiency syndrome epidemic among Spanish drug injectors. *Clin Infect Dis.* 2003;37(Suppl 5):S410-5.

García de la Hera M, Ferreros I, del Amo J, García de Olalla P, Pérez Hoyos S, Muga R, del Romero J, et al. Gender differences in progression to AIDS and death from HIV seroconversion in a cohort of injecting drug users from 1986 to 2001. *J Epidemiol Community Health* [Serie en Internet] 2004 [Citado 6 de febrero 2006];58(11):[Aprox. 32 p.]. Disponible en: <http://www.ncbi.nlm.nih.gov/entrez/utills/lofref.fcgi?PrId=3051&uid=15483312&db=pubmed>

[ed&url=http://jech.bmjournals.com/cgi/pmidlookup?view=long&pmid=15483312](http://jech.bmjournals.com/cgi/pmidlookup?view=long&pmid=15483312)

Gorman M, Newshan G. Pain management needs of patients with HIV or AIDS who also have a history of chemical dependency. *Am J Nurs.* 1998; 98(9):61-3.

Houweling H, Wiessing LG, Hamers FF, Termorshuizen F, Gill ON, Sprenger MJ. An age-period-cohort analysis of 50,875 AIDS cases among injecting drug users in Europe. *Int J Epidemiol.* 1999;28(6): 1141-8.

Malta M, Carneiro-da-Cunha C, Kerrigan D, Strathdee SA, Monteiro M, Bastos FI. Case management of human immunodeficiency virus-infected injection drug users: a case study in Rio de Janeiro, Brazil. *Clin Infect Dis.* 2003; 37(Suppl 5):S386-91.

Mesquita F, Doneda D, Gandolfi D, Nemes MI, Andrade T, Bueno R, et al. Brazilian response to the human immunodeficiency virus/acquired immunodeficiency syndrome epidemic among injection drug users. *Clin Infect Dis.* 2003;37 (Suppl 5):S382-5.

Peres CA, Paiva V, Silveira Fd F, Peres RA, Hearst N. [AIDS prevention among incarcerated

teenagers, Brazil]. *Rev Saude Publica.* [Serie en Internet]. 2002 [Citado 6 de Febrero 2006];36(4 Suppl) [Aprox. 21 p.]. Disponible en: [http://www.scielo.br/scielo.php?script=sci\\_arttext&pid=S0034-89102002000500011&tlng=en&lng=en&nrm=iso](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S0034-89102002000500011&tlng=en&lng=en&nrm=iso)

Pérez-Hoyos S, Avino M, Hernández I, González J, Ruiz I. [AIDS-free time and survival of an injecting drug users HIV seroconvertors cohort]. *Gac Sanit* [Serie en Internet] 1999 [Citado 6 de Febrero 2006];13(5):[Aprox. 36 p.]. Disponible en: [http://www.ncbi.nlm.nih.gov/entrez/utils/lofref.fcgi?PrId=3145&uid=10564846&db=pubmed&url=http://db.doyma.es/cgi-bin/wdbcgi.exe/doyma/mrevisa.pubmed\\_full?inctrl=05Z10108&rev=138&vol=13&num=5&pag=337](http://www.ncbi.nlm.nih.gov/entrez/utils/lofref.fcgi?PrId=3145&uid=10564846&db=pubmed&url=http://db.doyma.es/cgi-bin/wdbcgi.exe/doyma/mrevisa.pubmed_full?inctrl=05Z10108&rev=138&vol=13&num=5&pag=337)

Piyasirisilp S, McCutchan FE, Carr JK, Sanders-Buell E, Liu W, Chen J, et al. A recent outbreak of human immunodeficiency virus type 1 infection in southern China was initiated by two highly homogeneous, geographically separated strains, circulating recombinant form AE and a novel BC recombinant. *J Virol* [Serie en Internet] 2000 [Citado 6 de Febrero 2006];

74(23):[Aprox. 24 p.]11286 Disponible en: <http://jvi.asm.org/cgi/content/full/74/23/11286?view=long&pmid=11070028>

Rivera B. Dan and me, taking care of ourselves. *Am J Nurs.* 1999; 99(6):56-8.

Rossi D, Goltzman P, Cymerman P, Touze G, Weissenbacher M. Human immunodeficiency virus/acquired immunodeficiency syndrome prevention in injection drug users and their partners and children: lessons learned in Latin America--the Argentinean case. *Clin Infect Dis.* 2003;37 (Suppl 5):S362-5.

Rossini MA, Diaz RS, Caseiro M, Turcato G, Accetturi CA, Sabino EC. HIV-1 subtypes among intravenous drug users from two neighboring cities in Sao Paulo State, Brazil. *Braz J Med Biol Res.* 2001;34(1): 45-7.

Swica Y, Breitbart W. Treating pain in patients with AIDS and a history of substance use. *West J Med* [Serie en Internet] 2002 [Citado 6 de Febrero 2006];176(1):[Aprox. 29 p.]. Disponible en: <http://www.pubmedcentral.gov/articlerender.fcgi?tool=pubmed&pubmedid=11788537>

*Descriptores empleados para la recuperación de información en las Bases de Datos CUMED, MEDLINE, SCIELO, DOYMA en idioma español e ingles.*

#### DeCS

SINDROME DE INMUNODEFICIENCIA ADQUIRIDA  
ADOLESCENTE  
HOMOSEXUALIDAD  
MUJERES  
TRASTORNOS RELACIONADOS CON SUSTANCIAS

#### MeSH

ACQUIRED IMMUNODEFICIENCY SYNDROME  
ADOLESCENT  
HOMOSEXUALITY  
WOMEN  
SUBSTANCE-RELATED DISORDERS

## Otros sitios

1. Grupos vulnerables. Disponible en: <http://www.sld.cu/servicios/sida/temas.php?idv=925>  
Ofrece información para Adolescentes y jóvenes, así como el Proyecto Reproducción Saludable para Jóvenes. Publicaciones de la UNICEF sobre VIH/SIDA, La Juventud Opina, mujeres y la Homosexualidad en la Historia.
2. [Cómo protegerse contra el SIDA](#) . Disponible en:  
<http://www.nlm.nih.gov/cgi/medlineplus/leavemedplus.es.pl?theURL=http%3A%2F%2Fwww%2Efd%2Egov%2Fopacom%2Flowlit%2Fsaid%2Epdf>
3. [Condomes masculinos FAQ](#) . Disponible en:  
<http://www.nlm.nih.gov/cgi/medlineplus/leavemedplus.es.pl?theURL=http%3A%2F%2Fwww%2Efd%2Egov%2Fsp%2Frh%2Ffaq%2Fmale%5Fcondom%5Ffaq%2Ehtm>
4. (Centro para la Educación y Entrenamiento sobre el SIDA de Nuevo México). [Guías para tener relaciones sexuales más seguras](#). Disponible en:  
<http://www.nlm.nih.gov/cgi/medlineplus/leavemedplus.es.pl?theURL=http%3A%2F%2Fwww%2Eaid%2Egov%2Farticles%2Ephp%3FarticleID%3D151%26newLang%3Des>
5. (Centro para la Educación y Entrenamiento sobre el SIDA de Nuevo México). [Uso de drogas y el VIH](#)  
Disponible en: <http://www.nlm.nih.gov/cgi/medlineplus/leavemedplus.es.pl?theURL=http%3A%2F%2Fwww%2Eaid%2Egov%2Farticles%2Ephp%3FarticleID%3D154%26newLang%3Des>
6. Fundación Nemours. Adolescentes. ¿Cómo contrae alguien el SIDA? . Disponible en:  
[http://kidshealth.org/teen/en\\_espanol/preguntas/aids\\_esp.html](http://kidshealth.org/teen/en_espanol/preguntas/aids_esp.html)
7. (Centro Nacional para la Prevención del VIH, de ETS y Tuberculosis) [VIH y SIDA: ¿Está usted en peligro?](#) Disponible en: <http://www.nlm.nih.gov/cgi/medlineplus/leavemedplus.es.pl?theURL=http%3A%2F%2Fwww%2Ecdc%2Egov%2Fspanish%2Fvih%2Fpubs%2Fbrochure%2Fs%5Fatrisk%2Ehtm>
8. (Centro Nacional para la Prevención del VIH, de ETS y Tuberculosis). [Necesidad de prevención del VIH sostenida entre los hombres que tienen relaciones sexuales con hombres](#) : Disponible en:  
[http://www.cdc.gov/spanish/vih/pubs/facts/s\\_msm.htm](http://www.cdc.gov/spanish/vih/pubs/facts/s_msm.htm)
9. (Academia Americana de Médicos de Familia). Infección por el VIH en las mujeres .Disponible en :  
<http://familydoctor.org/e225.xml>
10. (Centro Nacional de Información sobre la Salud de la Mujer) [Mujeres y el VIH/SIDA](#) Disponible en:  
<http://womenshealth.gov/HIV/SPsiteindex.cfm>
11. (Centro Nacional para la Prevención del VIH, de ETS y Tuberculosis). [VIH, el SIDA y las mujeres que tienen relaciones sexuales con mujeres](#) Disponible en: <http://www.nlm.nih.gov/cgi/medlineplus/leavemedplus.es.pl?theURL=http%3A%2F%2Fwww%2Ecdc%2Egov%2Fspanish%2Fvih%2Fpubs%2Ffacts%2Fs%5Ffsw%2Ehtm>

12. (Centro Nacional para la Prevención del VIH, de ETS y Tuberculosis)  
[VIH y SIDA en las mujeres de Estados Unidos: Las minorías y mujeres jóvenes siguen corriendo riesgos](http://www.cdc.gov/spanish/vih/pubs/facts/s_women.htm) Disponible en : [http://www.cdc.gov/spanish/vih/pubs/facts/s\\_women.htm](http://www.cdc.gov/spanish/vih/pubs/facts/s_women.htm)
13. Centro Nacional de Prevención ITS/VIH/SIDA. Vulnerabilidad en los más jóvenes [Aprox. 33 p.]  
Disponible en: <http://test-de-aplicaciones.sld.cu/gsd/collect/sida/index/assoc/HASH9eed.dir/doc.pdf>
14. Centro Nacional de Prevención ITS/VIH/SIDA. Vulnerabilidad de los hombres que tienen sexo con otros hombres ante la epidemia de VIH/SIDA. Disponible en: <http://test-de-aplicaciones.sld.cu/gsd/collect/sida/index/assoc/HASH43ee.dir/doc.pdf>

## ¡SEPA USTED!

**Que puede obtener copia de artículos a través el Servicio Cooperativo de Acceso al Documento (SCAD) que brinda la Biblioteca Médica Nacional. Su solicitud puede realizarla a través de la Biblioteca de su Institución o en nuestra Sala de Lectura.**

**Próximo número, marzo 2006**

**HIV y SIDA (en África, América y el Caribe)**



