

## PREVALENCIA E INCIDENCIA DEL SIDA EN HSH

### HOMOSEXUALIDAD MASCULINA/INFECCIONES POR VIH

Abelson J, Rawstone P, Crawford J, Mao L, Prestage G, Kippax S. HIV optimism does not explain increases in high-risk sexual behaviour among gay men of positive or negative HIV status in Sydney, Australia. *AIDS*. 2006;20(8):1215-6.

Ejemplar localizado en: IMT-PK

Agoramoorthy G, Hsu MJ. Can India abolish the anachronistic homosexuality law to battle HIV/AIDS?. *AIDS* 2006; 20(10):1469-70.

Ejemplar localizado en: IMT-PK

Allensworth-Davies D, Welles S, Hellerstedt W, Ross M. Body Image, Body Satisfaction, and Unsafe Anal Intercourse Among Men Who Have Sex With Men. *J Sex Res* [serie en Internet] 2008 [citado 9 Jul 2008];45(1):[Aprox. 15 p.]. Disponible en: <http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=31560783&loginpage=Login.asp&lang=es&site=ehost-live>

Andrade SM de, Tamaki EM, Vinha JM, Pompilio MA, Prieto CW, de Barros LM, et al. [Vulnerability of men who have sex with men in the context of AIDS]. *Cad Saude Publica*. 2007;23(2):479-82.

Ejemplar localizado en: IMT-PK

Baral S, Sifakis F, Cleghorn F, Beyrer C. Elevated risk for HIV infection among men who have sex with men in low- and middle-income countries 2000-2006: a systematic review. *PLoS Med*. [serie en Internet] 2007 [citado 1 Jul 2008];4(12):[Aprox. 40 p.]. Disponible en: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=18052602>

Berry M, Raymond HF, McFarland W. Same race and older partner selection may explain higher HIV prevalence among black men who have sex with men. *AIDS*. 2007;21(17):2349-50.

Ejemplar localizado en: IMT-PK

Bouhnik AD, Prá]au M, Schiltz MA, Lert F, Obadia Y, Spire B. The VESPA Study Group. Unprotected sex in regular partnerships among homosexual men living with HIV: a comparison between seroconcordant and seroconcordant couples (ANRS-EN12-VESPA Study). *AIDS*. 2007;21(Suppl 1):S43-8.

Ejemplar localizado en: IMT-PK

Centers for Disease Control and Prevention (CDC). Symptomatic early neurosyphilis among HIV-positive men who have sex with men--four cities, United States, January 2002-June 2004. *MMWR Morb Mortal Wkly Rep*. [serie en Internet] 2007 [citado 1 Jul 2008];56(25):[aprox.21 p.]. Disponible en: <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5625a1.htm>

Centers for Disease Control and Prevention (CDC). Trends in HIV/AIDS diagnoses among men who have sex with men--33 States, 2001-2006. *MMWR Morb Mortal Wkly Rep* [serie en Internet] 2008 [citado 2 Jul 2008];57(25):[aprox. 29 p.]. Disponible en: <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5725a2.htm>

Cohen J. HIV/AIDS: Latin America & Caribbean. Peru: a new nexus for HIV/AIDS research. *Science*. 2006;313(5786):488-90.

Ejemplar localizado en: BMN, IMT-PK

Colosio R, Fernandes MI, Bergamaschi DP, Scarcelli IR, Lopes IC, Hearst N. [HIV prevention using the operative group approach among men who have sex with men in São Paulo, Brazil]. *Cad*

Saude Publica. 2007;23(4):  
949-59.

Ejemplar localizado en: IMT-PK

Chan PA, Khan OA. Risk factors for HIV infection in males who have sex with males (MSM) in Bangladesh. BMC Public Health [serie en Internet] 2007 [citado 1 Jul 2008];7(147):[aprox. 45 p.]. Disponible en: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=17625020>

Dougan S, Balogun MA, Elford J, Brant LJ, Sinka K, Evans BG et al. Can current national surveillance systems in England and Wales monitor sexual transmission of hepatitis C among HIV-infected men who have sex with men? BMC Public Health [serie en Internet] 2007 [citado 2 Jul 2008];7[aprox. 47 p.].

#### **DIRECTORA**

**Bárbara Lazo Rodríguez**

#### **EDITORIA**

**Margarita Pobeá Reyes**

#### **COMPILACIÓN**

**Aurea Ramos Bosch**

#### **CONFECIÓN Y DISEÑO**

**Mercedes Martínez Martos**

*Publicación mensual, contiene informaciones bibliográficas de documentos que se encuentran en la Biblioteca Médica Nacional y sus temas responden a las líneas de investigación priorizadas del Ministerio de Salud Pública, es editado por el área de Servicios Bibliotecarios y está disponible en su sitio web por la Red Telemática de Salud.*

©1994-2007

**Biblioteca Médica Nacional**  
**Dirección: 23 esq. N. Vedado,**  
**La Habana. Cuba.**

**Teléfono: (537) 8324317**

**Email: mpobeá@infomed.sld.cu**

Disponible en:  
<http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=17233919>

Dougan S, Elford J, Chadborn TR, Brown AE, Roy K, Murphy G, et al. Group Investigating Rising HIV Diagnoses Among MSM in UK. Does the recent increase in HIV diagnoses among men who have sex with men in the UK reflect a rise in HIV incidence or increased uptake of HIV testing? Sex Transm Infect [serie en Internet] 2007 [citado 2 Jul 2008];83(2):[aprox. 51 p.]. Disponible en: <http://sti.bmj.com/cgi/content/full/83/2/120>

Dukers NH, Fennema HS, van der Snoek EM, Krol A, Geskus RB, Pospiech M, et al. HIV incidence and HIV testing behavior in men who have sex with men: using three incidence sources, The Netherlands, 1984-2005. AIDS. 2007;21(4):491-9.

Ejemplar localizado en: IMT-PK

Elford J, Bolding G, Sherr L, Hart G. No evidence of an increase in serosorting with casual partners among HIV-negative gay men in London, 1998-2005. AIDS. 2007;21(2):243-5.

Ejemplar localizado en: IMT-PK

Fernández-Dávila P. Amigos con derecho a roce»: una oportunidad para contraer la infección por el virus de la inmunodeficiencia humana en hombres homo/bisexuales con prácticas sexuales de alto riesgo Gac Sanit. [serie en Internet] 2007 [citado 1 Jul 2008];21(6):[aprox. 42 p.]. Disponible en: [http://db.doyma.es/cgi-bin/wdbcgi.exe/doyma/mrevist.a.pubmed\\_full?inctrl=05ZI010](http://db.doyma.es/cgi-bin/wdbcgi.exe/doyma/mrevist.a.pubmed_full?inctrl=05ZI010)

[8&rev=138&vol=21&num=6  
&pag=471](http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&rev=138&vol=21&num=6&pag=471)

Fisher M, Pao D, Murphy G, Dean G, McElborough D, Homer G, et al. Serological testing algorithm shows rising HIV incidence in a UK cohort of men who have sex with men: 10 years application.. AIDS. 2007;21(17):2309-14.

Ejemplar localizado en: IMT-PK

Garofalo R, Mustanski BS, McKirnan DJ, Herrick A, Donenberg GR. Methamphetamine and young men who have sex with men: understanding patterns and correlates of use and the association with HIV-related sexual risk. Arch Pediatr Adolesc Med. 2007;161(6):591-6.

Ejemplar localizado en: BMN

Golden MR, Gift TL, Brewer DD, Fleming M, Hogben M, St Lawrence JS, et al Peer referral for HIV case-finding among men who have sex with men. AIDS. 2006;20(15):1961-8.

Ejemplar localizado en: IMT-PK

Gottlieb MS. Pneumocystis pneumonia--Los Angeles. 1981. Am J Public Health. 2006;96(6):980-1

Ejemplar localizado en: BMN

Griensven F. van Men who have sex with men and their HIV epidemics in Africa. AIDS. 2007;21(10):1361-2.

Ejemplar localizado en: IMT-PK

Grulich AE. Highly active antiretroviral therapy and HIV transmission. Lancet. 2006;368(9548):1647

Ejemplar localizado en: BMN

Hall HI, Byers RH, Ling Q, Espinoza L. Racial/ethnic and age disparities in HIV prevalence and disease progression among men who have sex with men in the United States. *Am J Public Health*. 2007;97(6):1060-6.

Ejemplar localizado en: BMN

Hidaka Y, Ichikawa S, Koyano J, Urao M, Yasuo T, Kimura H, et al. Substance use and sexual behaviours of Japanese men who have sex with men: a nationwide internet survey conducted in Japan. *BMC Public Health*. [serie en Internet] 2006 [citado 2 Jul 2008];6:[aprox. 41 p.]. Disponible en: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=17002800>

Jaffe HW, Valdiserri RO, De Cock KM. The reemerging HIV/AIDS epidemic in men who have sex with men. *JAMA*. 2007;298(20):2412-4.

Ejemplar localizado en: BMN

Kesteren NM van, Hospers HJ, van Empelen P, van Breukelen G, Kok G. Sexual decision-making in HIV-positive men who have sex with men: how moral concerns and sexual motives guide intended condom use with steady and casual sex partners. *Arch Sex Behav* [serie en Internet] 2007 [citado 2 Jul 2008];36(3): [aprox. 61 p.]. Disponible en: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=17333328>

Koblin BA, Husnik MJ, Colfax G, Huang Y, Madison M, Mayer K, et al. Risk factors for HIV infection among men who have sex with men. *AIDS*. 2006;20(5):731-9.

Ejemplar localizado en: IMT-PK

Lama JR, Lucchetti A, Suarez L, Laguna-Torres VA, Guanira JV, Pun ML. Peruvian HIV Sentinel Surveillance Working Group. Association of herpes simplex virus type 2 infection and syphilis with human immunodeficiency virus infection among men who have sex with men in Peru. *J Infect Dis*. 2006;194(10): 1459-66.

Ejemplar localizado en: IMT-PK

Lampinen TM, Mattheis K, Chan K, Hogg RS. Nitrite inhalant use among young gay and bisexual men in Vancouver during a period of increasing HIV incidence. *BMC Public Health* [serie en Internet] 2007 [citado 2 Jul 2008];7(147): [aprox. 43 p.]. Disponible en: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=17362516>

MacKellar DA, Valleroy LA, Behel S, Secura GM, Bingham T, Celentano DD, et al. Unintentional HIV exposures from young men who have sex with men who disclose being HIV-negative. *AIDS*. 2006; 20(12):1637-44.

Ejemplar localizado en: IMT-PK

Manning SE, Thorpe LE, Ramaswamy C, Hajat A, Marx MA, Karpati AM, et al. Estimation of HIV prevalence, risk factors, and testing frequency among sexually active men who have sex with men, aged 18-64 years--New York City, 2002. *J Urban Health* [serie en Internet] 2007 [citado 2 Jul 2008];84(2): [aprox. 61 p.]. Disponible en: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=17295058>

Mao L, Crawford JM, Hospers HJ, Prestage GP, Grulich AE, Kaldor JM et al. "Serosorting" in casual anal sex of HIV-negative gay men is noteworthy and is increasing in Sydney, Australia. *AIDS*. 2006;20(8):1204-6.

Ejemplar localizado en: IMT-PK

Marcus U, Voss L, Kollan C, Hamouda O. HIV incidence increasing in MSM in Germany: factors influencing infection dynamics. *Euro Surveill* [serie en Internet]. 2006 [citado 2 Jul 2008]; 11(9):[aprox. 21 p.]. Disponible en: <http://www.eurosurveillance.org/ViewArticle.aspx?ArticleId=645>

McCormick AW, Walensky RP, Lipsitch M, Losina E, Hsu H, Weinstein MC, et al. The effect of antiretroviral therapy on secondary transmission of HIV among men who have sex with men. *Clin Infect Dis*. 2007;44(8):1115-22.

Ejemplar localizado en: IMT-PK

Millett GA, Peterson JL, Wolitski RJ, Stall R. Greater risk for HIV infection of black men who have sex with men: a critical literature review. *Am J Public Health*. 2006;96(6): 1007-19.

Ejemplar localizado en: BMN

Muñoz Núñez K, Morales Piloto Y, Morales Torres O, Pino Páez, M. El SIDA: una mirada desde los hombres que tienen sexo con otros hombres. *Bol med gen integral* [serie en Internet] 2006 [citado 9 Jul 2008]; 10(1),[aprox. 22 p.]. Disponible en: <http://publicaciones.pri.sld.cu/bol-mgi/bol-mgi101/bol-mgi10-1-5.htm>

Mustanski B, Garofalo R, Herrick A, Donenberg G. Psychosocial health problems increase risk for HIV among urban young men who have sex with men: preliminary evidence of a syndemic in need of attention. *Ann Behav Med.* [serie en Internet] 2007 [citado 1 Jul 2008];34(1):[aprox. 57 p.]. Disponible en: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=17688395>

Newman PA, Chakrapani V, Kavi AR, Kurien AK. HIV-1 prevalence in young adults in south India. *Lancet.* 2006; 368(9530):115

Ejemplar localizado en: BMN

Osmond D, Pollack L, Paul J, Catania J. Changes in Prevalence of HIV Infection and Sexual Risk Behavior in Men Who Have Sex With Men in San Francisco: 1997--2002. *Am J Pub Health* [serie en Internet] 2007 [citado 9 Jul 2008];97(9):[aprox. 25 p.]. Disponible en: <http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=26502483&loginpage=Login.asp&lang=es&site=ehost-live>

Prestage G, Fogarty AS, Rawstorne P, Grierson J, Zablotska I, Grulich A, et al. Use of illicit drugs among gay men living with HIV in Sydney. *AIDS* 2007;21(Suppl 1):S49-55.

Ejemplar localizado en: IMT-PK

Prost A, Chopin M, McOwan A, Elam G, Dodds J, Macdonald N, et al. "There is such a thing as asking for trouble": taking rapid HIV testing to gay venues is fraught with challenges. *Sex Transm Infect.* [serie en Internet] 2007 [citado 2 Jul 2008];83(3):[aprox. 40 p.]. Disponible en:

<http://sti.bmj.com/cgi/content/full/83/3/185>

Sanders EJ, Graham SM, Okuku HS, van der Elst EM, Muhaari A, Davies A, et al. HIV-1 infection in high risk men who have sex with men in Mombasa, Kenya. *AIDS.* 2007;21(18):2513-20.

Ejemplar localizado en: IMT-PK

Schwarzc S, Scheer S, McFarland W, Katz M, Valleroy L, Chen S, et al. Prevalence of HIV infection and predictors of high-transmission sexual risk behaviors among men who have sex with men. *Am J Public Health.* 2007;97(6):1067-75.

Ejemplar localizado en: BMN

Serovich JM, Esbensen AJ, Mason TL. Disclosure of positive HIV serostatus by men who have sex with men to family and friends over time. *AIDS Patient Care STDS* [serie en Internet] 2007 [citado 1 Jul 2008];21(7):[aprox. 37 p.]. Disponible en: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=17651030>

Setia MS, Lindan C, Jerajani HR, Kumta S, Ekstrand M, Mathur M. Men who have sex with men and transgenders in Mumbai, India: an emerging risk group for STIs and HIV. *Indian J Dermatol Venereol Leprol* [serie en Internet] 2006 [citado 2 Jul 2008];72(6):[aprox. 41 p.]. Disponible en: <http://www.ijdv1.com/article.asp?issn=0378-6323;year=2006;volume=72;issue=6;spage=425;epage=431;ajust=Setia>

Silvestre AJ, Hylton JB, Johnson LM, Houston C, Witt M, Jacobson L, et al. Recruiting minority men who have sex

with men for HIV research: results from a 4-city campaign. *Am J Public Health.* 2006;96(6):1020-7.

Ejemplar localizado en: BMN

Smit C, Pfrommer C, Mindel A, Taylor J, Spaargaren J, Berkhout B, et al. Rise in seroprevalence of herpes simplex virus type 1 among highly sexual active homosexual men and an increasing association between herpes simplex virus type 2 and HIV over time (1984-2003). *Eur J Epidemiol.* [serie en Internet] 2007 [citado 1 Jul 2008];22(12):[aprox. 34 p.]. Disponible en: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=17929177>

Stark D, Fotedar R, van Hal S, Beebe N, Marriott D, Ellis JT et al. Prevalence of enteric protozoa in human immunodeficiency virus (HIV)-positive and HIV-negative men who have sex with men from Sydney, Australia. *Am J Trop Med Hyg.* 2007;76(3):549-52.

Ejemplar localizado en: IMT-PK

Xia Q, Molitor F, Osmond DH, Tholandi M, Pollack LM, Ruiz JD, et al. Knowledge of sexual partner's HIV serostatus and serosorting practices in a California population-based sample of men who have sex with men. *AIDS.* 2006; 20(16):2081-9.

Ejemplar localizado en: IMT-PK  
Yeka W, Maibani-Michie G, Prybylski D, Colby D. Application of respondent driven sampling to collect baseline data on FSWs and MSM for HIV risk reduction interventions in two urban centres in Papua New Guinea. *J Urban Health* [serie en Internet] 2006 [citado 2 Jul

2008];83(6 Suppl):[aprox. 23 p.]. Disponible en: <http://www.pubmedcentral.nih>

[.gov/articlerender.fcgi?tool=pubmed&pubmedid=17066328](http://www.ncbi.nlm.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=17066328)

## Descriptores empleados para la recuperación de la información, en las Bases de Datos Medline, Cumed, Scielo, Ebsco y Doyma

### DEsH

**HOMOSEXUALIDAD MASCULINA  
INFECCIONES por VIH**

### MEsH

**HOMOSEXUALITY, MALE  
HIV INFECTIONS**

### MÁS INFORMACION SOBRE EL TEMA EN:

- Centros para el Control y la Prevención de Enfermedades CDC. [pagina principal en Internet]. Atlanta: Departamento de Salud y Servicios Humanos; c 200-? [actualizado 15 Ago 2007; citado 9 Jul 2008] El VIH/SIDA entre hombres que tienen relaciones sexuales con hombres; [aprox 34 pantallas]. Disponible en: <http://www.cdc.gov/hiv/spanish/resources/factsheets/msm.htm>
- Ginebra. ONUSIDA. El SIDA y las relaciones sexuales entre varones: Punto de vista del ONUSIDA [citado 9 Jul 2008]. Disponible en [http://data.unaids.org/Publications/IRC-pub05/msmpv\\_es.pdf](http://data.unaids.org/Publications/IRC-pub05/msmpv_es.pdf).
- Gutiérrez Marmolejo J. Estrategias de prevención en **Hombres** que **tienen Sexo** con otros **Hombres** HSH [citado 8 Jul 2008]. Disponible en: <http://www.salud.gob.mx/conasida/comvensida/conforma.pdf>.
- Los hombres que tienen relaciones sexuales con hombres y el VIH/SIDA. [citado 9 Jul 2008]. Disponible en: [http://www.aids.gov/takecontrol/factsheets/msm\\_spanish.html](http://www.aids.gov/takecontrol/factsheets/msm_spanish.html)
- MIRELES VIEYRA, MP. LA TRANSMISIÓN HETEROSEXUAL DE LA INFECCIÓN VIH ¿REALIDAD O APARIENCIA? [citado 9 Jul 2008]. Disponible en: <http://www.profinvih.org/2007/11/15/la-transmision-heterosexual-de-la-infeccion-vih-sida-realidad-o-apariencia-profinvih-org>

**¡ATENCIÓN!**

**Usted podrá solicitar los textos completos de las citas bibliográficas de su interés, que aparecen en este boletín a la siguiente dirección:  
[aurea@infomed.sld.cu](mailto:aurea@infomed.sld.cu)**

