

EL SÍNDROME DE INMUNO- DEFICIENCIA ADQUIRIDA EN ÁFRICA

ÁFRICA DEL NORTE/ SÍNDROME DE INMUNODEFICIENCIA ADQUIRIDA

Atashili J, Kalilani L, Seksaria V, Sickbert-Bennett E E. Potential impact of infant feeding recommendations on mortality and HIV-infection in children born to HIV-infected mothers in Africa: a simulation. BMC Infect Dis [Internet]. 2008 [citado 23 Sep 2009];8(Pt 1):[aprox 14 p.]. Disponible en: <http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=35709532&loginpage=Login.asp&lang=es&site=ehost-live>

Binagwaho A, Ratnayake N. The role of social capital in successful adherence to antiretroviral therapy in Africa. PLoS Med [Internet]. 2009 [citado 11 Sep 2009];6(1):[aprox. 2 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.pubmedcentral.nih.gov/whalecom0/articlerender.fcgi?tool=pubmed&pubmedid=19175286>

Butler D. Lawyers call for science to clear AIDS nurses in Libya. Nature [Internet]. 2006 [citado 10 Sep 2009];443(7109):[aprox. 15 p.]. Disponible en: <http://www.nature.com/nature/journal/v443/n7109/full/443254b.html>

Duprez R, Hbid O, Afonso P, Quach H, Belloul L, Fajali N, et al. Molecular epidemiology of the HHV-8 K1 gene from Moroccan patients with Kaposi's sarcoma. Virology [Internet]. 2006 [citado 10 Sep 2009];353(1):[aprox. 35 p.]. Disponible en http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?_ob=PublicationURL&_tockey=%23TOC%237165%232006%23996469998%23631377%23FLA%23&cdi=7165&pubType=J&auth=y&acct=C000049744&version=1&urlVersion=0&userid=2778716&md5=13c541cb076fbf688af70a2f53f737b0

El Feki S. Middle-Eastern AIDS efforts are starting to tackle taboos. Lancet. 2006;367(9515):975-6

Ejemplar localizado en BMN

Moszynski P. Outrage over death sentences in Libyan AIDS trial. BMJ [Internet]. 2007 [citado 10 Sep 2009];334(7583):[aprox. 25 p.]. Disponible en:

<http://www.bmj.com/cgi/reprint/334/7583/11>

Pancevski B. Retrial ordered for health workers imprisoned in Libya. Lancet 2006;36(9507):292.

Ejemplar localizado en BMN

Tsankov N. The Libyan AIDS crisis and a miscarriage of justice. Clin Dermatol [Internet]. 2007 [citado 10 Sep 2009];25(1):[aprox. 22 p.]. Disponible en: http://hinari-gw.who.int/whalecomwww.cornetis.com.pl/whalecom0/czasopismo_en.php?issn=1507-5516

ÁFRICA DEL SUR DEL SAHARA/SÍNDROME DE INMUNODEFICIENCIA ADQUIRIDA

Abaasa AM, Todd J, Ekoru K, Kalyango JN, Levin J, Odeke E, et al. Good adherence to HAART and improved survival in a community HIV/AIDS treatment and care programme: the experience of The AIDS Support Organization (TASO), Kampala, Uganda. BMC Health Serv Res [Internet]. 2008 [citado 18 Sep 2009];8:[aprox. 10 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.pubmedcentral.nih.gov/whalecom0/articlerender.fcgi?tool=pubmed&pubmedid=19021908>

Asuquo ME, Ebughe G. Cutaneous cancers in Calabar, Southern Nigeria. *Dermatol Online J* [Internet]. 2009 [citado 15 Sep 2009];15(4):[aprox. 13 p.]. Disponible en: http://hinari-gw.who.int/whalecomwww.ncbi.nlm.nih.gov/whalecom0/entrez/utills/fref.fcgi?PrId=3013&itool=AbstractPlus-def&uid=19450404&nmid=9610776&db=pubmed&url=http://hinari-gw.who.int/whalecomdermatology.cdlib.org/whalecom0/1504/case_presentations/cutaneous_cancer/asuquo.html

Bendavid E, Bhattacharya J. The President's Emergency Plan for AIDS Relief in Africa: an evaluation of Outcomes. *Ann Intern Med* [Internet]. 2009 [citado 17 Sep 2009];150(10): [aprox. 9 p.]. Disponible en

DIRECTORA

Bárbara Lazo Rodríguez

EDITORA

Margarita Pobeá Reyes

COMPILACIÓN

Aurea Ramos Boch

CONFECCIÓN Y DISEÑO

Mercedes Martínez Martos

Publicación mensual, contiene informaciones bibliográficas de documentos que se encuentran en la Biblioteca Médica Nacional y sus temas responden a las líneas de investigación priorizadas del Ministerio de Salud Pública, es editado por el área de Servicios Bibliotecarios y está disponible en su sitio web por la Red Telemática de Salud. Este suplemento responde al proyecto SIDA

©1994-2009

*Biblioteca Médica Nacional
Dirección: 23 esq. N. Vedado,
La Habana. Cuba.*

Teléfono: (537) 8324317

Email: mpobeá@infomed.sld.cu

<http://hinari-gw.who.int/whalecomwww.nials.org/whalecom0/cgi/reprint/150/10/688>

Binagwaho A, Ratnayake N. The role of social capital in successful adherence to antiretroviral therapy in Africa. *PLoS Med* [Internet]. 2009 [citado 13 Sep 2009]; 6(1):[aprox. 18 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.plosmedicine.org/whalecom0/article/info%3Adoi%2F10.1371%2Fjournal.pmed.1000018>

Brinkhof MW, Boule A, Weigel R, Messou E, Mathers C, Orrell C, et al. Mortality of HIV-infected patients starting antiretroviral therapy in sub-Saharan Africa: comparison with HIV-unrelated mortality. *International Epidemiological Databases to Evaluate AIDS (IeDEA)*. *PLoS Med* [Internet]. 2009 [citado 13 Sep 2009];6(4):[aprox. 17 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.pubmedcentral.nih.gov/whalecom0/articlerender.fcgi?tool=pubmed&pubmedid=19399157>

Castelnuovo B, Nanyonjo A, Kanya M, Ocama P. Is it safe to switch from stavudine to zidovudine after developing symptomatic hyperlactatemia? *Afr Health Sci* [Internet]. 2008 [citado 13 Sept 2009];8(2): [aprox. 15 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.pubmedcentral.nih.gov/whalecom0/articlerender.fcgi?tool=pubmed&pubmedid=19357764>

Delobelle P, Rawlinson JL, Ntuli S, Malatsi I, Decock R, Depoorter AM J. HIV/AIDS knowledge, attitudes, practices and perceptions of rural nurses in South Africa. *Adv Nurs* [Internet]. 2009 [citado 15 Sep 2009];65(5):[aprox. 13 p.].

Disponible en: <http://hinari-gw.who.int/whalecomwww3.interscience.wiley.com/whalecom0/cgi-bin/fulltext/122251054/PDFS/TART>

Dugassa BF. Women's rights and women's health during HIV/AIDS epidemics: the experience of women in sub-Saharan Africa. *Health Care Women Int* [Internet]. 2009 [citado 15 Sep 2009];30(8): [aprox. 18p.]. Disponible en: http://pdfserve.informaworld.com/992243_758077535_9128_82578.pdf

Eller MA, Eller LA, Ouma BJ, Thelian D, González VD, Guwatudde D, et al. Elevated natural killer cell activity despite altered functional and phenotypic profile in Ugandans with HIV-1 clade A or clade D infection. *J Acquir Immune Defic Syndr* [Internet]. 2009 [citado 14 Sep 2009];51(4):[aprox. 10 p.]. Disponible en: <http://hinari-gw.who.int/whalecomovidsp.tx.ovid.com/whalecom0/spb/ovidweb.cgi?T=JS&PAGE=fulltext&D=ovft&AN=00126334-200908010-00003&NEWS=N&CSC=Y&CHANNEL=PubMed>

Evangeli M, Engelbrecht SK, Swartz L, Turner K, Forsberg L, Soka N. An evaluation of a brief motivational interviewing training course for HIV/AIDS counsellors in Western Cape Province, South Africa. *AIDS Care* [Internet]. 2009 [citado 13 Sep 2009]; 21(2):[aprox. 9 p.]. Disponible en: http://pdfserve.informaworld.com/936308_758077535_9088_39829.pdf

Geffen N. Justice after AIDS denialism: should there be prosecutions and compensa-

- tion?. J Acquir Immune Defic Syndr [Internet]. 2009 [citado 17 Sep 2009];51(4):[aprox. 18 p.]. Disponible en: <http://hinari-gw.who.int/whalecomovidsp.t.x.ovid.com/whalecom0/spb/ovidweb.cgi?T=JS&PAGE=fulltext&D=ovft&AN=00126334-200908010-00013&NEWS=N&CSC=Y&CHANNEL=PubMed>
- Johnson P. Abuse of HIV/AIDS-relief funds in Mozambique. *Lancet Infect Dis* [Internet]. 2009 [citado 19 Sep 2009];9(9):[aprox. 15 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science/journal/14733099>
- Kassie GM, Mariam DH, Tsui AO. Patterns of knowledge and condom use among population groups: results from the 2005 Ethiopian behavioral surveillance surveys on HIV. *BMC Public Health* [Internet]. 2008 [citado 19 Sep 2009];[aprox. 9 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.pubmedcentral.nih.gov/whalecom0/articlerender.fcgi?tool=pubmed&pubmedid=19117525>
- Larrea Fabra R, Roque Acosta MC. Enfermedades oportunistas. Experiencias en la población sudafricana con SIDA. *Rev Cubana Med* [Internet] 2007 [citado 17 Sep 2009];46(3):[aprox. 22 p.]. Disponible en: http://bvs.sld.cu/revistas/med/vol46_3_07/med05307.html#cargo
- Little K, Thorne C, Chewe L, Bunders M, Ngongo N, McDermott P, et al. Disease Progression in Children with Vertically-Acquired HIV Infection in Sub-Saharan Africa: Reviewing the Need for HIV Treatment. *Curr HIV Res* [Internet]; 2007 [citado 19 Sep 2009];5(2):[aprox. 17 p.]. Disponible en: <http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=24230297&loginpage=Login.asp&lang=es&site=ehost-live>
- Massambu C, Mwangi C. The Tanzania experience: clinical laboratory testing harmonization and equipment standardization at different levels of a tiered health laboratory system. *Am J Clin Pathol* [Internet]. 2009 [citado 11 Sep 2009];131(6):861-6. [aprox. 23 p.]. Disponible en: <http://hinari-gw.who.int/whalecomajcp.scipjournals.org/whalecom0/content/131/6/861.long>
- Menéndez Capote RL, Chappotten Delahanty MA, Costa FA, Estrada del Cueto M. Contribución al desafío de la terapia antirretroviral en África *Rev Cubana Med* [Internet] 2006 [citado 17 Sep 2009];45(1):[aprox. 5 p.]. Disponible en: http://bvs.sld.cu/revistas/med/vol45_1_06/med11106.htm
- Mujugira A, Wester CW, Kim S, Bussmann H, Gaolathe T. Patients with advanced HIV type 1 infection initiating antiretroviral therapy in Botswana: treatment response and mortality. *AIDS Res Hum Retroviruses* [Internet]. 2009 [citado 12 Sep 2009];25(2):[aprox. 8 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.liebertonline.com/whalecom0/doi/pdfplus/10.1089/aid.2008.0172>
- Mzileni MO, Longo-Mbenza B, Chephe TJ. Mortality and causes of death in HIV-positive patients receiving antiretroviral therapy at Tshepang Clinic in Doctor George Mukhari Hospital. *Pol Arch Med Wewn* [Internet]. 2008 [citado 17 Sep 2009];118(10):[aprox. 6 p.]. Disponible en: <http://tip.org.pl/pamw/issue/article/226.html>
- Olowookere SA, Fatiregun AA, Osagbemi KG. Awareness and attitude of health workers at a Nigerian HIV treatment clinic toward HIV/AIDS and HAART adherence. *J Int Assoc Physicians AIDS Care (Chic Ill)* [Internet]. 2009 [citado 17 Sep 2009];8(3):[aprox. 6 p.]. Disponible en: <http://hinari-gw.who.int/whalecomjia.sagepub.com/whalecom0/cgi/reprint/8/3/208>
- Passador LH. 'Tradition', person, gender, and STD/HIV/AIDS in southern Mozambique. *Cad Saude Pública* [Internet]. 2009 [citado 15 Sep 2009];25(3):[aprox 35 p.]. Disponible en: http://hinari-gw.who.int/whalecomwww.scielo.org/whalecom0/scielo.php?script=sci_arttext&pid=S01311X2009000300024&lng=en&nrm=iso&tlng=en
- Pepper DJ, Rebe K, Morroni C, Wilkinson RJ, Meintjes G. Clinical deterioration during antitubercular treatment at a district hospital in South Africa: the importance of drug resistance and AIDS defining illnesses. *PLoS One* [Internet]. 2009 [citado 11 Sep 2009];4(2):[aprox. 9 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.pubmedcentral.nih.gov/whalecom0/articlerender.fcgi?tool=pubmed&pubmedid=19229341>
- Reniers G, Araya T, Davey G, Nagelkerke N, Berhane Y, Coutinho, et al Steep declines in population-level AIDS mortality following the introduction of antiretroviral

therapy in Addis Ababa, Ethiopia. *AIDS* [Internet]. 2009 [citado 17 Sep 2009]; 23(4):[aprox. 25 p.]. Disponible en: <http://hinari-gw.who.int/whalecomovidsp.t.x.ovid.com/whalecom0/spb/ovidweb.cgi?T=JS&PAGE=fulltext&D=ovft&AN=00002030-200902200-00010&NEWS=N&CSC=Y&CHANNEL=PubMed>

Rohleder P, Swartz L. Providing sex education to persons with learning disabilities in the era of HIV/AIDS: tensions between discourses of human rights and restriction. *J Health Psychol* [Internet]. 2009 [citado 19 Sep 2009];14(4):[aprox. 13 p.]. Disponible en: <http://hinari-gw.who.int/whalecomhpq.sagepub.com/whalecom0/cgi/repri/nt/14/4/601>

Sewram S, Singh R, Kormuth E, Werner L, Mlisana K, Karim SS, et al. CAPRISA Acute Infection Study Team. Human TRIM5alpha expression levels and reduced susceptibility to HIV-1 infection. *J Infect Dis* [Internet]. 2009 [citado 15 Sep 2009];199(11):[aprox. 40 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.pubmedcentral.nih.gov/whalecom0/articlerender.fcgi?tool=pubmed&pubmedid=19388851>

Simmons DS. 'Healers' understandings of indigenous names for HIV/AIDS in Harare, Zimbabwe. *AIDS Care* [Internet]. 2009 [citado 14 Sep 2009];21(4):[aprox. 8 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.informaworld.com/whalecom0/smpp/ftinterface~content=a908836473~fulltext=713240930>

Smith AD, Tapsoba P, Peshu N, Sanders EJ, Jaffe HW. Men who have sex with men and HIV/AIDS in sub-Saharan

Africa. *Lancet* [Internet]. 2009 [citado 18 Sep 2009]; 374(9687):[aprox. 25 p.]. Disponible en: http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/sciencedirect.com/whalecom0/science?_ob=PublicationURL&_tockey=%23TOC%234886%232009%23996250312%231368141%23FLA%23&_cdi=4886&_pubType=J&_auth=y&_acct=C000049744&_version=1&_urlVersion=0&_userid=2778716&md5=fffb7b5ea7f4e559477dbe498c394af0

Sommer M. Ideologies of sexuality, menstruation and risk: girls' experiences of puberty and schooling in northern . *Cult Health Sex* [Internet]. 2009 [citado 15 Sep 2009];11(4):[aprox. 17 p.]. Disponible en: http://pdfserve.informaworld.com/687691_758077535_909925578.pdf

Stephenson R. A community perspective on young people's knowledge of HIV/AIDS in three African countries. *AIDS Care* [Internet]. 2009 [citado 18 Sep 2009];21(3):[aprox 32 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.pubmedcentral.nih.gov/whalecom0/articlerender.fcgi?tool=pubmed&pubmedid=19280413>

Stover J, Fidzani B, Molomo BC, Moeti T, Musuka G. Estimated HIV trends and program effects in Botswana. *PLoS One* [Internet]. 2008 [citado 15 Sep 2009];3(11):[aprox. 4 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.pubmedcentral.nih.gov/whalecom0/articlerender.fcgi?tool=pubmed&pubmedid=19008957>

Uys LR, Holzemer WL, Chirwa ML, Dlamini PS, Greeff M, Kohi TW, et al. The development and validation of the HIV/AIDS Stigma Instrument-

Nurse (HASI-N). *AIDS Care* [Internet]. 2009 [citado 17 Sep 2009];21(2):[aprox. 48 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.pubmedcentral.nih.gov/whalecom0/articlerender.fcgi?tool=pubmed&pubmedid=19229683>

Villela WV, Barber-Madden R. The gender approach in community AIDS projects in Mozambique: agreement and disagreement between government and civil society. *Cad Saude Publica* [Internet]. 2009 [citado 17 Sep 2009];25(3):[aprox. 6 p.]. Disponible en: http://hinari-gw.who.int/whalecomwww.scielo.org/whalecom0/scielo.php?script=sci_pdf&pid=S0102-311X2009000300025&lng=en&nrm=iso&tlng=en

Wang Alberta L, Duke W, Schmid GP. Print media reporting of male circumcision for preventing HIV infection in sub-Saharan Africa. *Bull World Health Organ* [Internet]. 2009 [citado 23 Sep 2009];87(8):[aprox. 10 p.]. Disponible en: <http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=43646320&loginpage=Login.asp&lang=es&site=ehost-live>

Ware NC, Idoko J, Kaaya S, Biraro IA, Wyatt MA, Agbaji O, et al. Explaining adherence success in sub-Saharan Africa: an ethnographic study. *PLoS Med* [Internet]. 2009 [citado 12 Sep 2009];6(1):[aprox. 9 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.pubmedcentral.nih.gov/whalecom0/articlerender.fcgi?tool=pubmed&pubmedid=19175285>

Williams BG, Ginsburg D, Montaner J, Stander T, Welte A. Achieving South Africa's National Strategic Plan for

HIV/AIDS. Lancet [Internet]. 2009 [citado 12 Sep 2009]; 373(9667):[aprox. 24 p.]. Disponible en: http://hinari-gw.who.int/whalecomwww.sciencedirect.com/whalecom0/science?_ob=PublicationURL&_tockey=%23TOC%234886%232009%23996260332%23977105%23FLA%23&_cdi=4886&_pubType=J&_auth=y&_acct=C000049744&_version=1&_urlVersion=0&_userid=2778716&md5=f53898e7a3ba77d960cdfd3569144807

Yebei VN, Fortenberry JD, Ayuku DO. Felt stigma among people living with HIV/AIDS in rural and urban Kenya. Afr Health Sci [Internet]. 2008 [citado 17 Sep 2009];8(2):[aprox. 17 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.pubmedcentral.nih.gov/whalecom0/articlerender.fcgi?tool=pubmed&pubmedid=19357758>

Zulu I, Hassan G, Njobvu R N L, Dhaliwal W, Sianongo S, Kelly P. Cytokine activation is

predictive of mortality in Zambian patients with AIDS-related diarrhoea. BMC Infect Dis [Internet]. 2008 [citado 10 Sep 2009];8:[aprox. 6 p.]. Disponible en: <http://hinari-gw.who.int/whalecomwww.pubmedcentral.nih.gov/whalecom0/articlerender.fcgi?tool=pubmed&pubmedid=19014537>

Descriptores de los tesauros DeCS y MeSH utilizados en la recuperación de información en las Bases de datos: Medline a través de HINARI, EBSCO, SCIELO, CUMED.

MeSH

ADQUIRID IMMUNODEFICIENCY SÍNDROME

AFRICA, NORTHERN

AFRICA SOUTH OF THE SAHARA

DeCS

SÍNDROME DE INMUNODEFICIENCIA ADQUIRIDA

ÁFRICA DEL NORTE

ÁFRICA DEL SUR DEL SAHARA

Más Información

- **ONUSIDA. África subsahariana.** Disponible en: <http://www.unaids.org/es/CountryResponses/Regions/SubSaharanAfrica.asp>
- **ONUSIDA. Hechos fundamentales por región – Informe sobre la epidemia mundial de sida 2008.** Disponible en: <http://www.unaids.org/es/KnowledgeCentre/HIVData/GlobalReport/2008/2008-gr-mediakit.asp>
- **ONUSIDA. Hojas informativas de ONUSIDA. África subsahariana. Tendencias epidemiológicas más recientes 2008.** Disponible en: <http://www.unaids.org/es/KnowledgeCentre/HIVData/GlobalReport/2008/2008-gr-mediakit.asp>
- **ONUSIDA. Informe sobre la epidemia mundial de sida, 2008.** Disponible en: <http://www.unaids.org/es/KnowledgeCentre/HIVData/GlobalReport/2008/>
- **ONUSIDA. Informe sobre la epidemia mundial de sida 2008. Resumen de orientación.** Disponible en: <http://www.unaids.org/es/KnowledgeCentre/HIVData/GlobalReport/2008/2008-gr-mediakit.asp>

- **ONUSIDA. Reportajes de África subsahariana** Disponible en:
http://www.unaids.org/es/CountryResponses/Regions/FeatureStoryArchive_SubSaharanAfrica.asp
- **ONUSIDA. Situación de la epidemia de sida -2007. Resúmenes por región [citado 16 de abril de 2008]. África subsahariana.** Disponible en:
http://data.unaids.org/pub/Report/2008/JC1526_epibriefs_subsaharanafrica_en.pdf
- **Organización Mundial de la Salud (OMS). Informe sobre la salud en la Región de África. Disponible en:** <http://www.who.int/mediacentre/news/releases/2006/pr68/es/>
- **Organización Mundial de la Salud (OMS). Mujeres y SIDA: ¿nos has escuchado hoy?** Disponible en: <http://www.who.int/features/2004/aids/es/index.html>
- **Organización Mundial de la Salud (OMS). Se demuestran en Namibia las ventajas de la ampliación del tratamiento antirretrovírico.** [citado Jul 2009] Disponible en:
http://www.who.int/features/2009/hiv_namibia/es/index.html
- **S.A.H.A.R.A. Social aspects of HIV/AIDS Research Alliance.** Disponible en:
<http://www.sahara.org.za/>
- Sidibé M. Hecho en África.** [citado 2 de julio de 2009]. Disponible en:
http://www.unaids.org/es/KnowledgeCentre/Resources/FeatureStories/archive/2009/20090702_Made_in_Africa.asp

Para consultar los textos completos de las referencias bibliográficas que aparecen en este boletín solicítelos a:

aurea@infomed.sld.cu

