



Suplemento No. 41

Servicio Informativo de la Biblioteca Médica Nacional

Junio 2007

SIDA y Homosexualidad

HOMOSEXUALIDAD/ SÍNDROME DE INMUNODEFICIENCIA ADQUIRIDA

Amirkhanian YA, Kelly JA, Kirsanova AV, DiFranceisco W, Khoursine RA, Semenov AV, et al. HIV risk behaviour patterns, predictors, and sexually transmitted disease prevalence in the social networks of young men who have sex with men in St Petersburg, Russia. *Int J STD AIDS* [Serie en Internet] 2006 [citada el 18 de mayo 2007] Jan;17(1):[Aprox. 13 p]. Disponible en: <http://www.pubmedcentral.nih.gov/picrender.fcgi?artid=1514189&blobtype=pdf>

Bautista CT, Sanchez JL, Montano SM, Laguna-Torres VA, Lama JR, Sanchez JL, et al. Seroprevalence of and risk factors for HIV-1 infection among South American men who have sex with men. *Sex Transm Infect* [Serie en Internet] 2004 [citada el 18 de mayo 2007];80(6):[Aprox. 7 p]. Disponible en: <http://sti.bmjjournals.org/cgi/reprint/80/6/498>

Centers for Disease Control and Prevention (CDC). HIV prevalence among populations

of men who have sex with men--Thailand, 2003 and 2005. *MMWR Morb Mortal Wkly Rep* [Serie en Internet] 2006 [citada el 18 de mayo 2007]; 55(31):[Aprox. 15 p]. Disponible en: <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5531a2.htm>

Centers for Disease Control and Prevention (CDC). HIV prevalence, unrecognized infection, and HIV testing among men who have sex with men--five U.S. cities, June 2004-April 2005. *MMWR Morb Mortal Wkly Rep* [Serie en Internet] 2005 [citada el 18 de mayo 2007];54(24):[Aprox. 16 p]. Disponible en: <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5424a2.htm>

Chacón L, Regueiro R, Reymond V, Sánchez L, Ochoa R, Valdes NJ. Estudio del comportamiento sexual de hombres que tienen sexo con otros hombres en Ciudad de La Habana. *Sexol Soc* 2004;10(24):11-17

Ejemplar localizado en CENESEX

Chacón A, Leonardo L. La prevención del VIH entre los hombres que tienen sexo con otros hombres (HSH). *Sexol soc* 2002;8(20):13-19.

Ejemplar localizado CENESEX

Chin-Hong PV, Vittinghoff E, Cranston RD, Browne L, Buchbinder S, Colfax G, et al. Age-related prevalence of anal cancer precursors in homosexual men: the EXPLORE study. *J Natl Cancer Inst* [Serie en Internet] 2005 [citada el 18 de mayo 2007];97(12): [Aprox. 10 p]. Disponible en: <http://jnci.oxfordjournals.org/cgi/reprint/97/12/896>

Clatts MC, Goldsamt LA, Yi H. An emerging HIV risk environment: a preliminary epidemiological profile of an MSM POZ Party in New York City. *Sex Transm Infect* [Serie en Internet] 2007 [citada el 16 de mayo 2007] 2005 Oct;81(5): [Aprox. 20 p]. Disponible en: <http://sti.bmjjournals.org/cgi/content/full/81/5/373>

Cox J, Beauchemin J, Allard R. HIV status of sexual partners is more important than antiretroviral treatment related perceptions for risk taking by HIV positive MSM in Montreal, Canada. *Sex Transm Infect* [Serie en Internet] 2004 [citada el 18 de mayo 2007]; 80(6):[Aprox. 6 p]. Disponible en: <http://sti.bmjjournals.org/cgi/reprint/80/6/518>

Craft SM, Serovich JM. Family-of-origin factors and partner violence in the intimate relationships of gay men who are HIV positive. *J Interpers Violence* [Serie en Internet]

2005 [citada el 18 de mayo 2007];20(7):[Aprox. 12 p]. Disponible en: <http://www.ncbi.nlm.nih.gov/picrender.fcgi?artid=1255964&blobtype=pdf>

Craft SM, Smith SA, Serovich JM, Bautista DT. Need fulfillment in the sexual relationships of HIV-infected men who have sex with men. AIDS Educ Prev [Serie en Internet] 2005 [citada el 18 de mayo 2007];17(3): [Aprox. 11 p]. Disponible en: <http://www.ncbi.nlm.nih.gov/picrender.fcgi?artid=1414791&blobtype=pdf>

Crosby R, Diclemente RJ. Use of recreational Viagra among men having sex with men. Sex Transm Infect [Serie en Internet] 2004 [citada el 18 de mayo 2007];80(6):[Aprox. 4 p]. Disponible en: <http://sti.bmjjournals.org/cgi/reprint/80/6/466>

DIRECTORA
Bárbara Lazo Rodríguez

EDITORA
Margarita Pobea Reyes

COMPILACIÓN
Ana Luisa Pinillo León

CONFECCIÓN Y DISEÑO
Mercedes Martínez Martos

Publicación mensual, contiene informaciones bibliográficas de documentos que se encuentran en la Biblioteca Médica Nacional y sus temas responden a las líneas de investigación priorizadas del Ministerio de Salud Pública, es editado por el área de Servicios Bibliotecarios y está disponible en su sitio web por la Red Telemática de Salud.

©1994-2007

*Biblioteca Médica Nacional
Dirección: 23 esq. N. Vedado,*

La Habana. Cuba.

Teléfono: (537) 8324317

Email: mpobea@infomed.sld.cu

Dandona L, Dandona R, Kumar GA, Gutierrez JP, McPherson S, Bertozzi SM, et al. How much attention is needed towards men who sell sex to men for HIV prevention in India? BMC Public Health [Serie en Internet] 2006 [citada el 18 de mayo 2007];6:[Aprox. 8 p]. Disponible en: <http://www.ncbi.nlm.nih.gov/picrender.fcgi?artid=1421390&blobtype=pdf>

Denning PH, Campsmith ML. Unprotected anal intercourse among HIV-positive men who have a steady male sex partner with negative or unknown HIV serostatus. Am J Public Health [Serie en Internet] 2005 [citada el 18 de mayo 2007];95(1): [Aprox. 6 p]. Disponible en: <http://www.ncbi.nlm.nih.gov/picrender.fcgi?artid=1449868&blobtype=pdf>

Dougan S, Balogun MA, Elford J, Brant LJ, Sinka K, Evans BG, Ramsay ME. Can current national surveillance systems in England and Wales monitor sexual transmission of hepatitis C among HIV-infected men who have sex with men?. BMC Public Health [Serie en Internet] 2007 [citada el 16 de mayo 2007];7:[Aprox. 7 p]. Disponible en: <http://www.ncbi.nlm.nih.gov/article.fcgi?tool=pubmed&pubmedid=17233919>

Dougan S, Elford J, Rice B, Brown AE, Sinka K, Evans BG, Gill ON, Fenton KA. Epidemiology of HIV among black and minority ethnic men who have sex with men in England and Wales. Sex Transm Infect [Serie en Internet] 2005 [citada el 18 de mayo 2007];81(4): [Aprox. 7 p]. Disponible en: <http://sti.bmjjournals.org/cgi/reprint/81/4/345>

Elford J, Bolding G, Davis M, Sherr L, Hart G. Trends in sexual

behaviour among London homosexual men 1998-2003: implications for HIV prevention and sexual health promotion. Sex Transm Infect [Serie en Internet] 2004 [citada el 18 de mayo 2007];80(6): [Aprox. 5 p]. Disponible en: <http://sti.bmjjournals.org/cgi/content/full/80/6/451>

Frisch M, Smith E, Grulich A, Johansen C. Cancer in a population-based cohort of men and women in registered homosexual partnerships. Am J Epidemiol. 2003 Jun 1; 157(11):966-72.

Ejemplar localizado en: HM-MT

Forrester B, Pawade J, Horner P. The potential role of serology in diagnosing chronic lymphogranuloma venereum (LGV): a case of LGV mimicking Crohn's disease. Sex Transm Infect [Serie en Internet] 2006 [citada el 18 de mayo 2007];82(2):[Aprox. 3 p]. Disponible en: <http://sti.bmjjournals.org/cgi/reprint/82/2/139>

Gorbach PM, Galea JT, Amani B, Shin A, Celum C, Kerndt P, et al. Don't ask, don't tell: patterns of HIV disclosure among HIVpositive men who have sex with men with recent STI practising high risk behaviour in Los Angeles and Seattle. Sex Transm Infect [Serie en Internet] 2004 [citada el 18 de mayo 2007]; 80(6):[Aprox.7 p]. Disponible en: <http://sti.bmjjournals.org/cgi/reprint/80/6/512>

Gutierrez JP, Molina-Yepez D, Morrison K, Samuels F, Bertozzi SM. Correlates of condom use in a sample of MSM in Ecuador. BMC Public Health [Serie en Internet] 2006 [citada el 16 de mayo 2007]; 12;6:[Aprox. 8 p]. Disponible en:

<http://www.pubmedcentral.nih.gov/picrender.fcgi?artid=1513207&blobtype=pdf>

Hart GJ, Williamson LM. Increase in HIV sexual risk behaviour in homosexual men in Scotland, 1996-2002: prevention failure?. *Sex Transm Infect [Serie en Internet]* 2005 [citada el 18 de mayo 2007];81(5):[Aprox. 7 p]. Disponible en: <http://sti.bmjjournals.org/cgi/content/full/81/5/367>

Hamlyn E, McAllister J, Winston A, Sinclair B, Amin J, Carr A, et al. Is screening for sexually transmitted infections in men who have sex with men who receive non-occupational HIV post-exposure prophylaxis worthwhile?. *Sex Transm Infect [Serie en Internet]* 2006 [citada el 16 de mayo 2007];82(1):[Aprox. 5 p]. Disponible en: <http://sti.bmjjournals.org/cgi/content/full/82/1/21>

Hickson F, Reid D, Weatherburn P, Stephens M, Nutland W, Boakye P. HIV, sexual risk, and ethnicity among men in England who have sex with men. *Sex Transm Infect [Serie en Internet]* 2004 [citada el 18 de mayo 2007];80(6):[Aprox. 9 p]. Disponible en: <http://sti.bmjjournals.org/cgi/reprint/80/6/443>

Hirshfield S, Remien RH, Walavalkar I, Chiasson MA. Crystal methamphetamine use predicts incident STD infection among men who have sex with men recruited online: a nested case-control study. *J Med Internet Res [Serie en Internet]* 2004 [citada el 18 de mayo 2007];6(4):[Aprox. 13 p]. Disponible en: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=15631965>

Hourihan M, Wheeler H, Houghton R, Goh BT. Lessons from the syphilis outbreak in homosexual men in east London. *Sex Transm Infect [Serie en Internet]* 2004[citada el 18 de mayo 2007];80(6):[Aprox. 7 p]. Disponible en: <http://sti.bmjjournals.org/cgi/reprint/80/6/509>

Imrie J, Lambert N, Mercer CH, Copas AJ, Phillips A, Dean G, et al. Refocusing health promotion for syphilis prevention: results of a case-control study of men who have sex with men on England's south coast. *Sex Transm Infect [Serie en Internet]* 2006 [citada el 16 de mayo 2007]:82(1):[Aprox. 5 p]. Disponible en: <http://sti.bmjjournals.org/cgi/reprint/82/1/80>

Jin F, Prestage GP, Kippax SC, Pell CM, Donovan BJ, Kaldor JM, et al. Epidemic syphilis among homosexually active men in Sydney. *Med J Aust [Serie en Internet]* 2005 [citada el 16 de mayo 2007];183(4):[Aprox. 5 p]. Disponible en: http://www.mja.com.au/public/issues/183_04_150805/jin10100_fm.pdf

Koblin BA, Chesney MA, Husnik MJ, Bozeman S, Celum CL, Buchbinder S, et al. Links High-risk behaviours among men who have sex with men in 6 US cities: baseline data from the EXPLORE Study. *Am J Public Health*. 2003 Jun; 93(6): 926-32. Erratum in: *Am J Public Health*. 2003 Aug; 93(8):1203.

Ejemplar localizado en: BMN

Lampinen TM, Mattheis K, Chan K, Hogg RS. Nitrite inhalant use among young gay and bisexual men in Vancouver during a period of increasing HIV incidence. *BMC Public Health [Serie en Internet]* 2007

[citada el 16 de mayo 2007];7: [Aprox. 6 p]. Disponible en: <http://www.pubmedcentral.nih.gov/picrender.fcgi?artid=1838903&blobtype=pdf>

Macdonald N, Dougan S, McGarrigle CA, Baster K, Rice BD, Evans BG, et al. Recent trends in diagnoses of HIV and other sexually transmitted infections in England and Wales among men who have sex with men. *Sex Transm Infect [Serie en Internet]* 2004 [citada el 18 de mayo 2007]; 80(6):[Aprox. 7 p]. Disponible en: <http://sti.bmjjournals.org/cgi/content/full/80/6/492>

Mansergh G, Shouse RL, Marks G, Guzman R, Rader M, Buchbinder S, et al. Methamphetamine and sildenafil (Viagra) use are linked to unprotected receptive and insertive anal sex, respectively, in a sample of men who have sex with men. *Sex Transm Infect [Serie en Internet]* 2006 [citada el 18 de mayo 2007];82(2):[Aprox. 20 p]. Disponible en: <http://sti.bmjjournals.org/cgi/reprint/82/2/131>

Marcus U, Voss L, Kollan C, Hamouda O. HIV incidence increasing in MSM in Germany: factors influencing infection dynamics. *Euro Surveill [Serie en Internet]* 2006 [citada el 18 de mayo 2007];11(9):[Aprox. 4 p]. Disponible en: http://www.eurosurveillance.org/eq/2006/03-06/pdf/eq_9_2006_157-160.pdf

Miyake Y, Iwasaki Y, Ishikawa S, Tatsukawa M, Nawa T, Kato J, et al. A homosexual Japanese man with acute hepatitis due to hepatitis B virus genotype ae, concurrent with amebic colitis. *Acta Med Okayama [Serie en Internet]* 2007 [citada el 16 de mayo 2007];61(1):[Aprox. 5 p].

Disponible en:
http://www.lib.okayama.ac.jp/www/acta/pdf/61_1_35.pdf

Muñoz Núñez K, Morales Piloto Y, Morales torres O, Pino Páez M. El SIDA: una mirada desde los hombres que tienen sexo con otros hombres. Bol Med Gen Integral [Serie en Internet] 2006 [citada el 18 de mayo 2007];10(1):[Aprox. 12 p]. Disponible en: <http://publicaciones.pri.sld.cu/bol-mgi/bol-mgi101/bol-mgi10-1-5.htm>

Localización: CU 423.1

Ortiz Hernández L, García Torres MI. [Opresión internalizada y prácticas sexuales de riesgo en varones homo y bi-sexuales de México]. Rev Saude Publica [Serie en Internet] 2005 [citada el 16 de mayo 2007];39(6):[Aprox. 9 p]. Disponible en: http://www.scielo.br/pdf/rsp/v3_9n6/26992.pdf

Pathela P, Hajat A, Schillinger J, Blank S, Sell R, Mostashari F. Discordance between sexual behaviour and self-reported sexual identity: a population-based survey of New York City men. Ann Intern Med [Serie en Internet] 2006 [citada el 18 de mayo 2007];145(6):[Aprox. 10 p]. Disponible en: <http://www.annals.org/cgi/reprint/145/6/416>

Pisani E, Girault P, Gultom M, Sukartini N, Kumalawati J, Jazan S, et al. HIV, syphilis infection, and sexual practices among transgenders, male sex workers, and other men who have sex with men in Jakarta, Indonesia. Sex Transm Infect [Serie en Internet] 2004 [citada el 18 de mayo 2007];80(6):[Aprox. 6 p]. Disponible en: <http://sti.bmjjournals.com/cgi/content/full/80/6/536>

Robinson WT, Risser JM, McGoy S, Becker AB, Rehman H, Jefferson M, et al. Recruiting injection drug users: a three-site comparison of results and experiences with respondent-driven and targeted sampling procedures. J Urban Health [Serie en Internet] 2006 [citada el 18 de mayo 2007];83(6 Suppl):[Aprox. 10 p]. Disponible en: <http://www.ncbi.nlm.nih.gov/picrender.fcgi?artid=1705501&blobtype=pdf>

Sadiq ST, Taylor S, Copas AJ, Bennett J, Kaye S, Drake SM, et al. The effects of urethritis on seminal plasma HIV-1 RNA loads in homosexual men not receiving antiretroviral therapy. Sex Transm Infect [Serie en Internet] 2005 [citada el 16 de mayo 2007];81(2):[Aprox. 5 p]. Disponible en: <http://sti.bmjjournals.com/cgi/reprint/81/2/120>

Salazar X, Caceres C, Maiorana A, Rosasco AM, Kegeles S, Coates T, et al. [Influencia del contexto sociocultural en la percepción del riesgo y la negociación de protección en hombres homosexuales pobres de la costa peruana]. Cad Saude Publica [Serie en Internet] 2006 [citada el 18 de mayo 2007];22(10):[Aprox. 8 p]. Disponible en: <http://www.scielo.br/pdf/csp/v22n10/08.pdf>

Sasse A, Defraye A, Ducoffre G. Recent syphilis trends in Belgium and enhancement of STI surveillance systems. Euro Surveill 2004;9(12):[Aprox. 3 p]. Disponible en: http://www.eurosurveillance.org/eq/2004/04-04/pdf/eq_12_2004_6-8.pdf

Serovich JM, Mason TL, Bautista D, Toviessi P. Gay men's report of regret of HIV disclosure to family, friends, and sex

partners. AIDS Educ Prev [Serie en Internet] 2006 [citada el 18 de mayo 2007] Apr;18(2):[Aprox. 7 p]. Disponible en: <http://www.ncbi.nlm.nih.gov/picrender.fcgi?artid=1473166&blobtype=pdf>

Serovich JM, Esbensen AJ, Mason TL. HIV disclosure by men who have sex with men to immediate family over time. AIDS Patient Care STDS [Serie en Internet] 2005 [citada el 18 de mayo 2007];19(8):[Aprox. 15 p]. Disponible en: <http://www.ncbi.nlm.nih.gov/picrender.fcgi?artid=1705501&blobtype=pdf>

Serovich JM, Oliver DG, Smith SA, Mason TL. Methods of HIV disclosure by men who have sex with men to casual sexual partners. AIDS Patient Care STDS [Serie en Internet] 2005 [citada el 18 de mayo 2007];19(12):[Aprox. 11 p]. Disponible en: <http://www.ncbi.nlm.nih.gov/picrender.fcgi?artid=1381981&blobtype=pdf>

Setia MS, Lindan C, Jerajani HR, Kumta S, Ekstrand M, Mathur M, et al. Men who have sex with men and transgenders in Mumbai, India: an emerging risk group for STIs and HIV. Indian J Dermatol Venereol Leprol [Serie en Internet] 2006 [citada el 18 de mayo 2007];72(6):[Aprox. 20 p]. Disponible en: <http://www.ijdvl.com/article.asp?issn=0378-6323;year=2006;volume=72;issue=6;spage=425;epage=431;au=Setia>

Setia MS, Lindan C, Jerajani HR, Kumta S, Ekstrand M, Mathur M, et al. Men who have sex with men and transgenders in Mumbai, India: An emerging risk group for STIs and HIV. Indian J Dermatol Venereol

- Leprol [Serie en Internet] 2006 [citada el 18 de mayo 2007]; 72:[Aprox. 20 p]. Disponible en: <http://www.ijdvl.com/text.asp?2006/72/6/425/29338>
- Smith AM, Grierson J, Wain D, Pitts M, Pattison P. Associations between the sexual behaviour of men who have sex with men and the structure and composition of their social networks. Sex Transm Infect [Serie en Internet] 2004 [citada el 18 de mayo 2007];80(6): [Aprox. 5 p]. Disponible en: <http://sti.bmjjournals.org/cgi/content/full/80/6/455>
- Thomas SM, Tse DB, Ketner DS, Rochford G, Meyer DA, Zade DD, et al. CCR5 expression and duration of high risk sexual activity among HIV-seronegative men who have sex with men. AIDS [Serie en Internet] 2006 [citada el 18 de mayo 2007];20(14):[Aprox. 8 p]. Disponible en: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1630600/pdf>
- Vajdic CM, Anderson JS, Hillman RJ, Medley G, Grulich AE. Blind sampling is superior to anoscope guided sampling for screening for anal intraepithelial neoplasia. Sex Transm Infect [Serie en Internet] 2005 [citada el 18 de mayo 2007];81(5):[Aprox. 5 p]. Disponible en: <http://sti.bmjjournals.org/cgi/reprint/81/5/415>
- van der Bij AK, Stolte IG, Coutinho RA, Dukers NH. Increase of sexually transmitted infections, but not HIV, among young homosexual men in Amsterdam: are STIs still reliable markers for HIV transmission? Sex Transm Infect [Serie en Internet] 2005 [citada el 18 de mayo 2007];81(1):[Aprox. 5 p]. Disponible en: <http://sti.bmjjournals.org/cgi/reprint/81/1/34>
- Williams D, Churchill D. Ulcerative proctitis in men who have sex with men: an emerging outbreak. BMJ [Serie en Internet] 2006 [citada el 18 de mayo 2007];332(7533):[Aprox. 3 p]. Disponible en: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1327533/>
- Yeka W, Maibani-Michie G, Prybylski D, Colby D. Application of respondent driven sampling to collect baseline data on FSWs and MSM for HIV risk reduction interventions in two urban centres in Papua New Guinea. J Urban Health [Serie en Internet] 2006 [citada el 18 de mayo 2007];83(6 Suppl): [Aprox. 13 p]. Disponible en: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1705546/pdf>
- Zhang XY, Huang XG, Xu JQ, Li SW, Jiang SL, Zhang XX, et al. HIV-specific T cell immunity across the entire HIV genome in Chinese men who have sex with men. Chin Med J (Engl) [Serie en Internet] 2006 [citada el 16 de mayo 2007];119(23): [Aprox. 25 p]. Disponible en: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1522873/>
- Zunt JR, La Rosa AM, Peinado J, Lama JR, Suarez L, Pun M, et al. Risk factors for HTLV-II infection in Peruvian men who have sex with men. Am J Trop Med Hyg [Serie en Internet] 2006 [citada el 18 de mayo 2007];74(5):[Aprox. 4 p]. Disponible en: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1522873/>

Descriptores MeSH y DeCS utilizados para localizar la información. Límite de búsqueda.

MeSH

ACQUIRED IMMUNODEFICIENCY
SYNDROME

HOMOSEXUALITY

Límite:

Humano

Hombres

AIDS

Adolescentes 13-18 años

Adultos 19-44 años

DeCS

SÍNDROME DE IMMUNODERICIENCIA
ADQUIRIDA

HOMOSEXUALIDAD

