

Ministry of Public Health of Cuba
The National Health Statistics Bureau

Annual Health Statistics Report

2006

Demography

Mortality

Morbidity

Personnel and

Resources

Services

Health personnel

training

DEMOGRAPHIC DATA

[Mid-year population estimates by sex. Selected years 1960 – 2006](#)

[Selected natality indicators. 1970 – 2006](#)

[In- hospital live births by month. 1999 – 2006](#)

[Fertility rates by mother age. Selected years](#)

MORTALITY

- [Deaths and death rates by age groups 1982-2006](#)
- [Deaths and death rates by sex. 1970, 1975, 1980 - 2006..](#)
- [Deaths and death rates by age groups and sex. 2006](#)
- [10 leading causes of death for all ages. 1970, 1981, 1993, 2005 - 2006](#)
- [10 leading causes of death by sex. 2006.](#)
- [Years of potential life lost per 1 000 population aged 1 – 74. Selected years. 1970 - 2006](#)
- [Mortality and years of potential life lost by 35 first leading causes of death. 2006.](#)
- [Mortality by six broad cause groups by age. 1988 and 2006](#)
- [Selected mortality indicators under five years of age. 1970, 1975, 1980, 1985, 1990 -2006](#)
- [5 leading causes of infant deaths. 1970, 1980, 2005 - 2006](#)
- [Leading causes of infant deaths by age groups \(Cause from list 28 of infant deaths\). 2006](#)
- [Congenital malformations for infant deaths by age groups. 2006](#)
- [5 leading causes of death for children 1 - 4 years of age. 1970, 1980, 2005 - 2006.](#)
- [5 leading causes of death for children 5 - 14 years of age. 1970, 1980, 2005 - 2006.](#)
- [5 leading causes of death for persons 10 - 19 years of age. 1970, 1980, 2005 - 2006.](#)
- [5 leading causes of death for persons 15 - 49 years of age. 1970, 1980, 2005 - 2006](#)
- [5 leading causes of death for persons 50 - 64 years of age. 1970, 1980, 2005 - 2006](#)
- [5 leading causes of death for persons 65 years and over. 1970, 1980, 2005 - 2006](#)
- [5 leading causes of death for persons 60 years and over. 1970, 1980, 2005 - 2006](#)
- [Heart diseases mortality. 1970, 1980, 2005 - 2006](#)
- [Heart diseases mortality by age groups. Male sex. 2006](#)
- [Heart diseases mortality by age groups. Female sex. 2006](#)
- [Selected malignant neoplasms mortality. 1970, 1980, 2005 - 2006](#)
- [Selected malignant neoplasms mortality by sex. 2006](#)
- [Malignant neoplasms mortality by age groups. Male sex. 2006.](#)
- [Malignant neoplasms mortality by age groups. Female sex. 2006](#)
- [Cerebrovascular diseases mortality by age groups. Male sex. 2006](#)
- [Cerebrovascular diseases mortality by age groups. Female sex. 2006.](#)
- [Unintentional injuries mortality. Selected causes 1970, 1980, 2005 - 2006](#)
- [Unintentional injuries mortality. Selected causes by age groups. Male sex.2006](#)
- [Unintentional injuries mortality. Selected causes by age groups. Female sex.2006.](#)
- [Infectious and parasitic diseases mortality. 1970, 1975, 1980 - 2006](#)
- [Intestinal infectious diseases mortality. 1975, 1980 - 2006](#)
- [Maternal mortality. 2004 - 2006](#)
- [Mortality related to pregnancy, childbirth and the puerperium. 2004 – 2006](#)
- [Mortality from selected notifiable diseases. 1970, 1980, 2000, 2005 - 2006](#)

MORBIDITY

- [Incidence of selected notifiable diseases. Selected years 1980 -2006](#)
- [Incidence of selected notifiable diseases by age. 2006](#)
- [Meningococcal infection incidence and mortality. 1980 - 2006](#)
- [Incidence of acute viral hepatitis by type. 1990 - 2006](#)
- [Incidence of tuberculosis by age group and location. 1975, 1980, 1990 and 2006](#)
- [Incidence of leprosy by age group and clinical type. 1975, 1980, 1990 and 2006](#)
- [Consultations for acute diarrhoea and respiratory diseases by age. 2006](#)
- [Prevalence of selected chronic non-communicable diseases by age groups and sex. 2006](#)
- [Women screened for detection of cervix cancer. 1970 - 2006](#)
- [Women screened for detection of cervix cancer by age 2004 - 2006](#)
- [Number of cases of cervix cancer by clinical stage 1985 - 2006](#)
- [Incidence of cancer by sex and leading locations 2003](#)
- [Incidence of cancer in children under 15 years of age by location and age groups, 2003](#)
- [Incidence of cancer in male population aged 15 years and over by leading locations and age groups. 2003](#)
- [Incidence of cancer in females aged 15 years and over by leading locations and age groups. 2003](#)
- [Incidence of cancer in males aged 60 years and over by leading locations and age groups. 2003](#)
- [Incidence of cancer in females aged 60 years and over by leading locations and age groups. 2003](#)
- [Total doses administered by type of vaccine. 1962 – 2006](#)
- [Low birth-weight. 1978 – 2006](#)

HEALTH PERSONNEL AND RESOURCES

[Health budget and per capita expenses. 1959, 1960, 1965 – 2006](#)

[Health personnel. 1975 – 2006](#)

[Health personnel by occupation and sex. 2006](#)

[Physicians and dentists. 1970, 1975, 1980, 1985, 1990 - 2006](#)

[Cuban health collaboration by regions and countries. December 2006](#)

[Comprehensive health care program participating countries by continent. 2006](#)

[Health care facilities by type. 31 December 2005](#)

[Medical care and social service beds. 1975, 1980, 1985 – 2006](#)

SERVICES

[Medical and dental visits. 1980 - 2006](#)

[Pediatric visits by age groups. 1980 - 2006](#)

[Healthy baby visits by age groups. 1975, 1980 -2006](#)

[Selected surgical indicators. 1990-2006](#)

[Hospital bed occupancy rates by selected medical specialties. 1980, 1990 and 2006](#)

[Bed occupancy rates by type of hospital. 1980, 1990 and 2006](#)

[Hospital admissions. 1970, 1975, 1980 - 2006](#)

[Maternal home admissions. 1975 – 2006](#)

[Residents in elderly home by sex. 1990 – 2006](#)

[Blood donations. 1980, 1985 – 2006](#)

HEALTH PERSONNEL TRAINING

[Health professional graduates by specialty. 1959 - 2006](#)

Table 1. MID-YEAR POPULATION ESTIMATES BY SEX. SELECTED YEARS 1960 – 2006

Years	Total	Male	Female
1960	7 028 515	3 617 876	3 410 639
1965	7 808 291	4 006 646	3 801 645
1970	8 572 376	4 394 826	4 177 550
1975	9 292 104	4 746 658	4 545 446
1980	9 779 795	4 986 762	4 793 033
1985	10 085 681	5 089 366	4 996 315
1986	10 183 486	5 135 157	5 048 329
1987	10 281 662	5 179 021	5 102 641
1988	10 389 391	5 225 599	5 163 792
1989	10 496 068	5 277 853	5 218 215
1990	10 605 248	5 332 930	5 272 318
1991	10 709 489	5 383 687	5 325 802
1992	10 793 074	5 420 701	5 372 373
1993	10 862 653	5 463 184	5 399 469
1994	10 904 455	5 478 286	5 426 169
1995	10 930 021	5 495 557	5 434 464
1996	10 956 222	5 508 517	5 447 705
1997	11 008 659	5 535 119	5 473 540
1998	11 055 405	5 538 366	5 517 039
1999	11 094 972	5 555 364	5 539 608
2000	11 129 665	5 569 465	5 560 200
2001	11 157 364	5 582 668	5 574 696
2002	11 184 457	5 590 773	5 593 684
2003	11 215 229	5 616 275	5 598 954
2004	11 240 743	5 636 708	5 604 035
2005	11 257 105	5 637 466	5 619 639
2006*	11 277 705	5 647 937	5 629 768

* Provisional

Source: National Statistical System of Demography

Table 2. SELECTED NATALITY INDICATORS. 1970 – 2006*

Years	Total live births	Crude birth rate **	In-hospital live births	
			Live births	%
1970	237 019	27.7	216 926	91.5
1971	256 014	29.5	245 188	95.8
1972	247 997	28.1	242 078	97.6
1973	226 005	25.1	221 522	98.0
1974	203 066	22.2	198 256	97.6
1975	192 941	20.8	190 356	98.7
1976	187 555	19.9	183 932	98.1
1977	168 960	17.7	163 916	97.0
1978	148 249	15.4	145 559	98.2
1979	143 551	14.8	141 103	98.3
1980	136 900	14.1	134 830	98.5
1981	136 211	14.0	134 709	98.9
1982	159 759	16.3	158 087	98.9
1983	165 284	16.7	162 633	98.4
1984	166 281	16.7	164 077	98.7
1985	182 067	18.1	179 907	98.8
1986	166 049	16.3	164 873	99.3
1987	179 477	17.4	178 449	99.4
1988	187 911	18.1	187 529	99.8
1989	184 891	17.6	184 538	99.8
1990	186 658	17.6	186 254	99.8
1991	173 896	16.3	173 455	99.8
1992	157 349	14.5	157 051	99.8
1993	152 233	13.9	151 885	99.8
1994	147 265	13.4	146 967	99.8
1995	147 170	13.4	146 944	99.8
1996	140 276	12.7	140 046	99.8
1997	152 681	13.8	152 491	99.9
1998	151 080	13.6	150 897	99.9
1999	150 785	13.5	150 590	99.9
2000	143 528	12.8	143 355	99.9
2001	138 718	12.4	138 564	99.9
2002	141 276	12.6	141 115	99.9
2003	136 796	12.2	136 662	99.9
2004	127 192	11.3	127 078	99.9
2005	120 716	10.7	120 587	99.9
2006 *	111 323	9.9	111 211	99.9

* Provisional

** Per 1 000 population

Table 3. IN - HOSPITAL LIVE BIRTHS BY MONTH. 1999 - 2006

Month	2000	2001	2002	2003	2004	2005	2006*
January	12 823	12 387	12 189	12 850	10 947	10 969	10 051
February	10 952	10 507	10 606	10 709	9 433	9 085	8 676
March	10 864	10 898	9 973	10 590	9 081	8 915	8 115
April	9 730	9 513	9 245	9 594	8 770	7 976	6 845
May	9 773	9 906	9 776	9 680	8 885	8 140	6 773
June	9 484	9 455	9 708	9 620	8 857	7 938	7 194
July	10 660	10 549	11 154	10 809	10 133	9 076	8 408
August	12 731	13 097	13 625	11 565	11 229	10 894	10 128
September	14 404	12 860	14 284	13 240	12 964	12 090	11 410
October	14 729	13 668	13 858	13 907	12 923	11 978	11 557
November	13 816	12 912	12 966	12 599	12 026	12 105	11 183
December	13 389	12 812	13 731	11 499	11 830	11 421	10 871
Total	143 355	138 564	141 115	136 662	127 078	120 587	111 211

Table 4. FERTILITY RATES BY MOTHER AGE. SELECTED YEARS

Age of mother	1990	1995	2000	2001	2002	2003	2004	2005	2006*
15 – 19	77.5	60.2	49.6	48.3	49.1	48.3	47.3	44.9	41.5
20 – 24	113.9	91.4	96.5	98.7	99.0	97.9	92.8	93.0	90.8
25 – 29	97.4	78.8	89.2	92.5	96.3	90.1	84.2	81.3	72.2
30 – 34	56.1	46.8	55.0	54.9	60.6	60.0	56.1	53.2	47.8
35 – 39	17.5	17.1	22.4	21.8	24.1	24.5	23.5	21.9	20.0
40 – 44	3.3	2.5	3.8	3.8	4.3	4.7	4.5	4.1	3.9
45 – 49	0.3	0.5	0.2	0.4	0.4	0.2	0.3	0.2	0.2
Total	62.1	48.0	47.4	45.7	47.1	45.5	42.3	40.1	36.9

* Provisional

Rate per 1 000 women of that age

Source: 1990 – 2005. Birth's National Statistical System

Table 5. DEATHS AND DEATH RATES BY AGE GROUPS. 1982-2006

Years	< 7 days	7 - 27 days	28 days to 11 months	< 1 year	1 - 4 years	5 - 14 years	15 - 49 years	50 - 64 years	65 years and over	Total *
Number of deaths										
1982	1 548	288	923	2 759	517	986	8 515	9 262	34 071	56 224
1983	1 480	284	1 014	2 778	470	857	8 486	9 452	36 213	58 348
1984	1 409	243	844	2 496	497	859	8 875	10 002	36 982	59 801
1985	1 479	380	1 138	2 997	571	875	9 509	10 375	40 027	64 430
1986	1 166	285	811	2 262	513	796	9 702	10 073	39 724	63 145
1987	1 298	345	744	2 387	506	754	9 773	10 420	41 193	65 079
1988	1 145	373	717	2 235	515	722	10 209	10 900	43 333	67 944
1989	993	333	723	2 049	462	642	10 175	10 810	43 185	67 356
1990	862	341	801	2 004	459	557	10 442	11 513	47 125	72 144
1991	811	323	719	1 853	483	595	10 672	11 261	46 823	71 709
1992	720	272	615	1 607	458	573	10 616	11 597	50 573	75 457
1993	601	272	558	1 431	428	592	10 681	12 120	53 217	78 531
1994	598	314	546	1 458	433	562	10 839	12 103	53 217	78 648
1995	586	304	494	1 384	462	590	10 588	12 383	52 494	77 937
1996	456	250	403	1 109	391	540	10 113	12 601	54 887	79 662
1997	464	204	430	1 098	329	519	9 999	12 607	52 742	77 316
1998	438	216	416	1 070	316	495	10 049	13 042	52 572	77 565
1999	440	157	380	977	292	525	9 716	13 230	54 749	79 499
2000	445	207	387	1 039	268	470	9 154	13 176	52 327	76 463
2001	368	179	314	861	248	425	8 859	13 725	55 263	79 395
2002	388	203	331	922	223	398	8 298	13 138	50 894	73 883
2003	340	196	323	859	242	339	8 188	13 652	55 149	78 434
2004	271	172	293	736	247	332	8 161	13 778	57 851	81 110
2005	258	151	337	746	219	346	8 293	14 153	61 060	84 824
2006**	234	126	229	589	199	270	7 681	13 829	58 258	80 827
Rate per 1 000 live births										
1982	9.7	1.8	5.8	17.3	0.9	0.5	1.7	8.7	46.3	5.7
1983	9.0	1.7	6.1	16.8	0.8	0.4	1.6	8.8	48.2	5.9
1984	8.5	1.5	5.1	15.0	0.8	0.4	1.7	9.2	48.3	6.0
1985	8.1	2.1	6.3	16.5	0.9	0.5	1.7	9.3	49.4	6.4
1986	7.0	1.7	4.9	13.6	0.8	0.5	1.7	9.0	47.8	6.2
1987	7.2	1.9	4.1	13.3	0.8	0.4	1.7	9.2	49.1	6.3
1988	6.1	2.0	3.8	11.9	0.8	0.4	1.7	9.2	49.2	6.5
1989	5.4	1.8	3.9	11.1	0.7	0.4	1.7	8.8	48.4	6.4
1990	4.6	1.8	4.3	10.7	0.7	0.4	1.7	9.1	52.2	6.8
1991	4.7	1.9	4.1	10.7	0.7	0.4	1.8	8.7	51.4	6.7
1992	4.6	1.7	3.9	10.2	0.6	0.4	1.7	9.0	52.6	7.0
1993	3.9	1.8	3.7	9.4	0.6	0.4	1.7	8.9	55.7	7.2
1994	4.1	2.1	3.7	9.9	0.6	0.4	1.8	8.6	54.5	7.1
1995	4.0	2.1	3.4	9.4	0.7	0.4	1.7	8.3	52.5	7.1
1996	3.2	1.8	2.9	7.9	0.6	0.3	1.7	8.4	54.9	7.2
1997	3.0	1.3	2.8	7.2	0.5	0.3	1.6	8.2	52.3	7.0
1998	2.9	1.4	2.8	7.1	0.5	0.3	1.6	8.7	50.2	7.0
1999	2.9	1.0	2.4	6.5	0.5	0.3	1.6	8.8	52.2	7.1
2000	3.1	1.4	2.7	7.2	0.4	0.3	1.5	8.8	49.7	6.8
2001	2.6	1.3	2.3	6.2	0.4	0.3	1.5	8.5	49.7	7.1
2002	2.7	1.4	2.3	6.5	0.3	0.2	1.4	7.8	43.8	6.6
2003	2.5	1.4	2.4	6.3	0.4	0.2	1.4	8.1	46.7	7.0
2004	2.1	1.4	2.3	5.8	0.4	0.2	1.3	8.1	48.9	7.2
2005	2.1	1.3	2.8	6.2	0.4	0.2	1.4	8.1	49.7	7.5
2006**	2.1	1.1	2.1	5.3	0.4	0.2	1.3	7.9	47.4	7.2

* Includes deaths of unknown age

** Provisional

Table 6. DEATHS AND DEATH RATES BY SEX. 1970, 1975, 1980 – 2006

Years	Total		Male		Female				
	Deaths	Rate		Deaths	Rate		Deaths	Rate	
		Crude	Adjusted		Crude	Adjusted		Crude	Adjusted
1970	53 761	6.3	7.2	30 574	7.0	8.0	23 187	5.6	6.4
1975	50 961	5.5	6.1	28 977	6.1	6.7	21 984	4.8	5.4
1980	55 801	5.7	5.8	31 787	6.4	6.5	24 014	5.0	5.1
1981	57 941	5.9	5.9	33 062	6.6	6.6	24 879	5.2	5.2
1982	56 224	5.7	5.6	32 019	6.4	6.3	24 205	5.0	4.9
1983	58 348	5.9	5.7	33 161	6.6	6.4	25 187	5.2	5.0
1984	59 801	6.0	5.8	33 937	6.7	6.5	25 864	5.3	5.0
1985	64 430	6.4	6.1	36 234	7.1	6.8	28 196	5.7	5.3
1986	63 145	6.2	5.7	35 758	7.0	6.5	27 387	5.4	4.9
1987	65 079	6.3	5.8	36 620	7.1	6.6	28 459	5.6	5.0
1988	67 944	6.5	5.9	38 384	7.3	6.5	29 560	5.7	4.9
1989	67 356	6.4	5.5	38 060	7.2	6.3	29 296	5.6	4.7
1990	72 144	6.8	5.8	40 443	7.6	6.6	31 701	6.0	4.9
1991	71 709	6.7	5.6	40 158	7.5	6.5	31 551	5.9	4.8
1992	75 457	7.0	5.7	41 637	7.7	6.5	33 820	6.3	4.9
1993	78 531	7.2	5.9	44 040	8.0	6.8	34 491	6.4	4.9
1994	78 648	7.1	5.7	44 049	7.9	6.7	34 599	6.3	4.8
1995	77 937	7.1	5.6	43 233	7.8	6.5	34 704	6.4	4.8
1996	79 662	7.2	5.7	43 670	7.9	6.6	35 992	6.6	4.9
1997	77 316	7.0	5.5	42 673	7.7	6.4	34 643	6.3	4.6
1998	77 565	7.0	5.3	42 867	7.7	6.1	34 698	6.3	4.4
1999	79 499	7.1	5.4	43 804	7.9	6.2	35 695	6.4	4.5
2000	76 463	6.8	5.1	42 057	7.5	6.0	34 406	6.2	4.3
2001	79 395	7.1	5.0	43 048	7.7	5.8	36 347	6.5	4.3
2002	73 883	6.6	4.7	40 478	7.2	5.5	33 405	5.9	3.9
2003	78 434	7.0	4.7	42 302	7.5	5.4	36 132	6.5	3.9
2004	81 110	7.2	4.8	43 924	7.8	5.6	37 186	6.6	4.0
2005	84 824	7.5	4.8	45 878	8.1	5.7	38 946	6.9	4.1
2006*	80 827	7.2	4.6	43 867	7.8	5.4	36 960	6.6	3.8

* Provisional

Rate per 1 000 population

Adjusted rate by a direct method. Model population: 1981 census

Table 7. DEATHS AND DEATH RATES BY AGE GROUPS AND SEX. 2006*

Age groups	Total		Male		Female	
	Deaths	Rate per 1 000 population	Deaths	Rate per 1 000 population	Deaths	Rate per 1 000 population
<1 **	589	5.3	327	5.7	262	4.9
1-4	199	0.4	104	0.4	95	0.4
5-9	116	0.2	72	0.2	44	0.1
10-14	154	0.2	96	0.2	58	0.1
15-19	359	0.4	246	0.6	113	0.3
20-24	439	0.6	317	0.9	122	0.4
25-29	511	0.7	349	0.9	162	0.4
30-34	899	0.9	594	1.1	305	0.6
35-39	1 322	1.2	807	1.5	515	1.0
40-44	1 946	2.0	1 216	2.5	730	1.5
45-49	2 205	3.3	1 321	4.0	884	2.6
50-54	3 249	5.0	1 921	6.0	1 328	4.0
55-59	4 604	7.9	2 750	9.7	1 854	6.2
60-64	5 976	11.7	3 532	14.1	2 444	9.4
65-69	7 522	18.9	4 359	22.4	3 163	15.6
70-74	8 892	29.5	4 993	34.4	3 899	24.9
75-79	10 658	45.9	5 911	54.2	4 747	38.6
80-84	10 845	70.0	5 721	81.4	5 124	60.6
85 and over	20 341	142.2	9 230	150.7	11 111	135.9
Total***	80 827	7.2	43 867	7.8	36 960	6.6

* Provisional

** Rate per 1000 live births

*** Including unknown age death.

Table 8. 10 LEADING CAUSES OF DEATH FOR ALL AGES. 1970, 1981, 1993, 2005 - 2006

Causes	1970	1981	1993	2005	2006 *
Number of deaths					
Heart diseases (I05 - I52)	12 704	17 183	21 759	22 502	21 221
Malignant neoplasms (C00 - C97)	8 460	10 694	14 038	19 180	19 695
Cerebrovascular diseases (I60-I69)	5 155	5 502	7 424	8 771	8 347
Influenza and pneumonia (J09 - J18) **	3 602	3 891	5 106	6 400	6 157
Unintentional injuries (V01-X59,Y85-Y86)	3 089	3 807	5 632	4 609	4 076
Chronic lower respiratory diseases (J40-J47)	2 670	3 082	2 741
Diseases of arteries, arterioles and capillaries (I70-I79)	1 971	2 558	3 421	3 320	2 733
Diabetes mellitus (E10 - E14)	847	1 216	2 330	2 022	2 056
Intentional self-harm (X60-X84, Y870)	1 011	2 117	2 374	1 398	1 369
Chronic liver diseases and cirrhosis (K70, K73, K74, K760, K761)	576	601	1 037	1 186	1 019
Crude rate per 100 000 population					
Heart disease	148.2	176.1	199.2	199.9	188.2
Malignant neoplasms	98.7	109.6	128.5	170.4	174.6
Cerebrovascular diseases	60.1	56.4	68.0	77.9	74.0
Influenza and pneumonia	42.0	39.9	46.7	56.9	54.6
Unintentional injuries	36.0	39.0	51.6	40.9	36.1
Chronic lower respiratory diseases	24.4	27.4	24.3
Diseases of arteries, arterioles and capillaries	23.0	26.2	31.3	29.5	24.2
Diabetes Mellitus	9.9	12.5	21.3	18.0	18.2
Intentional self-harm	11.8	21.7	21.7	12.4	12.1
Chronic liver diseases and cirrhosis	6.7	6.2	9.5	10.5	9.0

* Provisional

** Hypostatic bronchopneumonia is not included in the years 1970 and 1981

Table 9. 10 LEADING CAUSES OF DEATH BY SEX. 2006*

Causes	Male		Female		Sex ratio M/F
	Deaths	Rate	Deaths	Rate	
Heart diseases (I05 - I52)	11 364	201.2	9 857	175.1	1.2
Malignant neoplasms (C00 - C97)	11 257	199.3	8 438	149.9	1.3
Cerebrovascular diseases (I60-I69)	4 080	72.2	4 267	75.8	1.0
Influenza and pneumonia (J09 - J18)	3 191	56.5	2 966	52.7	1.1
Unintentional injuries (V01-X59,Y85-Y86)	2 380	42.1	1 696	30.1	1.4
Chronic lower respiratory diseases (J40-J47)	1 519	26.9	1 222	21.7	1.2
Diseases of arteries, arterioles and capillaries (I70-I79)	1 474	26.1	1 259	22.4	1.2
Diabetes Mellitus (E10 - E14)	748	13.2	1 308	23.2	0.6
Intentional self-harm (X60-X84, Y870)	1 100	19.5	269	4.8	4.1
Chronic liver diseases and cirrhosis (K70, K73, K74, K760, K761)	720	12.7	299	5.3	2.4

* Provisional

Rate per 100 000 population

**Table 10. YEARS OF POTENTIAL LIFE LOST PER 1 000 POPULATION AGED 1 - 74.
SELECTED YEARS 1970 - 2006**

Causes	1970	1975	1980	1985	1990	1995	2000	2006*
Heart diseases	11.3	10.7	12.3	13.7	12.8	12.0	11.6	10.8
Malignant neoplasms	13.3	12.7	12.8	13.0	13.5	14.2	15.5	17.2
Cerebrovascular diseases	4.2	3.8	4.5	4.9	4.8	4.4	4.3	4.0
Influenza and pneumonia **	4.2	3.7	2.6	2.3	1.4	1.9	2.1	1.8
Unintentional injuries	13.1	11.3	13.6	14.6	15.0	13.4	9.3	6.1
Chronic lower respiratory diseases	1.2	2.0	1.4	1.5
Diseases of arteries, arterioles and capillaries	0.7	0.7	0.5	0.6	0.6	0.6	0.7	0.7
Diabetes mellitus	1.2	1.1	1.2	1.5	2.0	2.2	1.4	1.5
Intentional self-harm	3.9	5.7	8.0	7.7	6.5	5.9	4.5	2.9
Chronic liver diseases and cirrhosis	0.9	0.8	0.8	0.8	1.1	1.1	1.3	1.3

* Provisional

** Hypostatic bronchopneumonia is not included before 1990

Table 11. MORTALITY AND YEARS OF POTENTIAL LIFE LOST BY 35 LEADING CAUSES OF DEATH. 2006*

Causes	Number of deaths	Rate**	YPLL***
Heart diseases (I05-I52)	21 221	188.2	25.1
Malignant neoplasms (C00-C97)	19 695	174.6	30.4
Cerebrovascular diseases (I60-I69)	8 347	74.0	9.6
Influenza and pneumonia (J09-J18)	6 157	54.6	5.8
Unintentional injuries (V01-X59,Y85-Y86)	4 076	36.1	8.2
Chronics lower respiratory diseases (J40-J47)	2 741	24.3	3.4
Disease of arteries, arterioles and capillaries (I70-I79)	2 733	24.2	2.4
Dementia and Alzheimer's disease (F01-F03,G30)	2 396	21.2	1.7
Diabetes Mellitus (E10-E14)	2 056	18.2	2.9
Intentional self-harm (X60-X84,Y870)	1 369	12.1	3.5
Cirrhosis and others liver diseases (K70, K73-K74, K760-K761)	1 019	9.0	1.9
Assault (X85-Y09,Y871)	575	5.1	2.2
Glomerular and renal diseases (N00-N19, N25-N27)	540	4.8	0.9
Ciert Hernia and intestinal obstruction without hernia (K40-K46,K56)	502	4.5	0.6
Non malignant neoplasm (D00-D48)	395	3.5	0.8
Congenital malformations (Q00-Q99)	389	3.4	1.9
Peptic ulcer (K25-K28)	347	3.1	0.4
Conditions originating in the perinatal period (P00-P96)	306	2.7	2.0
Parkinson's disease (G20-G21)	277	2.5	0.3
Events of undetermined intent (Y10-Y34,Y872)	248	2.2	0.5

* Provisional

** Rate per 100 000 population.

*** Rate per 1 000 population. According to life expectancy at each age group.

Cause from brief list: 41

Table 11. MORTALITY AND YEARS OF POTENTIAL LIFE LOST BY 35 LEADING CAUSES OF DEATH. 2006*
(cont.)

Causes	Number of deaths	Rate**	YPLL***
Intestinal infections diseases (A00-A09)	244	2.2	0.4
Mental and behavioral disorders due to use of alcohol (F10)	206	1.8	0.5
Arthrosis (M15-M19)	168	1.5	0.1
Anaemias (D50-D64)	150	1.3	0.3
Acute pancreatitis and other disease of pancreas (K85-K86)	146	1.3	0.3
Septicaemia (A40-A41)	127	1.1	0.3
Systemic connective tissue disorders (M30-M36)	116	1.0	0.4
AIDS (B20-B24)	114	1.0	0.4
Bacterial meningitis, except meningococcal meningitis (G00-G03)	99	0.9	0.3
Viral hepatitis (B15-B19)	97	0.9	0.2
Leptospirosis (A27)	71	0.6	0.2
Hyperplasia of prostate (N40)	62	0.5	0.1
Malnutrition (E40-E46)	36	0.3	0.1
Tuberculosis (A15-A19)	32	0.3	0.1
Viral meningoencephalitis (A83-A87)	24	0.2	0.1

* Provisional

** Rate per 100 000 Population.

*** Rate per 1000 Population. According to life expectancy at each age group.

Cause from brief list: 41

Table 12. MORTALITY BY SIX BROAD CAUSE GROUPS BY AGE. 1988 AND 2006

Causes	Age groups					Rate	
	0-4	5-14	15-39	40-64	65 and over	Crude	Adjusted
1988							
Communicable diseases	71.7	4.2	3.9	20.5	350.3	42.7	38.8
Neoplasms	6.8	5.2	13.7	170.5	955.3	127.5	115.8
Diseases of the circulatory system	4.2	1.5	13.4	244.1	2618.6	284.4	251.0
Certain conditions originating in the perinatal period	113.6	0.2	0.0	-	-	9.4	8.4
External causes	29.6	24.0	78.6	81.2	229.7	79.6	74.5
All other diseases	110.1	10.6	28.0	172.8	1318.7	174.5	158.8
Total	322.8	44.8	133.4	623.1	4920.3	653.0	594.6
2006*							
Communicable diseases	16.9	1.1	6.0	23.6	482.3	63.2	36.7
Neoplasms	4.8	4.7	15.0	188.3	1 051.3	178.1	120.1
Diseases of the circulatory system	3.1	0.6	9.0	172.3	2 133.6	288.2	175.8
Certain conditions originating in the perinatal period	43.2	0.1	0.1	0.1	-	2.7	3.3
External causes	11.1	6.8	33.1	48.5	245.0	56.0	40.4
All other diseases	35.9	4.5	16.2	96.2	828.8	128.5	83.5
Total	115.0	17.8	79.4	529.1	4 741.1	716.7	459.7

* Provisional

Rate per 100 000 population

Rate adjusted by a direct method. Model population: 1981 census

Table 13. SELECTED MORTALITY INDICATORS UNDER FIVE YEARS OF AGE. 1970, 1975, 1980, 1985, 1990 – 2006

Years	Infant mortality rate *			Under-five mortality rate *			% of surviving children at 5 years of age
	Total	Male	Female	Total	Male	Female	
1970	38.7	42.7	34.4	43.7	47.7	39.6	95.6
1975	27.5	30.2	24.6	32.6	35.6	29.5	96.7
1980	19.6	21.3	17.9	24.2	26.2	22.2	97.6
1985	16.5	18.8	14.0	19.6	22.1	17.0	98.0
1990	10.7	12.2	9.1	13.2	14.9	11.4	98.7
1991	10.7	11.5	9.7	13.4	14.7	12.1	98.7
1992	10.2	11.6	8.7	13.1	14.9	11.2	98.7
1993	9.4	10.7	8.0	12.2	13.6	10.6	98.8
1994	9.9	11.0	8.7	12.8	14.3	11.3	98.7
1995	9.4	10.3	8.4	12.5	13.6	11.3	98.8
1996	7.9	8.5	7.2	10.7	11.4	9.8	98.9
1997	7.2	8.0	6.3	9.3	10.4	8.2	99.1
1998	7.1	7.8	6.3	9.2	10.0	8.3	99.1
1999	6.5	7.2	5.7	8.4	9.3	7.5	99.2
2000	7.2	8.4	5.9	9.1	10.5	7.6	99.1
2001	6.2	6.8	5.6	8.0	8.7	7.3	99.2
2002	6.5	7.6	5.4	8.1	9.4	6.8	99.2
2003	6.3	6.6	5.9	8.0	8.4	7.6	99.2
2004	5.8	6.7	4.8	7.7	8.9	6.5	99.2
2005	6.2	6.6	5.7	8.0	8.7	7.3	99.2
2006**	5.3	5.7	4.9	7.1	7.5	6.6	99.3

* Rate per 1 000 live births

** Provisional

Table 14. 5 LEADING CAUSES OF INFANT DEATHS. 1970, 1980, 2005 - 2006

Causes	1970	1980	2005	2006*
Number of deaths				
Certain perinatal conditions (P00-P96)	3 562	1 289	301	292
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	907	552	203	147
Septicaemia (A40-A41)**	...	91	22	15
Unintentional injuries (V01-X59,Y85-Y86)	159	84	20	14
Bacterial meningitis, except meningococcal meningitis (G00-G03)	195	62	14	14
Rate per 1 000 live births				
Certain perinatal conditions	15	9.4	2.5	2.6
Congenital malformations, deformations and chromosomal abnormalities	3.8	4.0	1.7	1.3
Septicaemia	...	0.7	0.2	0.1
Unintentional injuries	0.7	0.6	0.2	0.1
Bacterial meningitis, except meningococcal meningitis	0.8	0.5	0.1	0.1

* Provisional

** Excludes minor of 28 days

Table 15. LEADING CAUSES OF INFANT DEATHS BY AGE GROUPS.
(Cause from list 28 of infant deaths). 2006*

Causes	< 7 days	7 - 27 days	28 days to 11 months	Total
Number of deaths				
Congenital malformations, deformations and chromosomal abnormalities. (Q00-Q99)	48	31	68	147
Septicaemia (A40-A41, P36)	23	21	20	64
Intracranial nontraumatic haemorrhage (P52)	21	17	6	44
Intrauterine hypoxia and birth asphyxia (P20-P21)	21	9	4	34
Congenital pneumonia (P23)	18	6	-	24
Hyaline membrane disease (P220)	21	1	2	24
Viral and bacterial meningitis (A83-A87, G00-G04)	-	3	12	15
Neonatal aspiration of meconium (P240)	14	1	-	15
Unintentional injuries (V01-X59, Y85-Y86)	-	-	14	14
Influenza and pneumonia (J09-J18)	-	1	12	13
Heart disease (I05-I52)	3	2	8	13
Other infectious and parasitic diseases (A15-A38, A42-A82, A88-B99)	-	-	13	13
Intestinal infectious diseases (A00-A09)	-	-	10	10
Other acute lower respiratory infections (J20-J22)	-	-	6	6
Persistent fetal circulation (P293)	3	1	1	5
Rate per 1 000 live births				
Congenital malformations, deformations and chromosomal abnormalities	0.4	0.3	0.6	1.3
Septicaemia	0.2	0.2	0.2	0.6
Intracranial nontraumatic haemorrhage	0.2	0.2	0.1	0.4
Intrauterine hypoxia and birth asphyxia	0.2	0.1	0.0	0.3
Congenital pneumonia	0.2	0.1	-	0.2
Hyaline membrane disease	0.2	0.0	0.0	0.2
Viral and bacterial meningitis	-	0.0	0.1	0.1
Neonatal aspiration of meconium	0.1	0.0	-	0.1
Unintentional injuries	-	-	0.1	0.1
Influenza and pneumonia	-	0.0	0.1	0.1
Heart disease	0.0	0.0	0.1	0.1
Other infectious and parasitic diseases	-	-	0.1	0.1
Intestinal infectious diseases	-	-	0.1	0.1
Other acute lower respiratory infections	-	-	0.1	0.1
Persistent fetal circulation	0.0	0.0	0.0	0.0

* Provisional

Table 16. CONGENITAL MALFORMATIONS FOR INFANT DEATHS BY AGE GROUPS. 2006*

Causes	< 7 days	7 - 27 days	28 days to 11 months	Total
Number of deaths				
Congenital malformations of the circulatory system (Q20-Q28)	20	22	48	90
Congenital malformations of cardiac chambers and connections (Q20)	5	2	11	18
Congenital malformations of cardiac septa (Q21)	2	1	17	20
Congenital malformations of heart, unspecified (Q249)	6	5	7	18
Congenital malformations of great arteries and veins (Q25-Q26)	1	5	9	15
Congenital malformations of the digestive system (Q38-Q45)	4	5	6	15
Congenital malformations of oesophagus (Q39)	3	3	3	9
Congenital absence, atresia and stenosis of intestine (Q41-Q42)	1	1	1	3
Congenital malformations and deformations of the musculoskeletal system (Q65-Q79)	11	1	-	12
Congenital diaphragmatic hernia (Q790)	5	-	-	5
Gastroschisis (Q793)	3	1	-	4
Congenital malformations of the respiratory system (Q30-Q34)	10	-	1	11
Congenital malformations of the nervous system (Q00-Q07)	1	2	3	6
Congenital hydrocephalus (Q03)	-	1	-	1
Chromosomal abnormalities (Q90-Q99)	-	-	4	4
Congenital malformations of the urinary system (Q60-Q64)	-	-	2	2
Other congenital malformations (Q10-Q18, Q35-Q37, Q50-Q56, Q80-Q89)	2	1	4	7
Total	48	31	68	147
Rate per 1 000 live births				
Congenital malformations of the circulatory system	0.2	0.2	0.4	0.8
Congenital malformations of cardiac chambers and connections	0.0	0.0	0.1	0.2
Congenital malformations of cardiac septa	0.0	0.0	0.2	0.2
Congenital malformations of heart, unspecified	0.1	0.0	0.1	0.2
Congenital malformations of great arteries and veins	0.0	0.0	0.1	0.1
Congenital malformations of the digestive system	0.0	0.0	0.1	0.1
Congenital malformations of oesophagus	0.0	0.0	0.0	0.1
Congenital absence, atresia and stenosis of intestine	0.0	0.0	0.0	0.0
Congenital malformations and deformations of the musculoskeletal system	0.1	0.0	-	0.1
Congenital diaphragmatic hernia	0.0	-	-	0.0
Gastroschisis	0.0	0.0	-	0.0
Congenital malformations of the respiratory system	0.1	-	0.0	0.1
Congenital malformations of the nervous system	0.0	0.0	0.0	0.1
Congenital hydrocephalus	-	0.0	-	0.0
Chromosomal abnormalities	-	-	0.0	0.0
Congenital malformations of the urinary system	-	-	0.0	0.0
Other congenital malformations	0.0	0.0	0.0	0.1
Total	0.4	0.3	0.6	1.3

* Provisional

Table 17. 5 LEADING CAUSES OF DEATH FOR CHILDREN 1 - 4 YEARS OF AGE. 1970, 1980, 2005 - 2006

Causes	1970	1980	2005	2006 *
Number de deaths				
Unintentional injuries (V01-X59, Y85-Y86)	197	143	50	49
Malignant neoplasms (C00-C97)	86	59	25	26
Influenza and pneumonia (J09-J18)**	218	80	12	25
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	104	61	42	24
Bacterial meningitis, except meningococcal meningitis (G00-G03)	52	28	10	5
Rate per 10 000 population				
Unintentional injuries	2.0	2.1	0.9	0.9
Malignant neoplasms	0.9	0.9	0.4	0.5
Influenza and pneumonia	2.2	1.2	0.2	0.4
Congenital malformations, deformations and chromosomal abnormalities	1.1	0.9	0.8	0.4
Bacterial meningitis, except meningococcal meningitis	0.5	0.4	0.2	0.1

* Provisional

** Hypostatic bronchopneumonia is not included in the years 1970 and 1980

Table 18. 5 LEADING CAUSES OF DEATH FOR CHILDREN 5 - 14 YEARS OF AGE. 1970, 1980, 2005 - 2006

Causes	1970	1980	2005	2006 *
Number of deaths				
Unintentional injuries (V01-X59, Y85-Y86)	262	412	125	94
Malignant neoplasms (C00-C97)	128	132	66	64
Congenital malformations and chromosomal abnormalities (Q00-Q99)	63	63	26	25
Non malignant neoplasm (D00-D48)	16	8	6	7
Cerebrovascular diseases (I60-I69)	10	9	6	4
Rate per 100 000 population				
Unintentional injuries	13.3	18.2	8.4	6.2
Malignant neoplasms	6.5	5.8	4.4	4.2
Congenital malformations and chromosomal abnormalities	3.2	2.8	1.7	1.6
Non malignant neoplasm	0.8	0.4	0.4	0.5
Cerebrovascular diseases	0.5	0.4	0.4	0.3

* Provisional

**Table 19. 5 LEADING CAUSES OF DEATH FOR PERSONS 10 - 19 YEARS OF AGE. 1970,
1980, 2005 - 2006**

Causes	1970	1980	2005	2006 *
Number of deaths				
Unintentional injuries (V01-X59, Y85-Y86)	398	550	214	187
Malignant neoplasms (C00-C97)	107	140	71	83
Assault (X85-Y09, Y871)	57	56	47	39
Intentional self-harm (X60-X84, Y870)	126	392	55	28
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	40	46	36	27
Rate per 100 000 population				
Unintentional injuries	25.3	23.8	13.1	11.4
Malignant neoplasms	6.8	6.1	4.3	5.0
Assault	3.1	2.4	2.9	2.4
Intentional self-harm	8.0	17.0	3.4	1.7
Congenital malformations, deformations and chromosomal abnormalities	2.5	2.0	2.2	1.6

* Provisional

**Table 20. 5 LEADING CAUSES OF DEATH FOR PERSONS 15 - 49 YEARS OF AGE 1970,
1980, 2005 - 2006**

Causes	1970	1980	2005	2006 *
Number of deaths				
Malignant neoplasms (C00-C97)	1 110	1 235	1 885	1 888
Unintentional injuries (V01-X59, Y85-Y86)	1 483	1 796	1 269	1 112
Heart diseases (I05-I52)	842	1 115	1 068	1 015
Intentional self-harm (X60-X84, Y870)	594	1 377	647	591
Assault (X85-Y09, Y871)	273	268	566	469
Rate per 100 000 population				
Malignant neoplasms	28.0	25.1	30.8	30.9
Unintentional injuries	37.4	36.6	20.8	18.2
Heart diseases	21.2	22.7	17.5	16.6
Intentional self-harm	15.0	28.0	10.6	9.7
Assault	6.9	5.5	9.3	7.7

* Provisional

Table 21. 5 LEADING CAUSES OF DEATH FOR PERSONS 50 - 64 YEARS OF AGE. 1970, 1980, 2005 - 2006 *

Causes	1970	1980	2005	2006 *
Number of deaths				
Malignant neoplasms (C00-C97)	2 407	2 585	4 767	4 997
Heart diseases (I05-I52)	2 444	2 872	3 528	3 385
Cerebrovascular diseases (I60-I69)	896	1 046	1 229	1 196
Chronics lower respiratory diseases (J40-J47)	560	472
Unintentional injuries (V01-X59, Y85-Y86)	344	415	486	417
Rate per 100 000 population				
Malignant neoplasms	262.4	247.7	274.3	286.9
Heart diseases	266.5	275.2	203.0	194.3
Cerebrovascular diseases	97.7	100.2	70.7	68.7
Chronics lower respiratory diseases	32.2	27.1
Unintentional injuries	37.5	39.8	28.0	23.9

* Provisional

Table 22. 5 LEADING CAUSES OF DEATH FOR PERSONS 65 YEARS AND OVER. 1970, 1980, 2005 - 2006

Causes	1970	1980	2005	2006 *
Number of deaths				
Heart diseases (I05-I52)	9 318	12 178	17 869	16 800
Malignant neoplasms (C00-C97)	4 715	6 400	12 434	12 716
Cerebrovascular diseases (I60-I69)	3 912	3 861	7 149	6 780
Influenza y pneumonia (J09-J18) **	1 678	2 937	5 707	5 528
Diseases of arteries, arterioles and capillaries (I70-I79)	1 765	2 129	3 043	2 485
Rate per 100 000 population				
Heart diseases	1 837.5	1 719.0	1 454.3	1 367.2
Malignant neoplasms	929.8	903.4	1 012.0	1 034.8
Cerebrovascular diseases	771.5	545.0	581.9	551.8
Influenza y pneumonia	330.9	414.6	464.5	449.9
Diseases of arteries, arterioles and capillaries	348.1	300.5	247.7	202.2

* Provisional

** Hypostatic bronchopneumonia is not included in the years 1970 and 1980

Table 23. 5 LEADING CAUSES OF DEATH FOR PERSONS 60 YEARS AND OVER. 1970, 1980, 2005 - 2006*

Causes	1970	1980	2005	2006*
Number of deaths				
Heart diseases (I05-I52)	10 423	13 529	19 501	18 355
Malignant neoplasms (C00-C97)	5 791	7 550	14 428	14 857
Cerebrovascular diseases (I60-I69)	4 319	4 312	7 752	7 315
Influenza y pneumonia (J09-J18) **	1 818	3 071	5 936	5 735
Diseases of arteries, arterioles and capillaries (I70-I79)	1 842	2 201	3 167	2 594
Rate per 100 000 population				
Heart diseases	1 353.1	1 341.4	1 121.9	1 056.1
Malignant neoplasms	751.8	748.6	830.0	854.8
Cerebrovascular diseases	560.7	427.5	446.0	420.9
Influenza y pneumonia	236.0	304.5	341.5	330.0
Diseases of arteries, arterioles and capillaries	239.1	218.2	182.2	149.3

* Provisional

** Hypostatic bronchopneumonia is not included in the years 1970 and 1980

Table 24. HEART DISEASES MORTALITY 1970, 1980, 2005 - 2006 *

Causes	1970	1980	2005	2006 *
Number of deaths				
Ischaemic heart diseases (I20-I25)	9 748	13 347	16 387	15 225
Hypertensive diseases (I10-I15)	1 343	717	1 765	1 789
Chronic rheumatic heart diseases (I05-I09)	299	224	198	207
Other forms of heart diseases (I26-I52)	1 314	2 015	4 152	4 000
Crude rate per 100 000 population				
Ischaemic heart diseases	114.0	136.5	145.6	135.0
Hypertensive diseases	15.7	7.3	15.7	15.9
Chronic rheumatic heart diseases	3.5	2.3	1.8	1.8
Other forms of heart diseases	15.4	20.6	36.9	35.5

* Provisional

Table 25. HEART DISEASES MORTALITY BY AGE GROUPS. MALE SEX. 2006*

Causes	<20	20-39	40-59	60-79	80 and over	Total**
Number of deaths						
Ischaemic heart diseases (I20-I25)	1	94	1 182	3 914	3 059	8 251
Acute myocardial infarction (I21-I22)	1	80	879	2 209	1 102	4 271
Other acute ischaemic heart diseases (I24)	-	1	31	205	239	476
Chronic ischaemic heart disease (I25)	-	12	269	1 497	1 715	3 494
Heart failure (I50)	-	3	64	404	667	1 138
Hypertensive diseases (I10-I15)	-	18	178	461	290	947
Conduction disorders and cardiac arrhythmias (I44-I45, I47-I49)	3	9	52	132	94	290
Cardiomyopathy (I42)	3	17	92	120	39	271
Valve disorders nonrheumatic (I34-I38)	1	11	28	44	13	97
Chronic rheumatic heart diseases (I05-I09)	1	14	37	31	4	87
Other forms of heart disease (I26-I28, I30-I33, I39-I41, I43, I46, I51-I52)	3	15	44	123	98	283
Total	12	181	1 677	5 229	4 264	11 364
Crude rate per 100 000 population						
Ischaemic heart diseases	0.1	5.1	83.2	560.2	2 324.9	146.1
Acute myocardial infarction	0.1	4.4	61.9	316.1	837.5	75.6
Other acute ischaemic heart diseases	-	0.1	2.2	29.3	181.6	8.4
Chronic ischaemic heart disease	-	0.7	18.9	214.2	1 303.4	61.9
Heart failure	-	0.2	4.5	57.8	506.9	20.1
Hypertensive diseases	-	1.0	12.5	66.0	220.4	16.8
Conduction disorders and cardiac arrhythmias	0.2	0.5	3.7	18.9	71.4	5.1
Cardiomyopathy	0.2	0.9	6.5	17.2	29.6	4.8
Valve disorders nonrheumatic	0.1	0.6	2.0	6.3	9.9	1.7
Chronic rheumatic heart diseases	0.1	0.8	2.6	4.4	3.0	1.5
Other forms of heart disease	0.2	0.8	3.1	17.6	74.5	5.0
Total	0.8	9.9	118.1	748.4	3 240.7	201.2

* Provisional

** Includes deaths of unknown age

Table 26. HEART DISEASES MORTALITY BY AGE GROUPS. FEMALE SEX. 2006*

Causes	<20	20-39	40-59	60-79	80 and over	Total**
Number of deaths						
Ischaemic heart diseases (I20-I25)	1	27	526	2 819	3 601	6 974
Acute myocardial infarction (I21-I22)	-	19	339	1 402	1 152	2 912
Other acute ischaemic heart diseases (I24)	-	1	17	182	285	485
Chronic ischaemic heart disease (I25)	1	7	170	1 231	2 160	3 569
Heart failure (I50)	-	5	47	369	718	1 139
Hypertensive diseases (I10-I15)	1	12	119	380	330	842
Conduction disorders and cardiac arrhythmias (I44-I45, I47-I49)	1	4	26	119	132	282
Cardiomyopathy (I42)	5	8	38	57	21	129
Chronic rheumatic heart diseases (I05-I09)	1	21	65	29	4	120
Valve disorders nonrheumatic (I34-I38)	-	6	22	27	18	73
Other forms of heart disease (I26-I28, I30-I33, I39-I41, I43, I46, I51-I52)	7	10	43	112	126	298
Total	16	93	886	3 912	4 950	9 857
Crude rate per 100 000 population						
Ischaemic heart diseases	0.1	1.5	35.8	380.2	2 164.9	123.9
Acute myocardial infarction	-	1.1	23.1	189.1	692.6	51.7
Other acute ischaemic heart diseases	-	0.1	1.2	24.5	171.3	8.6
Chronic ischaemic heart disease	0.1	0.4	11.6	166.0	1 298.6	63.4
Heart failure	-	0.3	3.2	49.8	431.7	20.2
Hypertensive diseases	0.1	0.7	8.1	51.3	198.4	15.0
Conduction disorders and cardiac arrhythmias	0.1	0.2	1.8	16.1	79.4	5.0
Cardiomyopathy	0.3	0.5	2.6	7.7	12.6	2.3
Chronic rheumatic heart diseases	0.1	1.2	4.4	3.9	2.4	2.1
Valve disorders nonrheumatic	-	0.3	1.5	3.6	10.8	1.3
Other forms of heart disease	0.5	0.6	2.9	15.1	75.8	5.3
Total	1.1	5.3	60.3	527.7	2 976.0	175.1

* Provisional

** Includes deaths of unknown age

Table 27. SELECTED MALIGNANT NEOPLASMS MORTALITY 1970, 1980, 2005 – 2006

Location	1970	1980	2005	2006 *
Number of deaths				
Lip, oral cavity and pharynx (C00-C14)	435	367	575	618
Esophagus (C15)	272	285	477	525
Stomach (C16)	690	638	778	784
Intestine, except rectum (C17, C18)	492	742	1 712	1 725
Rectum, rectosigmoid junction and anus (C19-C21)	187	213	260	273
Larynx (C32)	245	300	671	709
Trachea, bronchus and lung (C33-C34)	1 912	2 409	4 484	4 550
Bones and connective tissues (C40-C41)	110	94	157	168
Melanoma of skin (C43-C44)	90	106	300	320
Breast ** (C50)	427	663	1 213	1 213
Cervix uteri ** (C53)	182	187	459	473
Uterus, other and unspecified **(C54-C55)	403	431	646	612
Prostate *** (C61)	520	785	2 260	2 249
Leukaemia (C91-C95)	364	438	544	581
Other neoplasms of lymphatic and haematopoietic tissue (C81-C90, C96)	371	488	783	811
Crude rate per 100 000 population				
Lip, oral cavity and pharynx	5.1	3.8	5.1	5.5
Esophagus	3.2	2.9	4.2	4.7
Stomach	8.0	6.5	6.9	7.0
Intestine, except rectum	5.7	7.6	15.2	15.3
Rectum, rectosigmoid junction and anus	2.2	2.2	2.3	2.4
Larynx	2.9	3.1	6.0	6.3
Trachea, bronchus and lung	22.3	24.6	39.8	40.3
Bones and connective tissues	1.3	1.0	1.4	1.5
Melanoma of skin	1.0	1.1	2.7	2.8
Breast **	10.2	13.3	21.6	21.5
Cervix uteri **	4.4	3.7	8.2	8.4
Uterus, other and unspecified **	9.6	8.6	11.5	10.9
Prostate ***	11.8	16.4	40.1	39.8
Leukaemia	4.2	4.5	4.8	5.2
Other neoplasms of lymphatic and haematopoietic tissue	4.3	5.0	7.0	7.2

* Provisional

** Female Population

*** Male Population

Table 28. SELECTED MALIGNANT NEOPLASMS MORTALITY BY SEX. 2006 *

Location	Male		Female		Mortality sex ratio M/F
	Deaths	Rate	Deaths	Rate	
Lip, oral cavity and pharynx (C00-C14)	445	7.9	173	3.1	2.6
Esophagus (C15)	409	7.2	116	2.1	3.5
Stomach (C16)	509	9.0	275	4.9	1.8
Intestine, except rectum (C17, C18)	711	12.6	1 014	18.0	0.7
Rectum, rectosigmoid junction and anus (C19-C21)	128	2.3	145	2.6	0.9
Larynx (C32)	608	10.8	101	1.8	6.0
Trachea, bronchus and lung (C33-C34)	3 025	53.6	1 525	27.1	2.0
Bones and connective tissues (C40-C41)	99	1.8	69	1.2	1.4
Melanoma of skin (C43-C44)	202	3.6	118	2.1	1.7
Leukaemia (C91-C95)	298	5.3	283	5.0	1.0
Other neoplasms of lymphatic and haematopoietic tissue (C81-C90, C96)	464	8.2	347	6.2	1.3
Urinary tract (C64-C68)	506	9.0	211	3.7	2.4
Brain (C71)	259	4.6	220	3.9	1.2

* Provisional
Rate per 100 000 population

Table 29. MALIGNANT NEOPLASMS MORTALITY BY AGE GROUPS. MALE SEX. 2006*

Location	<10	10-19	20-39	40-59	60-79	80 and over	Total
Number of deaths							
Trachea, bronchus and lung (C33-C34)	1	-	18	638	1 724	644	3 025
Prostate (C61)	-	-	1	99	1 048	1 101	2 249
Intestine, except rectum (C17, C18)	-	1	13	94	368	235	711
Larynx (C32)	-	-	2	161	347	98	608
Stomach (C16)	-	-	11	108	283	107	509
Urinary tract (C64-C68)	2	1	5	69	280	149	506
Other neoplasms of lymphatic and haematopoietic tissue (C81-C90, C96)	3	9	42	100	243	67	464
Lip, oral cavity and pharynx (C00-C14)	-	-	9	153	211	72	445
Esophagus (C15)	-	-	3	132	212	62	409
Leukaemia (C91-C95)	10	19	41	64	108	56	298
Brain (C71)	7	3	26	94	115	14	259
Melanoma of skin (C43-C44)	-	2	6	33	75	86	202
Rectum, rectosigmoid junction and anus (C19-C21)	-	-	2	22	68	36	128
Bones and connective tissues (C40-C41)	-	6	10	22	49	12	99
Crude rate per 100 000 population							
Trachea, bronchus and lung	0.1	-	1.0	44.9	246.7	489.4	53.6
Prostate	-	-	0.1	7.0	150.0	836.8	39.8
Intestine, except rectum	-	0.1	0.7	6.6	52.7	178.6	12.6
Larynx	-	-	0.1	11.3	49.7	74.5	10.8
Stomach	-	-	0.6	7.6	40.5	81.3	9.0
Urinary tract	0.3	0.1	0.3	4.9	40.1	113.2	9.0
Other neoplasms of lymphatic and haematopoietic tissue	0.4	1.1	2.3	7.0	34.8	50.9	8.2
Lip, oral cavity and pharynx	-	-	0.5	10.8	30.2	54.7	7.9
Esophagus	-	-	0.2	9.3	30.3	47.1	7.2
Leukaemia	1.4	2.2	2.2	4.5	15.5	42.6	5.3
Brain	1.0	0.4	1.4	6.6	16.5	10.6	4.6
Melanoma of skin	-	0.2	0.3	2.3	10.7	65.4	3.6
Rectum, rectosigmoid junction and anus	-	-	0.1	1.5	9.7	27.4	2.3
Bones and connective tissues	-	0.7	0.5	1.5	7.0	9.1	1.8

* Provisional

Table 30. MALIGNANT NEOPLASMS MORTALITY BY AGE GROUPS. FEMALE SEX. 2006*

Location	<10	10-19	20-39	40-59	60-79	80 and over	Total
Number of deaths							
Trachea, bronchus and lung (C33-C34)	-	2	19	377	811	316	1 525
Breast (C50)	-	-	53	387	532	241	1 213
Intestine, except rectum (C17, C18)	-	-	14	109	497	394	1 014
Uterus, other and unspecified (C54-C55)	-	-	32	181	279	120	612
Cervix uteri (C53)	-	-	77	204	151	41	473
Other neoplasms of lymphatic and haematopoietic tissue (C81-C90, C96)	3	5	21	88	165	65	347
Leukaemia (C91-C95)	13	14	37	60	114	45	283
Stomach (C16)	-	-	9	57	127	82	275
Brain (C71)	2	5	23	69	99	22	220
Urinary tract (C64-C68)	3	-	10	28	92	78	211
Lip, oral cavity and pharynx (C00-C14)	-	-	4	32	84	53	173
Rectum, rectosigmoid junction and anus (C19-C21)	-	-	3	28	75	39	145
Melanoma of skin (C43-C44)	-	-	4	14	30	70	118
Esophagus (C15)	-	-	2	21	57	36	116
Larynx (C32)	-	-	1	16	65	19	101
Bones and connective tissues (C40-C41)	1	6	5	12	30	15	69
Crude rate per 100 000 population							
Trachea, bronchus and lung	-	0.2	1.1	25.7	109.4	190.0	27.1
Breast	-	-	3.0	26.3	71.8	144.9	21.5
Intestine, except rectum	-	-	0.8	7.4	67.0	236.9	18.0
Uterus, other and unspecified	-	-	1.8	12.3	37.6	72.1	10.9
Cervix uteri	-	-	4.3	13.9	20.4	24.6	8.4
Other neoplasms of lymphatic and haematopoietic tissue	0.4	0.6	1.2	6.0	22.3	39.1	6.2
Leukaemia	1.9	1.7	2.1	4.1	15.4	27.1	5.0
Stomach	-	-	0.5	3.9	17.1	49.3	4.9
Brain	0.3	0.6	1.3	4.7	13.4	13.2	3.9
Urinary tract	0.4	-	0.6	1.9	12.4	46.9	3.7
Lip, oral cavity and pharynx	-	-	0.2	2.2	11.3	31.9	3.1
Rectum, rectosigmoid junction and anus	-	-	0.2	1.9	10.1	23.4	2.6
Melanoma of skin	-	-	0.2	1.0	4.0	42.1	2.1
Esophagus	-	-	0.1	1.4	7.7	21.6	2.1
Larynx	-	-	0.1	1.1	8.8	11.4	1.8
Bones and connective tissues	0.1	0.7	0.3	0.8	4.0	9.0	1.2

* Provisional

Table 31. CEREBROVASCULAR DISEASES MORTALITY BY AGE GROUPS. MALE SEX. 2006*

Causes	<20	20-39	40-59	60-79	80 and over	Total
Number of deaths						
Cerebrovascular diseases (I60-I69)	6	62	517	1 961	1 534	4 080
Occlusion (I63)	-	10	114	779	831	1 734
Haemorrhage (I60-I62)	6	49	351	765	275	1 446
Other cerebrovascular diseases (I64,I67)	-	3	34	239	265	541
Sequelae of cerebrovascular disease (I69)	-	-	18	178	163	359
Crude rate per 100 000 population						
Cerebrovascular diseases	0.4	3.4	36.4	280.7	1 165.9	72.2
Occlusion	-	0.5	8.0	111.5	631.6	30.7
Haemorrhage	0.4	2.7	24.7	109.5	209.0	25.6
Other cerebrovascular diseases	-	0.2	2.4	34.2	201.4	9.6
Sequelae of cerebrovascular disease	-	-	1.3	25.5	123.9	6.4

* Provisional

Table 32. CEREBROVASCULAR DISEASES MORTALITY BY AGE GROUPS. FEMALE SEX. 2006*

Causes	<20	20-39	40-59	60-79	80 and over	Total
Number of deaths						
Cerebrovascular diseases (I60-I69)	7	42	398	1 705	2 115	4 267
Occlusion (I63)	1	5	86	740	1 078	1 910
Haemorrhage (I60-I62)	5	36	272	636	403	1 352
Other cerebrovascular diseases (I64,I67)	1	-	20	210	405	636
Sequelae of cerebrovascular disease (I69)	-	1	20	119	229	369
Crude rate per 100 000 population						
Cerebrovascular diseases	0.5	2.4	27.1	230.0	1 271.5	75.8
Occlusion	0.1	0.3	5.9	99.8	648.1	33.9
Haemorrhage	0.3	2.0	18.5	85.8	242.3	24.0
Other cerebrovascular diseases	0.1	-	1.4	28.3	243.5	11.3
Sequelae of cerebrovascular disease	-	0.1	1.4	16.1	137.7	6.6

* Provisional

Table 33. UNINTENTIONAL INJURIES MORTALITY. SELECTED CAUSES 1970, 1980, 2005 – 2006

Causes	1970	1980	2005	2006 *
Number of deaths				
Motor vehicle accidents	1 045	1 518	1 164	972
Other transport accidents	231	176	153	120
Accidental poisoning	74	35	36	17
Accidental falls **	429	662	1 754	1 612
Exposure to smoke, fire and flames	377	274	60	43
Accidental drowning and submersion	218	393	263	256
Crude rate per 100 000 population				
Motor vehicle accidents	12.2	15.5	10.3	8.6
Other transport accidents	2.7	1.8	1.4	1.1
Accidental poisoning	0.9	0.4	0.3	0.2
Accidental falls	5.0	6.8	15.6	14.3
Exposure to smoke, fire and flames	4.4	2.8	0.5	0.4
Accidental drowning and submersion	2.5	4.0	2.3	2.3

* Provisional

** Exclude sequelae of accidental falls

**Table 34. UNINTENTIONAL INJURIES MORTALITY. SELECTED CAUSES BY AGE GROUPS
MALE SEX. 2006***

Causes	<10	10-19	20-39	40-59	60-79	80 and over	Total
Number of deaths							
Transport accidents (V01-V99)	16	56	321	290	160	42	885
Motor vehicle accidents	16	51	291	247	135	36	776
Other transport accidents	-	5	30	43	25	6	109
Falls (W00-W19)	1	10	27	96	193	395	722
Pedestrian injured in transport accident (V01-V09)	9	16	64	65	65	32	251
Accidental drowning and submersion (W65-W74)	22	38	75	61	31	3	230
Pedal cyclist injured in transport accident (V10-V19)	-	14	48	57	52	3	174
Exposure to electric current (W85-W87)	1	12	54	35	13	-	115
Exposure to smoke, fire and flames (X00-X09)	-	1	2	6	12	3	24
Accidental poisoning (X40-X49)	-	-	2	7	2	-	11
Other accidents (W20-W64,W75-W84, W88-W99,X10-X39,X50-X59)	16	20	56	68	52	28	240
Crude rate per 100 000 population							
Transport accidents	2.2	6.6	17.5	20.4	22.9	31.9	15.7
Motor vehicle accidents	2.2	6.0	15.9	17.4	19.3	27.4	13.7
Other transport accidents	-	0.6	1.6	3.0	3.6	4.6	1.9
Falls	0.1	1.2	1.5	6.8	27.6	300.2	12.8
Pedestrian injured in transport accident	1.2	1.9	3.5	4.6	9.3	24.3	4.4
Accidental drowning and submersion	3.0	4.5	4.1	4.3	4.4	2.3	4.1
Pedal cyclist injured in transport accident	-	1.7	2.6	4.0	7.4	2.3	3.1
Exposure to electric current	0.1	1.4	3.0	2.5	1.9	-	2.0
Exposure to smoke, fire and flames	-	0.1	0.1	0.4	1.7	2.3	0.4
Accidental poisoning	-	-	0.1	0.5	0.3	-	0.2
Other accidents	2.2	2.4	3.1	4.8	7.4	21.3	4.2

* Provisional

Table 35. UNINTENTIONAL INJURIES MORTALITY. SELECTED CAUSES BY AGE GROUPS
FEMALE SEX. 2006*

Causes	<10	10-19	20-39	40-59	60-79	80 and over	Total
Number of deaths							
Falls (W00-W19)	5	2	4	11	201	667	890
Transport accidents (V01-V99)	11	34	61	53	36	12	207
Motor vehicle accidents	11	33	59	48	34	11	196
Other transport accidents	-	1	2	5	2	1	11
Pedestrian injured in transport accident (V01-V09)	5	8	11	20	26	9	79
Accidental drowning and submersion (W65-W74)	8	8	3	4	3	-	26
Exposure to smoke, fire and flames (X00-X09)	-	2	4	7	5	1	19
Pedal cyclist injured in transport accident (V10-V19)	1	2	7	2	-	-	12
Exposure to electric current (W85-W87)	-	1	3	5	2	-	11
Accidental poisoning (X40-X49)	3	-	1	-	2	-	6
Other accidents (W20-W64,W75-W84, W88-W99,X10-X39,X50-X59)	13	3	7	7	26	35	91
Crude rate per 100 000 population							
Falls	0.7	0.2	0.2	0.7	27.1	401.0	15.8
Transport accidents	1.6	4.2	3.4	3.6	4.9	7.2	3.7
Motor vehicle accidents	1.6	4.1	3.3	3.3	4.6	6.6	3.5
Other transport accidents	-	0.1	0.1	0.3	0.3	0.6	0.2
Pedestrian injured in transport accident	0.7	1.0	0.6	1.4	3.5	5.4	1.4
Accidental drowning and submersion	1.2	1.0	0.2	0.3	0.4	-	0.5
Exposure to smoke, fire and flames	-	0.2	0.2	0.5	0.7	0.6	0.3
Pedal cyclist injured in transport accident	0.1	0.2	0.4	0.1	-	-	0.2
Exposure to electric current	-	0.1	0.2	0.3	0.3	-	0.2
Accidental poisoning	0.4	-	0.1	-	0.3	-	0.1
Other accidents	1.9	0.4	0.4	0.5	3.5	21.0	1.6

* Provisional

Table 36. INFECTIOUS AND PARASITIC DISEASES MORTALITY. 1970, 1975, 1980 – 2006

Years	Deaths	Crude rate per 100 000 pop.	% of all deaths
1970	3 886	45.4	7.2
1975	1 576	17.0	3.1
1980	986	10.1	1.8
1981	1 242	12.7	2.1
1982	1 112	11.3	2.0
1983	1 108	11.2	1.9
1984	942	9.5	1.6
1985	1 144	11.4	1.8
1986	880	8.7	1.4
1987	930	9.0	1.4
1988	921	8.8	1.4
1989	876	8.3	1.3
1990	1 021	9.6	1.4
1991	1 077	10.1	1.5
1992	1 155	10.7	1.5
1993	1 564	14.3	2.0
1994	1 546	14.1	2.0
1995	1 486	13.5	1.9
1996	1 262	11.5	1.6
1997	1 161	10.5	1.5
1998	986	8.9	1.3
1999	978	8.8	1.2
2000	745	6.6	1.0
2001	773	6.8	1.0
2002	725	6.4	1.0
2003	735	6.4	0.9
2004	748	6.7	0.9
2005	889	7.9	1.0
2006**	818	7.3	1.0

* Provisional

Note: Includes AIDS

Table 37. INTESTINAL INFECTIOUS DISEASES MORTALITY (A00-A09). 1975, 1980– 2006

Years	Deaths	Rate **	% of all deaths	% of all deaths from infectious and parasitic diseases
1975	657	7.1	1.3	41.7
1980	316	3.2	0.6	32.0
1981	350	3.6	0.6	28.2
1982	399	4.1	0.7	35.9
1983	410	4.2	0.7	37.0
1984	302	3.0	0.5	32.1
1985	480	4.8	0.7	42.0
1986	313	3.1	0.5	35.6
1987	398	3.9	0.6	42.8
1988	361	3.5	0.5	39.2
1989	317	3.0	0.5	36.2
1990	429	4.0	0.6	42.0
1991	492	4.6	0.7	45.7
1992	530	4.9	0.7	45.9
1993	823	7.5	1.0	52.6
1994	799	7.3	1.0	51.7
1995	707	6.4	0.9	47.6
1996	617	5.6	0.8	48.9
1997	521	4.7	0.7	44.9
1998	487	4.4	0.6	49.4
1999	416	3.7	0.5	42.5
2000	264	2.4	0.3	35.4
2001	266	2.4	0.3	34.4
2002	253	2.2	0.3	34.9
2003	227	2.0	0.3	30.9
2004	241	2.1	0.3	32.5
2005	332	2.9	0.4	37.3
2006*	244	2.2	0.3	29.8

* Provisional

** Crude rate per 100 000 population

Table 38. MATERNAL MORTALITY. 2004 – 2006

Causes	Number of deaths			Ratio per 100 000 live births		
	2004	2005	2006*	2004	2005	2006*
Direct obstetric deaths	27	43	42	21.2	35.6	37.7
Ectopic pregnancy (O00)	7	4	8	5.5	3.3	7.2
Pregnancy with abortive outcome, excludes ectopic pregnancy (O01-O08)	4	2	6	3.1	1.7	5.4
Complications predominantly related to the puerperium (O85-O92)	3	15	9	2.4	12.4	8.1
Obstetric embolism (O88)	1	10	4	0.8	8.3	3.6
Complications of labour and delivery (O60-O66, O68-O71,O73-O75)	-	2	4	-	1.7	3.6
Placental disorders (O43-O45)	3	5	-	2.4	4.1	-
Other haemorrhages (O20, O46, O67, O72)	3	9	10	2.4	7.5	9.0
Hypertensive disorders (O11-O16)	4	3	5	3.1	2.5	4.5
Other complications (Remainder of O21-O23, O26, O29-O42,O47- O48, O95, A34, C58)	3	3	-	2.4	2.5	-
Indirect obstetrics deaths	22	19	13	17.3	15.7	11.7
Diseases of the circulatory system (O99.4)	8	7	4	6.3	5.8	3.6
Infectious and parasitic diseases (O98)	1	2	-	0.8	1.7	-
Anaemia (O99.0)	1	2	3	0.8	1.7	2.7
Other diseases (Remainder of O10, O24-O25, O28, O99.1-O99.3, O99.5-O99.8, B20-B24, E230, M830, F53)	12	8	6	9.4	6.6	5.4
Maternal mortality	49	62	55	38.5	51.4	49.4

* Provisional

Note: Maternal mortality: Includes direct and indirect causes

Table 39. MORTALITY RELATED TO PREGNANCY, CHILDBIRTH AND THE PUERPERIUM.
2004 – 2006

Causes	Number of deaths			Ratio per 100 000 live births		
	2004	2005	2006*	2004	2005	2006*
Direct obstetric deaths	27	43	42	21.2	35.6	37.7
Indirect obstetrics deaths	22	19	13	17.3	15.7	11.7
Other causes	13	14	14	10.2	11.6	12.6
Accidents (V01-X59)	5	3	3	3.9	2.5	2.7
Heart disease (I05-I52)	-	-	1	-	-	0.9
Cerebrovascular diseases (I60-I69)	-	-	-	-	-	-
Intentional self-harm (X60-X84, Y870)	1	1	-	0.8	0.8	-
Mortality related to pregnancy, childbirth and the puerperium	62	76	69	48.7	63.0	62.0

* Provisional

Definitions related to maternal mortality (ICD-10)

- **Mortality related to pregnancy, childbirth and the puerperium:** A pregnancy-related death of a woman while pregnant or within 42 days of termination of pregnancy, irrespective of the cause of death.
- **Late maternal death:** A late maternal death is the death of a woman from direct or indirect obstetric causes more than 42 days but less than one year after termination of pregnancy.
Late maternal death (Cuba, year 2006*= 4)
- **Death from sequelae of direct obstetric causes:** Death from any direct obstetric cause occurring one year or more after termination of pregnancy
Death from sequelae of direct obstetric causes (Cuba, year 2006*= 2)

Table 40. MORTALITY FROM SELECTED NOTIFIABLE DISEASES. 1970, 1980, 2000, 2005, 2006

Causes	1970	1980	2000	2005	2006*
Number of deaths					
Typhoid fever (A010)	2	1	2	-	-
Tuberculosis (A15-A19)	622	135	44	35	32
Diphtheria (A36)	1	-	-	-	-
Tetanus (A33-A35)	81	13	1	-	1
Acute poliomyelitis (A80)	-	-	-	-	-
Measles (B05)	43	3	-	-	-
Malaria (B50-B54) **	-	1	-	1	1
Syphilis (A50-A53)	24	3	1	-	-
Whooping cough (A37)	28	2	-	-	-
Crude rate per 100 000 population					
Typhoid fever	0.0	0.0	0.0	-	-
Tuberculosis	7.3	1.4	0.4	0.3	0.3
Diphtheria	0.0	-	-	-	-
Tetanus	0.9	0.1	0.0	-	0.0
Acute poliomyelitis	-	-	-	-	-
Measles	0.5	0.0	-	-	-
Malaria	-	0.0	-	0.0	0.0
Syphilis	0.3	0.0	0.0	-	-
Whooping cough	0.3	0.0	-	-	-

* Provisional

** Imported cases

Table 41. INCIDENCE OF SELECTED NOTIFIABLE DISEASES. SELECTED YEARS 1980– 2006

Disease	1980	1990	2000	2002	2004	2005	2006*
Cases							
Typhoid fever	102	59	37	19	17	4	8
Tuberculosis	1 130	546	1 133	809	738	732	724
Tuberculosis of meninges	-	-	2	3	1	1	-
Leprosy	306	310	278	251	211	208	183
Diphtheria	-	-	-	-	-	-	-
Whooping cough	131	23	-	-	-	-	-
Tetanus	26	4	1	3	-	-	3
Infant tetanus	-	-	-	-	-	-	-
Measles	3 806	17	-	-	-	-	-
Rabies	-	1	1	-	-	1	1
Malaria **	304	461	38	14	14	10	33
Meningococcal meningitis	434	299	41	22	28	18	19
Gonorrhea	16 471	35 722	19 067	10 473	8 682	7 154	5 971
Syphilis	4 346	9 205	9 199	3 294	2 702	1 899	2 079
AIDS	-	28	257	280	226	282	326
Poliomyelitis ***	-	2	-	-	-	-	-
Rubella	3 036	26	-	-	18	-	-
Mumps	31 119	45	-	-	279	350	158
Leptospirosis	451	517	554	560	305	558	541
H. influenzae type b	35	8	6	2	8
Incidence rate per 100 000 population							
Typhoid fever	1.0	0.6	0.3	0.2	0.2	0.0	0.1
Tuberculosis	11.6	5.1	10.1	7.2	6.6	6.5	6.4
Tuberculosis of meninges	-	-	0	0.0	0.0	0.0	-
Leprosy	3.1	2.9	2.5	2.2	1.9	1.8	1.6
Diphtheria	-	-	-	-	-	-	-
Whooping cough	1.3	0.2	-	-	-	-	-
Tetanus	0.3	0.0	0	0.0	-	0.0	0.0
Infant tetanus	-	-	-	-	-	-	-
Measles	38.9	0.2	-	-	-	-	-
Rabies	-	0.0	0	-	-	0.0	0.0
Malaria	3.1	4.3	0.3	0.1	0.1	0.1	0.3
Meningococcal meningitis	4.4	2.8	0.4	0.2	0.2	0.2	0.2
Gonorrhea	168.4	334.0	170.4	93.1	77.3	63.6	52.9
Syphilis	44.7	86.1	82.2	29.3	24.0	16.9	18.4
AIDS ****	-	2.6	22.9	25.0	20.1	25.1	28.9
Poliomyelitis	-	0.0	-	-	-	-	-
Rubella	31.0	0.2	-	-	0.2	-	-
Mumps	318.2	0.4	-	-	2.5	3.1	1.4
Leptospirosis	4.6	4.9	5	5.0	2.7	5.0	4.8
H. influenzae type b	0.3	0.1	0.1	0.0	0.1

* Provisional

** Imported cases

*** Post – vaccine reactions

**** Rate per 1 000 000 population

Table 42. INCIDENCE OF SELECTED NOTIFIABLE DISEASES BY AGE. 2006 *

Diseases	< 1 year	1 – 14 years	15 years and over	Total**
Cases				
Typhoid fever	-	3	5	8
Meningococcal meningitis	7	7	5	19
Meningococcaemia	-	2	4	6
Measles	-	-	-	-
Rubella	-	-	-	-
Chickenpox	491	24 112	10 644	35 247
Viral hepatitis	30	11 280	15 218	26 536
Mumps	-	57	101	158
Infectious mononucleosis	1	184	51	236
Whooping cough	-	-	-	-
Tetanus	-	2	1	3
Tuberculosis	-	7	717	724
Incidence rate per 100 000 population				
Typhoid fever	-	0.1	0.1	0.1
Meningococcal meningitis	5.5	0.3	0.1	0.2
Meningococcaemia	-	0.1	0.0	0.1
Measles	-	-	-	-
Rubella	-	-	-	-
Chickenpox	387.2	1 160.1	117.3	312.5
Viral hepatitis	23.7	542.7	631.1	235.3
Mumps	-	2.7	1.1	1.4
Infectious mononucleosis	0.8	8.9	0.6	2.1
Whooping cough	-	-	-	-
Tetanus	-	0.1	0.0	0.0
Tuberculosis	-	0.3	7.9	6.4

* Provisional

** Includes cases of unknown age

Table 43. MENINGOCOCCAL INFECTION INCIDENCE AND MORTALITY. 1980 – 2006

Years	Incidence		Mortality	
	Cases	Rate	Deaths	Rate
1980	556	5.7	118	1.2
1981	886	9.1	184	1.9
1982	1 260	12.8	192	2.0
1983	1 411	14.3	206	2.1
1984	1 392	14.0	216	2.2
1985	1 280	12.7	211	2.1
1986	1 099	10.8	198	1.9
1987	875	8.5	157	1.5
1988	795	7.6	169	1.6
1989	604	5.7	130	1.2
1990	449	4.2	118	1.1
1991	252	2.4	70	0.7
1992	142	1.3	40	0.4
1993	103	0.9	32	0.3
1994	73	0.7	27	0.2
1995	64	0.6	20	0.2
1996	75	0.7	18	0.2
1997	64	0.6	11	0.1
1998	51	0.5	7	0.1
1999	71	0.6	21	0.2
2000	56	0.5	8	0.1
2001	44	0.4	6	0.1
2002	37	0.3	5	0.0
2003	34	0.3	7	0.1
2004	34	0.3	8	0.1
2005	28	0.2	11	0.1
2006*	25	0.2	5	0.0

* Provisional
Crude rate per 100 000 population

Table 44. INCIDENCE OF ACUTE VIRAL HEPATITIS BY TYPE. 1990 – 2006

Years	Acute viral hepatitis					Total
	A	B	C	Viral unspec- ified	Other spec.	
1990	5 834	1 769	71	5 540	-	13 214
1991	19 863	2 044	54	12 762	-	34 723
1992	21 180	2 194	33	8 566	-	31 973
1993	12 150	1 908	15	2 253	-	16 326
1994	14 664	1 747	26	1 487	-	17 924
1995	15 138	1 456	55	1 042	2	17 693
1996	20 805	1 695	157	1 217	7	23 881
1997	22 492	1 345	168	657	3	24 665
1998	15 558	1 026	88	426	-	17 098
1999	17 000	720	60	340	1	18 121
2000	17 338	451	51	480	-	18 320
2001	14 069	243	19	518	-	14 849
2002	13 484	132	23	510	-	14 149
2003	8 211	99	17	299	-	8 626
2004	9 860	62	10	291	-	10 223
2005	22 727	47	14	505	-	23 293
2006*	25 174	34	12	1 313	3	26 536

RATE PER 100 000 POPULATION

1990	55.0	16.7	0.7	52.2	-	124.6
1991	185.7	19.1	0.5	119.3	-	324.7
1992	195.7	20.3	0.3	79.2	-	295.5
1993	111.2	17.5	0.1	20.6	-	149.5
1994	133.0	15.8	0.2	13.5	-	162.6
1995	137.9	13.3	0.5	9.5	0.0	161.2
1996	189.0	15.4	1.4	11.1	0.1	217.0
1997	203.8	12.2	1.5	6.0	0.0	223.5
1998	139.9	9.2	0.8	3.8	-	153.7
1999	152.6	6.5	0.5	3.1	0.0	162.6
2000	155.0	4.0	0.5	4.3	-	163.8
2001	125.3	2.2	0.2	4.6	-	132.2
2002	119.8	1.2	0.2	4.5	-	125.7
2003	73.2	0.9	0.2	2.7	-	76.9
2004	87.8	0.6	0.1	2.6	-	91.0
2005	201.9	0.4	0.1	4.5	-	206.9
2006*	223.2	0.3	0.1	11.6	0.0	235.3

* Provisional

Rate per 100 000 population

Table 45. INCIDENCE OF TUBERCULOSIS BY AGE GROUP AND LOCATION. 1975, 1980, 1990 AND 2006 *

Age	Location	1975		1980		1990		2006 *	
		No.	Rate	No.	Rate	No.	Rate	No.	Rate
	Total	37	2.4	29	2.1	9	0.3	7	0.3
< 15 years	Pulmonary	25	1.6	22	1.6	6	0.2	4	0.2
	Extrapulmonary	12	0.8	7	0.5	3	0.1	3	0.1
	Total	1 012	22.0	821	13.7	370	6.0	603	7.7
15 – 64	Pulmonary	922	20.0	723	12.1	329	5.0	515	6.6
	Extrapulmonary	90	2.0	98	1.6	41	0.5	88	1.1
	Total	271	44.6	273	38.5	167	18.5	114	9.3
65 and over	Pulmonary	257	42.3	252	35.6	158	17.5	107	8.7
	Extrapulmonary	14	2.3	21	3.0	9	0.9	7	0.6
	Total	1 326	14.2	1 130	11.6	546	5.1	724	6.4
Total **	Pulmonary	1 210	13.0	1 004	10.3	493	4.6	626	5.6
	Extrapulmonary	116	1.2	126	1.3	53	0.4	98	0.9

* Provisional

** Includes cases of unknown age

Rate per 100 000 population

Table 46. INCIDENCE OF LEPROSY BY AGE GROUP AND CLINICAL TYPE. 1975, 1980, 1990 AND 2006*

Age	Clinical type	1975		1980		1990		2006*	
		No.	Rate	No.	Rate	No.	Rate	No.	Rate
	Total	14	0.1	11	0.4	4	0.1	1	0.0
	Undetermined	9	0.1	2	0.1	2	0.0	-	-
< 15 years	Dimorphous	1	0.0	2	0.1	1	0.0	-	-
	Tuberculoid	1	0.0	-	-	-	-	-	-
	Lepromatous	3	0.0	7	0.2	1	0.0	1	0.0
	Total	325	5.5	295	4.4	306	3.7	182	2.0
	Undetermined	82	1.4	96	1.4	74	0.9	20	0.2
15 years and over	Dimorphous	16	0.3	50	0.7	68	0.8	72	0.8
	Tuberculoid	91	1.5	49	0.7	58	0.7	16	0.2
	Lepromatous	136	2.3	100	1.5	106	1.2	74	0.8
	Total	339	3.6	306	3.1	310	2.9	183	1.6
	Undetermined	91	1.0	98	1.0	76	0.7	20	0.2
Total	Dimorphous	17	0.2	52	0.5	69	0.6	72	0.6
	Tuberculoid	92	1.0	49	0.5	58	0.5	16	0.1
	Lepromatous	139	1.5	107	1.1	107	1.0	75	0.7

* Provisional

Rate per 100 000 population

Table 47. CONSULTATIONS FOR ACUTE DIARRHOEA AND RESPIRATORY DISEASES BY AGE. 2006

Age	Acute diarrhoea		Acute respiratory	
	Cases	Rate	Cases	Rate
< 1	93 565	737.9	333 802	2 632.5
1 – 4	145 680	260.8	1 093 982	1 958.4
5 – 9	62 899	87.6	700 323	975.6
10 – 14	50 445	62.9	501 207	625.0
15 – 24	88 551	57.0	645 488	415.7
25 – 59	195 650	33.8	1 264 244	218.7
60 – 64	28 646	56.3	165 029	324.1
65 and over	59 787	48.7	348 878	283.9
Total **	727 085	64.5	5 074 693	450.0

* Provisional

** Includes cases of unknown age

Rate per 1 000 population

Table 48. PREVALENCE OF SELECTED CHRONIC NON - COMMUNICABLE DISEASES BY AGE GROUPS AND SEX. 2006*

Age groups	Diabetes mellitus			Arterial hypertension			Asthma		
	Male	Female	Total	Male	Female	Total	Male	Female	Total
< 1	0.0	-	0.0	-	-	-	24.5	23.5	24.0
1 – 4	0.1	0.1	0.1	0.0	0.0	0.0	109.6	95.6	102.8
5 – 9	0.4	0.4	0.4	0.2	0.2	0.2	154.6	136.9	146.0
10 – 14	0.7	0.8	0.7	0.6	0.7	0.7	151.7	136.8	144.4
15 – 19	3.3	3.8	3.5	22.7	24.0	23.3	113.8	107.3	110.6
20 – 24	8.7	11.4	10.0	91.2	99.4	95.2	159.7	157.2	158.5
25 – 59	20.9	33.1	27.0	182.6	214.2	198.5	56.8	71.8	64.3
60 – 64	122.8	178.0	150.9	560.5	612.7	587.1	128.4	137.6	133.1
65 y más	77.8	132.4	106.6	416.6	465.8	442.6	56.3	64.0	60.4
Total	25.0	41.5	33.3	178.8	213.7	196.2	86.6	90.9	88.7

* Provisional
Rate per 1 000 population of the age and sex.

Table 49. WOMEN SCREENED FOR DETECTION OF CERVIX CANCER. 1970 – 2006

Years	Women screened	Rate	Years	Women screened	Rate
1970	176 307	78.5	1989	907 921	261.0
1971	284 382	124.4	1990	904 709	254.5
1972	362 802	155.2	1991	994 020	273.8
1973	391 418	164.2	1992	942 368	253.4
1974	435 080	177.9	1993	1 022 053	269.4
1975	432 093	172.8	1994	1 053 717	272.6
1976	412 225	162.2	1995	1 076 858	276.6
1977	404 585	156.8	1996	1 023 903	260.9
1978	395 889	150.4	1997	354 085	100.3
1979	395 066	147.1	1998	812 212	230.3
1980	426 186	156.4	1999	908 509	257.0
1981	428 001	151.7	2000	470 082	132.4
1982	482 445	170.9	2001	718 717	195.3
1983	523 457	174.0	2002	840 182	226.5
1984	533 806	173.1	2003	547 584	145.5
1985	550 951	176.2	2004	629 392	166.8
1986	637 867	197.9	2005	682 232	179.0
1987	710 255	218.9	2006*	571 203	151.2
1988	788 170	232.0			

* Provisional

Rate per 1 000 women of 20 years and over

As of this 1997, the rate is estimated per 1000 women of 25 years and over and re-evaluation period changed to 3 years

Table 50. WOMEN SCREENED FOR DETECTION OF CERVIX CANCER BY AGE. 2005 – 2006

Age	2005		2006*	
	Number	Rate	Number	Rate
25 – 29	106 628	290.9	102 027	275.2
30 – 34	131 422	268.6	110 096	213.4
35 – 39	134 361	237.5	109 202	201.6
40 and over	309 821	129.6	249 878	94.8
Total *	682 232	179.0	571 203	151.2

* Provisional

Rate per 1 000 women of the age

Table 51. NUMBER OF CASES OF CERVIX CANCER BY CLINICAL STAGE. 1985 – 2006*

Year	Clinical stage					Total **
	0	I	II	III	IV	
1985	553	152	45	9	2	780
1986	653	133	49	6	2	843
1987	656	135	26	3	-	820
1988	728	140	28	7	-	903
1989	918	131	18	2	1	1 070
1990	989	107	23	4	-	1 123
1991	1 031	143	6	3	-	1 183
1992	1 204	131	12	1	1	1 349
1993	801	74	7	3	-	885
1994	716	84	6	3	1	810
1995	888	84	10	-	-	982
1996	1 055	134	13	2	-	1 204
1997	1 008	168	17	12	-	1 205
1998	928	188	21	12	-	1 149
1999	1 061	226	49	6	1	1 343
2000	1 171	171	42	2	-	1 386
2001	987	190	40	16	-	1 233
2002	1 173	222	32	29	3	1 459
2003	1 338	234	66	15	4	1 657
2004	1 114	152	22	5	2	1 295
2005	997	176	34	10	-	1 217
2006*	952	117	15	11	-	1 095
Percentage of total						
1985	70.9	19.5	5.8	1.2	0.3	100.0
1986	77.5	15.8	5.8	0.7	0.2	100.0
1987	80.0	16.5	3.2	0.4	-	100.0
1988	80.6	15.5	3.1	0.8	-	100.0
1989	85.8	12.2	1.7	0.2	0.1	100.0
1990	88.1	9.5	2.0	0.4	-	100.0
1991	87.2	12.1	0.5	0.3	-	100.0
1992	89.2	9.7	0.9	0.1	0.1	100.0
1993	90.5	8.4	0.8	0.3	-	100.0
1994	88.4	10.4	0.7	0.4	0.1	100.0
1995	90.4	8.6	1.0	-	-	100.0
1996	87.6	11.1	1.1	0.2	-	100.0
1997	83.7	13.9	1.4	1.0	-	100.0
1998	80.8	16.4	1.8	1.0	-	100.0
1999	79.1	16.7	3.7	0.4	0.0	100.0
2000	84.5	12.3	3.0	0.1	-	100.0
2001	80.0	15.4	3.2	1.3	-	100.0
2002	80.4	15.2	2.1	1.9	0.2	100.0
2003	80.7	14.1	4.0	1.0	0.2	100.0
2004	86.0	11.7	1.7	0.4	0.2	100.0
2005	81.9	14.5	2.8	0.8	-	100.0
2006**	86.9	10.7	1.4	1.0	-	100.0

* Provisional

** Includes cases of unknown clinical stage

Table 52. INCIDENCE OF CANCER BY SEX AND LEADING LOCATIONS. 2003

MALE

Location	No.	Crude rate	Adjusted rate **
Lung	3 042	54.1	41.3
Melanoma of skin	2 994	53.2	39.4
Prostate	2 422	43.1	28.3
Larynx	765	13.6	10.8
Colon	757	13.5	9.7
Bladder	586	10.4	7.5
Mouth	581	10.3	8.0
Stomach	540	9.6	7.3
Hematopoietic tissue	493	8.8	7.5
Lymph nodes	431	7.7	6.5
Total ***	15 535	276.2	206.7

FEMALE

Location	No.	Crude rate	Adjusted rate **
Breast	2 573	45.8	33.9
Melanoma of skin	2 443	43.5	30.5
Cervix uteri	1 512	26.9	19.2
Lung	1 403	25.0	18.1
Colon	1 035	18.4	11.8
Corpus uteri	489	8.7	6.5
Hematopoietic tissue	478	8.5	7.0
Ovary	383	6.8	5.4
Pancreas	333	5.9	3.9
Liver	308	5.5	3.7
Total ***	14 301	254.4	183.7

* Provisional

** For the world population

*** Includes the rest of locations

Rate per 100 000 population

Source: National Registry of Cancer. National Institute of Oncology and Radiobiology

Table 53. INCIDENCE OF CANCER IN CHILDREN UNDER 15 YEARS OF AGE BY LOCATION AND AGE GROUPS. 2003

Location	< 1		1 - 4		5 - 9		10 - 14		TOTAL		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Crude Rate	Adjusted Rate*
Leukemia	8	5.8	41	6.9	23	3.1	19	2.2	91	3.9	4.2
-Lymphoid	3	2.2	33	5.5	20	2.7	14	1.6	70	3.0	3.2
-Acute non lymphocytic	3	2.2	3	0.5	2	0.3	4	0.5	12	0.5	0.5
Myeloid	-	-	1	0.2	-	-	1	0.1	2	0.1	0.1
Other unspecified	2	1.5	4	0.7	1	0.1	-	-	7	0.3	0.4
Lymphoma	-	-	18	3.0	22	3.0	17	1.9	57	2.4	2.5
Hodgkin	-	-	-	-	9	1.2	9	1.0	18	0.8	0.7
Non - Hodgkin	-	-	15	2.5	13	1.8	7	0.8	35	1.5	1.6
Lymphoma of Burkitt	-	-	1	0.2	-	-	1	0.1	2	0.1	0.1
Other unspecified	-	-	2	0.3	-	-	-	-	2	0.1	0.1
Central nervous system	2	1.5	18	3.0	26	3.5	14	1.6	60	2.6	2.7
Ependymoma	1	0.7	1	0.2	1	0.1	1	0.1	4	0.2	0.2
Astrocytoma	-	-	1	0.2	4	0.5	2	0.2	7	0.3	0.3
Neuroectodermal tumor	-	-	5	0.8	6	0.8	-	-	11	0.5	0.5
Other gliomas	-	-	4	0.7	4	0.5	3	0.3	11	0.5	0.5
Other specific	-	-	1	0.2	2	0.3	4	0.5	7	0.3	0.3
Other unspecified	1	0.7	6	1.0	9	1.2	4	0.5	20	0.9	0.9
Neuroblastoma	4	2.9	1	0.2	1	0.1	-	-	6	0.3	0.3
Ganglioneuroblastoma	-	-	-	-	1	0.1	-	-	1	0.0	0.1
Retinoblastoma	4	2.9	4	0.7	1	0.1	-	-	9	0.4	0.5
Kidney	4	2.9	15	2.5	4	0.5	1	0.1	24	1.0	1.2
Wilms tumor	3	2.2	14	2.4	4	0.5	1	0.1	22	0.9	1.1
Unspecified	1	0.7	1	0.2	-	-	-	-	2	0.1	0.1
Hepatic tumors	-	-	1	0.2	-	-	-	-	1	0.0	0.1
Bone tumors	-	-	4	0.7	1	0.1	9	1.0	14	0.6	0.6
Osteosarcoma	-	-	-	-	-	-	6	0.7	6	0.3	0.2
Sarcoma de Ewing	-	-	3	0.5	-	-	1	0.1	4	0.2	0.2
Other specific	-	-	1	0.2	1	0.1	-	-	2	0.1	0.1
Other unspecified	-	-	-	-	-	-	2	0.2	2	0.1	0.1
Soft tissue	4	2.9	5	0.8	7	1.0	3	0.3	19	0.8	0.9
Germ cell tumors	2	1.5	1	0.2	4	0.5	9	1.0	16	0.7	0.6
Epithelial carcinoma and neoplasias	2	1.5	1	0.2	5	0.7	13	1.5	21	0.9	0.8
Other neoplasias unspecified	2	1.5	-	-	-	-	1	0.1	3	0.1	0.1
Total	32	23.2	109	18.3	95	12.9	86	9.7	322	13.7	14.5

* For the world population

Rate per 100 000 population

Source: National Registry of Cancer. National Institute of Oncology and Radiobiology

Table 54. INCIDENCE OF CANCER IN MALE POPULATION AGED 15 YEARS AND OVER BY LEADING LOCATIONS AND AGE GROUPS. 2003

Location	15 - 19		20 - 24		25 - 29		30 - 34		35 - 39		40 - 44	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Lung	-	-	1	0.3	2	0.4	3	0.6	23	4.2	58	15.2
Melanoma of skin	2	0.5	11	3.2	21	4.4	44	8.1	91	16.6	141	37.0
Prostate	-	-	-	-	-	-	1	0.2	2	0.4	9	2.4
Larynx	-	-	-	-	1	0.2	2	0.4	5	0.9	21	5.5
Colon	2	0.5	2	0.6	4	0.8	5	0.9	9	1.6	22	5.8
Bladder	1	0.2	-	-	2	0.4	3	0.6	2	0.4	11	2.9
Mouth	1	0.2	-	-	-	-	3	0.6	11	2.0	24	6.3
Stomach	-	-	-	-	1	0.2	2	0.4	8	1.5	16	4.2
Hematopoietic tissue	13	3.2	8	2.3	15	3.1	14	2.6	11	2.0	12	3.1
Lymph nodes	10	2.5	17	5.0	18	3.7	21	3.9	26	4.7	23	6.0
Total *	54	13.3	55	16.0	103	21.4	149	27.4	265	48.2	455	119.2

Location	45 - 49		50 - 54		55 - 59		60 and over		Total	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Lung	111	33.5	219	69.5	332	121.3	2 286	291.0	3 035	68.8
Melanoma of skin	121	36.5	234	74.2	282	103.0	1 989	253.2	2 936	66.5
Prostate	15	4.5	29	9.2	65	23.7	2 282	290.5	2 403	54.5
Larynx	40	12.1	66	20.9	118	43.1	507	64.5	760	17.2
Colon	22	6.6	37	11.7	53	19.4	597	76.0	753	17.1
Bladder	17	5.1	27	8.6	58	21.2	463	58.9	584	13.2
Mouth	33	10.0	58	18.4	87	31.8	355	45.2	572	13.0
Stomach	23	6.9	37	11.7	51	18.6	401	51.0	539	12.2
Hematopoietic tissue	14	4.2	34	10.8	33	12.1	289	36.8	443	10.0
Lymph nodes	20	6.0	26	8.2	31	11.3	208	26.5	400	9.1
Total *	552	166.6	1 017	322.7	1 414	516.5	11 188	1 424.1	15 252	345.7

* Includes the rest of locations

Rate per 100 000 population

Source: National Registry of Cancer. National Institute of Oncology and Radiobiology

Table 55. INCIDENCE OF CANCER IN FEMALES AGED 15 YEARS AND OVER BY LEADING LOCATIONS AND AGE GROUPS.
2003

Location	15 - 19		20 - 24		25 - 29		30 - 34		35 - 39		40 - 44	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Breast	-	-	-	-	17	3.6	54	10.1	143	25.6	241	61.6
Melanoma of skin	6	1.5	8	2.4	19	4.0	56	10.5	86	15.4	156	39.9
Cervix uteri	2	0.5	21	6.3	93	19.7	186	34.8	253	45.3	228	58.3
Lung	-	0.0	1	0.3	2	0.4	7	1.3	10	1.8	26	6.7
Colon	2	0.5	-	-	6	1.3	4	0.7	10	1.8	16	4.1
Corpus uteri	-	-	-	-	1	0.2	7	1.3	5	0.9	20	5.1
Hematopoietic tissue	9	2.3	9	2.7	10	2.1	10	1.9	15	2.7	15	3.8
Pancreas	6	1.5	4	1.2	8	1.7	17	3.2	29	5.2	29	7.4
Ovary	1	0.3	1	0.3	1	0.2	2	0.4	-	-	6	1.5
Rectum	-	-	-	-	-	-	1	0.2	6	1.1	1	0.3
Total *	66	16.8	94	28.4	227	48.0	430	80.5	687	123.1	905	231.5

Location	45 - 49		50 - 54		55 - 59		60 and over		Total	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Breast	241	70.4	252	77.1	282	98.5	1335	158.1	2 565	57.3
Melanoma of skin	146	42.6	183	56.0	233	81.4	1511	178.9	2 404	53.7
Cervix uteri	154	45.0	151	46.2	127	44.4	293	34.7	1 508	33.7
Lung	69	20.1	110	33.6	146	51.0	1028	121.7	1 399	31.2
Colon	20	5.8	41	12.5	72	25.2	861	101.9	1 032	23.0
Corpus uteri	22	6.4	34	10.4	60	21.0	338	40.0	487	10.9
Hematopoietic tissue	19	5.5	40	12.2	42	14.7	268	31.7	437	9.8
Pancreas	23	6.7	51	15.6	38	13.3	164	19.4	369	8.2
Ovary	12	3.5	12	3.7	32	11.2	265	31.4	332	7.4
Rectum	8	2.3	17	5.2	22	7.7	253	30.0	308	6.9
Total *	890	259.8	1 141	348.9	1 361	475.6	8 281	980.5	14 082	314.3

* Includes the rest of locations

Rate per 100 000 population

Source: National Registry of Cancer. National Institute of Oncology and Radiobiology

Table 56. INCIDENCE OF CANCER IN MALES AGED 60 YEARS AND OVER BY LEADING LOCATIONS AND AGE GROUPS. 2003

Location	60 – 64		65 – 69		70 – 74		75 – 79	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Lung	467	200.0	387	215.7	459	319.7	376	298.7
Prostate	179	76.7	293	163.3	409	284.9	458	363.8
Melanoma of skin	341	146.0	367	204.5	348	242.4	348	276.4
Colon	80	34.3	96	53.5	108	75.2	117	92.9
Larynx	136	58.2	102	56.8	74	51.5	85	67.5
Bladder	63	27.0	68	37.9	86	59.9	93	73.9
Stomach	64	27.4	79	44.0	75	52.2	77	61.2
Mouth	70	30.0	76	42.4	59	41.1	72	57.2
Hematopoietic tissue	52	22.3	48	26.7	59	41.1	52	41.3
Esophagus	46	19.7	54	30.1	46	32.0	51	40.5
Total *	1 854	794.1	1 908	1 063.3	2 043	1 423.1	2 004	1 591.9

Location	80 – 84		85 and over		Total	
	No.	Rate	No.	Rate	No.	Rate
Lung	318	669.7	279	500.3	2 286	291.0
Prostate	387	815.0	556	997.0	2 282	290.5
Melanoma of skin	294	619.1	291	521.8	1 989	253.2
Colon	92	193.7	104	186.5	597	76.0
Larynx	56	117.9	54	96.8	507	64.5
Bladder	74	155.8	79	141.7	463	58.9
Stomach	58	122.1	48	86.1	401	51.0
Mouth	43	90.6	35	62.8	355	45.2
Hematopoietic tissue	38	80.0	40	71.7	289	36.8
Esophagus	27	56.9	31	55.6	255	32.5
Total *	1 612	3 394.7	1 767	3 168.5	1 1188	1 424.1

* Includes the rest of locations

Rate per 100 000 population

Source: National Registry of Cancer. National Institute of Oncology and Radiobiology

Table 57. INCIDENCE OF CANCER IN FEMALES AGED 60 YEARS AND OVER BY LEADING LOCATIONS AND AGE GROUPS. 2003

Location	60 – 64		65 – 69		70 – 74		75 – 79	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Melanoma of skin	259	109.6	263	138.1	275	184.5	258	178.2
Breast	294	124.4	262	137.6	219	146.9	241	166.5
Lung	192	81.3	205	107.7	203	136.2	175	120.9
Colon	89	37.7	108	56.7	153	102.7	153	105.7
Cervix uteri	75	31.7	77	40.4	73	49.0	46	31.8
Corpus uteri	93	39.4	81	42.5	49	32.9	30	20.7
Pancreas	42	17.8	65	34.1	43	28.9	55	38.0
Hematopoietic tissue	31	13.1	33	17.3	45	30.2	44	30.4
Rectum	33	14.0	38	20.0	50	33.5	49	33.8
Stomach	37	15.7	26	13.7	38	25.5	50	34.5
Total *	1 494	632.4	1 516	796.2	1 533	1 028.6	1 408	972.6

Location	80 – 84		85 and over		Total	
	No.	Rate	No.	Rate	No.	Rate
Melanoma of skin	222	424.4	234	326.0	1 511	178.9
Breast	151	288.6	168	234.1	1 335	158.1
Lung	125	238.9	128	178.3	1 028	121.7
Colon	155	296.3	203	282.8	861	101.9
Cervix uteri	34	65.0	33	46.0	338	40.0
Corpus uteri	23	44.0	17	23.7	293	34.7
Pancreas	32	61.2	31	43.2	268	31.7
Hematopoietic tissue	53	101.3	59	82.2	265	31.4
Rectum	37	70.7	46	64.1	253	30.0
Stomach	39	74.6	46	64.1	236	27.9
Total *	1 103	2 108.5	1 227	1 709.4	8 281	980.5

* Includes the rest of locations

Rate per 100 000 population

Source: National Registry of Cancer. National Institute of Oncology and Radiobiology

Table 58. TOTAL DOSES ADMINISTERED BY TYPE OF VACCINE. 1962 – 2006 *

Type of vaccine	Total doses administered
Tetanus toxoid vaccine (TT)	75 942 236
Oral poliovirus vaccine (OPV)	75 244 312
Typhoid vaccine (AT)	36 245 357
Diphtheria, tetanus and pertussis vaccine (DPT)	31 292 378
Diphtheria and tetanus toxoid vaccine (DT)	12 954 699
BCG vaccine	12 273 328
Meningococcal type B – C vaccine (AM-BC) (1)	10 479 779
Hepatitis B vaccine (HB) (2)	12 643 146
Measles, mumps, and rubella vaccine (MMR) (3)	5 550 500
H. influenzae (Hib) (4)	4 163 952
DPT + HB (5)	437 047
(DPT+HB+Hib) (6)	90 226
* Provisional	
(1) Vaccination began at 1988	(4) Vaccination began at 1999
(2) Vaccination began at 1992	(5) Vaccination began at 2005
(3) Vaccination began at 1986	(6) Vaccination began at 2006

Table 59. LOW BIRTH-WEIGHT. 1978 – 2006*

Years	Live births with low weight	Percentage of all live births
1978	15 115	10.4
1979	14 407	10.2
1980	13 178	9.7
1981	12 820	9.5
1982	13 819	8.7
1983	13 794	8.5
1984	12 961	7.9
1985	14 693	8.2
1986	13 244	8.0
1987	14 141	7.9
1988	14 030	7.5
1989	13 418	7.3
1990	14 260	7.6
1991	13 546	7.8
1992	13 554	8.6
1993	13 726	9.0
1994	13 112	8.9
1995	11 737	7.9
1996	10 184	7.3
1997	10 496	6.9
1998	10 145	6.7
1999	9 761	6.5
2000	8 814	6.1
2001	8 122	5.9
2002	8 314	5.9
2003	7 523	5.5
2004	6 972	5.5
2005	6 574	5.4
2006	5 985	5.4

* Provisional

Table 60. HEALTH BUDGET AND PER CAPITA EXPENSES. 1959, 1960, 1965 – 2006

Cuban pesos

Years	Budget spending	Per capita expenses
1959	25 690 200	3.72
1960	51 279 900	7.30
1965	148 878 200	19.07
1966	157 689 600	19.82
1967	158 591 400	19.57
1968	180 241 300	21.83
1969	210 937 500	25.07
1970	216 443 200	25.25
1971	224 489 300	25.89
1972	232 535 600	26.33
1973	240 582 100	26.72
1974	281 313 200	30.73
1975	304 154 500	32.73
1976	323 783 700	34.19
1977	322 107 300	33.58
1978	390 827 800	40.32
1979	409 255 600	41.87
1980	440 174 800	45.01
1981	558 931 100	57.29
1982	594 691 500	60.60
1983	668 080 300	67.62
1984	740 484 500	74.40
1985	794 267 800	78.97
1986	875 217 200	85.88
1987	922 214 400	89.67
1988	978 927 900	94.08
1989	1 015 625 500	96.66
1990	1 045 094 100	98.56
1991	1 038 484 500	97.11
1992	1 038 797 300	95.99
1993	1 174 927 800	107.57
1994	1 166 386 200	106.42
1995	1 221 960 600	111.31
1996	1 310 078 500	119.03
1997	1 382 951 000	125.31
1998	1 473 090 300	132.44
1999	1 710 638 700	153.52
2000	1 857 035 500	165.99
2001	1 796 598 700	159.99
2002	1 923 032 100	170.92
2003	2 028 100 000	180.26
2004	2 269 380 300	201.99
2005	2 596 300 000	230.64
2006*	3 629 000 000	321.79

* Provisional

Table 61. **HEALTH PERSONNEL. 1975 – 2006**

Years	Total	% from population at working age	Percent of women
1975	133 890	3.0	65.0
1976	138 201	3.0	66.2
1977	141 474	3.0	67.4
1978	148 579	3.1	67.9
1979	152 483	3.1	68.6
1980	157 933	3.2	69.3
1981	179 581	3.5	65.0
1982	195 595	3.7	67.2
1983	217 446	4.0	68.9
1984	233 437	4.2	69.8
1985	248 643	4.3	69.7
1986	263 713	4.5	70.6
1987	274 544	4.7	70.8
1988	280 220	4.6	70.9
1989	290 799	4.9	71.6
1990	298 708	4.9	72.4
1991	302 815	4.8	71.9
1992	310 726	4.8	72.0
1993	308 352	4.8	71.7
1994	312 639	4.8	72.3
1995	320 427	5.0	72.6
1996	328 543	4.9	73.2
1997	339 943	4.9	73.9
1998	345 878	4.8	72.4
1999	362 778	5.5	72.9
2000	359 653	5.5	72.4
2001	358 569	5.4	72.9
2002	375 052	5.6	72.2
2003	380 576	5.7	71.6
2004	402 903	6.2	71.3
2005	447 023	6.9	70.2
2006*	488 767	7.5	69.4

* Provisional

Table 62. **HEALTH PERSONNEL BY OCCUPATION AND SEX. 2006**

Personnel	Workers		Females	
	Number	Per 10 000 population	Number	% of the total
Total workers	488 767	433.4	339 389	69.4
Of them:				
Nursing staff:	94 512	83.8	82 297	87.1
Bachelor in nursery	28 324	25.1	23 476	82.9
Nurses	56 192	49.8	50 154	89.3
Basic **	9 964	8.8	8 636	86.7
Nurses aides	32	0.0	31	96.9
Technicians ***	54 623	48.4	45 101	82.6
Clinical and microbiological laboratory	7 359	6.5	6 801	92.4
Blood bank	1 296	1.1	1 197	92.4
X- Ray	2 770	2.5	1 232	44.5
Dentistry	9 908	8.8	9 278	93.6
Pharmacy	6 728	6.0	6 305	93.7
Epidemiology and hygiene	2 942	2.6	1 723	58.6
Ophthalmology	876	0.8	778	88.8
Social worker	2 382	2.1	2 122	89.1
Physiotherapy and rehabilitation	3 147	2.8	2 356	74.9
Health statistic	2 591	2.3	2 521	97.3
Orthopedic bandage	296	0.3	119	40.2
Orthopedic prosthesis and orthesis	228	0.2	125	54.8
Dietetic	961	0.9	918	95.5
Psychiatric ergo therapy	331	0.3	276	83.4
Psychological testing	844	0.7	801	94.9
Logopedic and phoniatric	319	0.3	289	90.6
Medical radio physic	172	0.2	82	47.7
Cytohistopathology	609	0.5	560	92.0
Podiatry	714	0.6	579	81.1
Other technicians	69 679	61.8	58 723	84.3

* Provisional

** Emerging

*** Excludes nurses

Source: Registration of Professionals of the Health.

Table 63. PHYSICIANS AND DENTISTS. 1970, 1975, 1980, 1985, 1990 – 2006

Years	Physicians			Dentists		
	Number	Per 10 000 pop.	Pop. per physician	Number	Per 10 000 pop.	Pop. per dentist
1970	6 152	7.2	1 393	1 366	1.6	6 276
1975	9 328	10.0	996	2 319	2.5	4 007
1980	15 247	15.6	641	3 646	3.7	2 682
1985	22 910	22.8	439	5 335	5.3	1 885
1990	38 690	36.5	274	6 959	6.6	1 524
1991	42 634	39.9	251	7 515	7.0	1 423
1992	46 860	43.3	231	8 057	7.4	1 343
1993	51 045	46.7	214	8 531	7.8	1 280
1994	54 065	49.3	203	8 834	8.1	1 241
1995	56 836	51.8	193	9 148	8.3	1 200
1996	60 129	54.6	183	9 600	8.7	1 146
1997	62 624	56.8	176	9 816	8.9	1 124
1998	63 483	57.1	175	9 873	8.9	1 126
1999	64 863	58.2	172	9 918	8.9	1 123
2000	65 997	59.0	170	9 917	8.9	1 128
2001	66 325	59.1	169	9 877	8.8	1 137
2002	67 079	59.6	168	9 955	8.8	1 130
2003	68 017	60.4	165	10 167	9.0	1 107
2004	69 713	62.0	161	10 452	9.3	1 075
2005	70 594	62.7	159	10 554	9.4	1 066
2006*	71 489	63.4	158	10 751	9.5	1 049

* Provisional

Note: Family physicians: 33 221

Source: Registration of Professionals of the Health.

Table 64. CUBAN HEALTH COLLABORATION BY REGIONS AND COUNTRIES. DECEMBER 2006

Americas regions	
Antigua and Barbuda	Haiti
Argentina	Honduras
Aruba	Jamaica
Bahamas	Mexico
Belice	Panama
Bolivia	Paraguay
Brazil	Peru
Colombia	Bolivarian Republic of Venezuela
Costa Rica	Dominican Republic
Dominica	San Kitts and Nevis
Ecuador	Saint Vincent and the Grenadines
United States of America	Saint Lucia
Grenada	Suriname
Guatemala	Trinidad and Tobago
Guyana	
African regions	
South Africa	Lesotho
Angola	Malí
Botswana	Mozambique
Burkina Faso	Namibia
Burundi	Niger
Cape Verde	Nigeria
Congo	RASD
Djibouti	Rwanda
Eritrea	Sao Tome and Príncipe
Ethiopia	Seychelles
Gabon	Sierra Leona
Gambia	Swazilandia
Ghana	Tchad
Equatorial Guinea	Uganda
Guinea Bissau	Zimbabwe
Guinea Conakry	
Eastern mediterranean regions	
Algeria	Yemen
Qatar	
South east Asia regions	
Laos	Timor Leste
European regions	
Italy	Ukraine
Switzerland	

Source: Central Unit of Collaboration

Table 65. Comprehensive health care program participating countries by continent. 2006

Latin America and the Caribbean

Belice
Bolivia
Guatemala
Haiti
Honduras
Paraguay
Dominica

Africa

Botswana
Burkina Faso
Burundi
Eritrea
Gabon
Gambia
Ghana
Equatorial Guinea
Guinea-Bissau
Guinea Conakry
Mali
Namibia
Niger
RASD
Rwanda
Sierra Leone
Swaziland
Tchad
Zimbabwe

Asia

Timor Leste

Source: Central Unit of Collaboration

Table 66. **HEALTH CARE FACILITIES BY TYPE. 31 DECEMBER 2006***

Facilities	Number
Medical care	
Hospitals	
General	83
Clinical and surgical	36
Pediatrics	24
Gynecological and obstetrics	14
Maternal and infant care	13
Rural	38
Oncological	2
Orthopedic	2
Psychiatric	24
Ophthalmologic	2
Antituberculosis	1
Leprosarium	1
Rehabilitation	2
Total **	243
Research institutes	13
Clinical of Retinosis Pigmentaria	8
Polyclinics	473
Dental clinics	164
Medical post	138
Maternal home	291
Blood banks	26
Social service	
Elderly homes	142
Ambulatory elderly homes	219
Disable homes	37

* Provisional

** Includes cardiocenter hospital of Villa Clara province

Table 67. MEDICAL CARE AND SOCIAL SERVICE BEDS. 1975, 1980, 1985 – 2006

Years	Medical care		Social service *		Total	
	Beds	Beds per 1 000 pop.	Beds	Beds per 1 000 pop.	Beds	Beds per 1 000 pop.
1975	43 299	4.6	7 945	0.9	51 244	5.5
1980	44 339	4.5	9 078	0.9	53 417	5.5
1985	52 267	5.1	11 517	1.1	63 784	6.3
1986	54 172	5.3	11 806	1.2	65 978	6.5
1987	57 424	5.6	12 411	1.2	69 835	6.8
1988	59 720	5.7	13 172	1.3	72 892	7.0
1989	63 068	6.0	13 610	1.3	76 678	7.3
1990	63 205	6.0	13 848	1.3	77 053	7.3
1991	64 347	6.0	14 481	1.4	78 828	7.4
1992	65 190	6.0	14 336	1.3	79 526	7.4
1993	65 392	6.0	14 201	1.3	79 593	7.3
1994	65 703	6.0	14 554	1.3	80 257	7.3
1995	66 116	6.0	14 227	1.3	80 343	7.3
1996	66 263	6.0	14 265	1.3	80 528	7.3
1997	66 948	6.1	14 068	1.3	81 016	7.3
1998	66 261	6.0	13 499	1.2	79 760	7.2
1999	61 756	5.5	14 808	1.3	76 564	6.9
2000	58 713	5.2	14 444	1.3	73 199	6.5
2001	56 868	5.1	14 383	1.3	73 157	6.3
2002	55 864	5.0	14 560	1.3	70 424	6.3
2003	55 428	4.9	14 575	1.3	70 003	6.2
2004	55 351	4.9	14 728	1.3	70 079	6.2
2005	54 857	4.9	14 650	1.3	69 507	6.2
2006**	54 771	4.9	14 621	1.3	69 392	6.2

* Includes beds of private facilities

** Provisional

Table 68. MEDICAL AND DENTAL VISITS. 1980 – 2006

Years	Medical			Dental	Total
	Outpatient	Emergency room	Sub-total		
			Visits		
1980	30 000 165	15 165 458	45 165 623	9 961 956	55 127 579
1981	31 248 293	17 743 161	48 991 454	10 512 170	59 503 624
1982	32 016 768	17 397 342	49 414 110	10 964 105	60 378 215
1983	33 412 974	18 188 616	51 601 590	11 100 928	62 702 518
1984	35 991 934	19 283 952	55 275 886	12 176 561	67 452 447
1985	39 166 669	20 473 707	59 640 376	13 767 766	73 408 142
1986	42 952 694	21 664 878	64 617 572	15 034 286	79 651 858
1987	45 543 827	20 723 740	66 267 567	15 690 996	81 958 563
1988	46 103 496	21 253 051	67 356 547	15 210 297	82 566 844
1989	46 652 673	20 211 876	66 864 549	15 176 962	82 041 511
1990	48 079 149	20 122 071	68 201 220	15 002 994	83 204 214
1991	49 793 456	19 330 448	69 123 904	14 402 822	83 526 726
1992	50 191 483	18 204 021	68 395 504	13 850 200	82 245 704
1993	47 449 735	17 311 779	64 761 514	12 742 794	77 504 308
1994	50 040 460	17 375 340	67 415 800	14 325 367	81 741 167
1995	56 915 855	18 213 646	75 129 501	16 156 145	91 285 646
1996	57 563 213	19 936 037	77 499 250	17 456 297	94 955 547
1997	57 786 423	21 087 302	78 873 725	19 586 677	98 460 402
1998	57 883 278	20 455 298	78 338 576	22 440 022	100 819 793
1999	60 866 546	20 388 191	81 254 737	23 932 264	105 187 001
2000	60 708 748	19 835 106	80 543 854	26 521 402	107 065 256
2001	58 156 325	19 777 458	77 933 783	27 424 861	105 358 644
2002	56 806 268	19 383 984	76 190 252	28 156 480	104 346 732
2003	52 628 212	18 846 698	71 474 910	28 346 698	99 821 608
2004	42 997 033	18 893 382	61 890 415	20 782 720	82 673 135
2005	39 206 257	20 792 319	59 998 576	17 943 732	77 942 308
2006*	39 172 468	22 247 804	61 420 272	17 622 879	79 043 151
Visits per inhabitant					
1980	3.1	1.6	4.6	1.0	5.6
1981	3.2	1.8	5.0	1.1	6.1
1982	3.3	1.8	5.0	1.1	6.2
1983	3.4	1.8	5.2	1.1	6.4
1984	3.6	1.9	5.6	1.2	6.8
1985	3.9	2.0	5.9	1.4	7.3
1986	4.2	2.1	6.3	1.5	7.8
1987	4.4	2.0	6.4	1.5	8.0
1988	4.4	2.0	6.5	1.5	7.9
1989	4.4	1.9	6.4	1.4	7.8
1990	4.5	1.9	6.4	1.4	7.8
1991	4.7	1.8	6.5	1.4	7.8
1992	4.6	1.7	6.3	1.3	7.6
1993	4.3	1.6	5.9	1.2	7.1
1994	4.6	1.6	6.2	1.3	7.5
1995	5.2	1.7	6.8	1.5	8.3
1996	5.2	1.8	7.0	1.6	8.6
1997	5.2	1.9	7.1	1.8	8.9
1998	5.2	1.8	7.0	2.0	9.1
1999	5.5	1.8	7.3	2.2	9.4
2000	5.4	1.8	7.2	2.4	9.6
2001	5.2	1.8	6.9	2.4	9.4
2002	5.0	1.7	6.8	2.5	9.3
2003	4.7	1.7	6.4	2.5	8.9
2004	3.8	1.7	5.5	1.8	7.4
2005	3.5	1.8	5.3	1.6	6.9
2006*	3.5	2.0	5.4	1.6	7.0

* Provisional

Table 69. PEDIATRIC VISITS BY AGE GROUPS. 1980 – 2006

Years	Under 1 year of age		1 – 4 years of age	
	Visits	Visits per inhabitant	Visits	Visits per inhabitant
1980	1 692 535	13.3	2 322 265	3.4
1981	1 965 051	14.7	2 413 970	4.2
1982	2 136 457	13.3	2 309 322	3.9
1983	2 447 807	14.8	2 503 518	3.9
1984	2 520 206	14.7	2 649 499	4.4
1985	2 841 905	17.3	2 997 286	5.1
1986	3 057 124	16.9	3 365 331	5.3
1987	3 152 697	17.2	3 624 422	5.7
1988	3 555 005	19.7	3 530 156	5.3
1989	3 657 739	19.9	3 639 563	5.3
1990	3 867 952	20.8	3 675 898	5.3
1991	3 788 331	20.3	3 626 498	5.1
1992	3 487 973	22.0	3 543 988	4.8
1993	3 189 152	18.2	3 048 761	4.2
1994	3 592 657	20.7	2 963 340	4.1
1995	5 122 940	29.9	3 193 886	4.5
1996	5 244 174	35.0	3 083 029	4.8
1997	5 359 552	36.8	2 913 643	4.7
1998	5 656 812	40.3	2 898 666	4.8
1999	5 893 803	41.9	3 054 075	5.0
2000	5 986 832	42.4	3 111 394	5.1
2001	4 980 207	33.1	3 148 460	5.3
2002	4 377 492	29.9	2 916 965	4.9
2003	3 960 922	28.7	2 598 656	4.4
2004	3 089 974	22.5	1 999 450	3.5
2005	2 557 741	19.7	1 739 826	3.1
2006*	2 327 355	18.4	1 656 124	3.0

Includes healthy baby visits

* Provisional

Table 69. PEDIATRIC VISITS BY AGE GROUPS. 1980 – 2006 (cont.)

Years	5 – 14 years of age		Total *	
	Visits	Visits per inhabitant	Visits	Visits per inhabitant
1980	3 369 458	1.5	8 153 030	2.7
1981	3 996 984	1.8	8 385 031	2.9
1982	3 707 336	1.7	8 153 661	2.8
1983	3 496 478	1.7	8 447 803	3.0
1984	3 454 494	1.7	8 624 199	3.1
1985	3 841 446	2.1	9 680 637	3.7
1986	3 971 553	2.3	10 394 008	4.1
1987	3 779 642	2.2	10 556 761	4.1
1988	3 602 851	2.2	10 688 012	4.3
1989	3 427 011	2.2	10 724 313	4.4
1990	3 351 741	2.2	10 895 591	4.5
1991	3 497 005	2.3	10 911 834	4.5
1992	3 462 600	2.3	10 494 561	4.4
1993	3 256 941	2.1	9 494 854	3.8
1994	3 395 293	2.1	9 951 290	4.0
1995	4 051 016	2.5	12 367 842	4.9
1996	3 975 054	2.4	12 302 257	5.1
1997	3 830 775	2.3	12 103 970	5.0
1998	3 602 687	2.1	12 158 165	4.9
1999	3 781 005	2.2	12 728 883	5.2
2000	3 723 004	2.2	12 821 230	5.2
2001	3 864 749	2.3	11 993 416	4.9
2002	3 474 391	2.2	10 768 848	4.4
2003	3 329 355	2.1	9 888 933	4.2
2004	2 338 928	1.5	7 428 352	3.3
2005	2 048 165	1.4	6 345 732	2.9
2006*	2 094 323	1.4	6 077 802	2.8

Includes healthy baby visits

* Includes visits of unknown age

** Provisional

Table 70. **HEALTHY BABY VISITS BY AGE GROUPS. 1975, 1980 – 2006**

Years	Under 1 year of age		1 – 14 years of age		Total	
	Visits	Visits per inhab.	Visits	Visits per inhab.	Visits	Visits per inhab.
1975	1 188 944	6.1	254 262	0.1	1 443 206	0.4
1980	1 055 029	8.3	575 566	0.2	1 630 595	0.5
1981	1 133 445	8.5	490 575	0.2	1 624 048	0.5
1982	1 248 025	7.7	577 587	0.2	1 825 612	0.6
1983	1 434 172	8.7	718 189	0.5	2 152 361	0.8
1984	1 487 806	8.7	881 423	0.3	2 369 229	0.9
1985	1 607 689	9.8	975 028	0.4	2 582 717	1.0
1986	1 735 917	9.6	1 124 485	0.5	2 860 402	1.1
1987	1 775 962	9.7	1 185 024	0.5	2 960 986	1.2
1988	1 994 582	11.1	1 155 943	0.5	3 150 525	1.3
1989	2 016 538	11.0	1 149 187	0.5	3 165 725	1.3
1990	2 052 093	11.0	1 085 964	0.5	3 138 057	1.3
1991	2 105 106	11.3	1 143 273	0.5	3 248 379	1.4
1992	2 123 305	13.4	1 260 780	0.6	3 384 085	1.4
1993	2 036 590	11.6	1 210 607	0.5	3 247 197	1.3
1994	2 319 105	13.4	1 265 315	0.5	3 584 420	1.4
1995	3 302 269	21.4	1 363 503	0.6	4 665 772	1.9
1996	3 516 702	23.5	1 396 108	0.6	4 912 810	2.0
1997	3 699 635	25.4	1 459 865	0.6	5 159 500	2.1
1998	3 901 594	27.8	1 505 346	0.6	5 406 940	2.2
1999	4 092 113	29.1	1 593 578	0.7	5 685 691	2.3
2000	4 157 346	29.4	1 711 930	0.7	5 869 276	2.4
2001	3 507 344	23.3	2 056 460	0.9	5 563 804	2.3
2002	3 074 814	20.4	1 665 748	0.7	4 740 562	1.9
2003	2 831 683	20.5	1 525 262	0.7	4 356 945	1.7
2004	2 196 593	16.0	939 377	0.4	3 135 970	1.4
2005	1 785 749	13.7	700 644	0.3	2 486 393	1.1
2006*	1 596 464	12.6	589 469	0.4	2 186 733	1.0

* Provisional

Table 71. SELECTED SURGICAL INDICATORS. 1990-2006

Years	Total surgeries	Major surgeries	%	Minor surgeries	%
1990	777 737	409 547	52.7	368 190	47.3
1991	674 028	366 369	54.4	307 659	45.6
1992	627 064	331 558	52.9	295 506	47.1
1993	509 198	265 846	52.2	243 352	47.8
1994	542 186	286 512	52.8	255 674	47.2
1995	551 182	293 328	53.2	257 854	46.8
1996	811 895	387 358	47.7	424 537	52.3
1997	870 784	393 569	45.2	477 215	54.8
1998	894 505	396 652	44.3	497 853	55.7
1999	927 406	430 826	46.5	496 580	53.5
2000	953 372	441 964	45.4	511 408	53.6
2001	943 122	441 464	46.8	501 658	53.2
2002	974 998	466 990	47.9	508 008	52.1
2003	960 268	465 612	48.5	494 656	51.5
2004	929 863	470 295	50.6	459 568	49.4
2005	936 212	492 972	52.7	443 240	47.3
2006*	878 169	476 831	54.3	401 338	45.7

* Provisional

Table 72. HOSPITAL BED OCCUPANCY RATES BY SELECTED MEDICAL SPECIALTIES. 1980, 1990 AND 2006

Specialty	1980	1990	2006*	1980	1990	2006*
	Average length of stay			Occupancy rate		
Medicine except psychiatry	10.3	10.9	8.1	82.8	81.7	72.5
Psychiatry	66.6	66.0	85.5	87.6	86.7	82.6
Surgery except pediatric surgery	11.6	11.3	8.5	84.8	79.8	63.2
Pediatric surgery	5.8	6.4	5.6	72.7	67.3	51.5
Obstetrics	6.6	6.5	6.9	86.3	82.2	67.8
Gynecology except abortions	5.0	4.1	3.0	81.0	77.1	59.9
Pediatric	6.0	5.7	4.7	73.2	61.5	55.2
Neonatology	8.4	7.9	7.3	55.3	66.0	46.6
Total	9.2	10.0	9.0	80.4	78.5	67.3
Specialty	Rotation rate			Substitution interval		
Medicine except psychiatry	30.1	27.4	32.8	2.1	2.4	3.1
Psychiatry	3.8	4.2	3.9	11.9	11.6	16.2
Surgery except pediatric surgery	26.7	25.9	27.1	2.1	2.8	5.0
Pediatric surgery	45.9	38.4	33.5	2.2	3.1	5.3
Obstetrics	49.4	45.9	35.7	1.0	1.4	3.3
Gynecology except abortions	58.9	67.9	72.6	1.2	1.2	2.0
Pediatric	45.9	42.6	43.3	2.1	2.9	3.8
Neonatology	24.1	30.3	23.2	6.8	4.1	8.4
Total	32.0	28.7	27.3	2.2	2.7	4.4
Specialty	Admissions per 100 population			Patient-days per 100 population		
Medicine except psychiatry	(1)	3.5	4.5	3.6	35.6	49.1
Psychiatry	(2)	0.3	0.4	0.2	23.6	26.9
Surgery except pediatric surgery	(1)	2.8	3.8	2.2	32.2	42.2
Pediatric surgery	(3)	1.5	2.3	1.5	8.6	14.6
Obstetrics	(4)	9.3	10.4	6.9	59.4	68.0
Gynecology except abortions	(5)	2.1	2.8	1.7	10.3	11.4
Pediatric	(3)	10.1	15.3	10.0	59.1	86.9
Neonatology	(6)	18.9	23.2	22.1	158.9	181.2
Total	(2)	13.0	15.2	10.1	119.2	151.3
						91.2

* Provisional

Rates calculated on the basis of:

- (1) Population of 15 years and over
- (2) Total population
- (3) Population under 15 years of age
- (4) Female population of 15 – 49 years of age
- (5) Female population 15 years and over
- (6) Live births

Rates calculated with real beds. Includes 8 - beds and over services

Table 73. **BED OCCUPANCY RATES BY TYPE OF HOSPITAL. 1980, 1990 AND 2006**

Type of hospital	1980	1990	2005*	1980	1990	2005*
Type of hospital	Average length of stay			Occupancy rate		
General	7.0	7.4	6.7	80.7	74.5	63.8
Clinical and surgical	12.4	12.3	9.1	86.5	79.0	69.6
Gynecological and obstetric	5.0	5.8	5.4	80.7	75.6	58.5
Mother and child	5.2	6.4	6.6	72.4	64.6	60.5
Pediatric	6.3	6.4	5.7	75.3	63.2	57.4
Rural	6.8	7.4	7.3	80.7	57.0	53.9
Type of hospital	Rotation rate			Substitution interval		
General	42.4	38.3	34.8	1.7	2.2	3.8
Clinical and surgical	25.5	25.0	28.0	1.9	2.3	4.0
Gynecological and obstetric	58.6	49.6	39.6	1.2	1.6	3.8
Mother and child	50.6	38.1	33.3	2.0	3.2	4.3
Pediatric	43.5	40.1	36.7	2.1	2.7	4.2
Rural	43.3	29.0	27.0	1.6	5.2	6.2
Type of hospital	Admissions per 100 population			Patient-days per 100 population		
General	(1)	4.0	5.3	4.2	27.8	38.7
Clinical and surgical	(1)	2.4	3.1	2.3	29.5	38.5
Gynecological and obstetric	(2)	6.1	5.2	2.3	30.6	50.0
Mother and child	(3)	1.7	0.8	0.5	8.9	4.9
Pediatric	(4)	7.1	11.4	7.7	44.7	72.5
Rural	(5)	1.0	1.8	0.7	5.0	13.4

* Provisional

Rates calculated with real bed on the basis of:

- (1) Total population
- (2) Female population of 15 years and over
- (3) Female population of 15 years and over and live births
- (4) Population under 15 years of age
- (5) Rural population

Rates calculated with real beds

Table 74. HOSPITAL ADMISSIONS. 1970, 1975, 1980 – 2006

Years	Number of admissions	Admissions per 100 population
1970	1 073 439	12.6
1975	1 249 798	13.4
1980	1 263 593	13.0
1981	1 358 547	13.9
1982	1 404 687	14.3
1983	1 443 801	14.6
1984	1 500 139	15.1
1985	1 608 551	16.0
1986	1 611 401	15.8
1987	1 598 693	15.5
1988	1 610 592	15.5
1989	1 625 399	15.5
1990	1 607 365	15.2
1991	1 513 547	14.2
1992	1 463 179	13.5
1993	1 388 840	12.7
1994	1 409 960	12.9
1995	1 434 458	13.1
1996	1 419 895	12.9
1997	1 441 896	13.1
1998	1 392 826	12.5
1999	1 369 986	12.3
2000	1 332 235	11.9
2001	1 291 877	11.5
2002	1 246 626	11.1
2003	1 220 163	10.8
2004	1 145 690	10.2
2005	1 133 275	10.1
2006*	1 144 655	10.1

* Provisional

Table 75. MATERNAL HOME ADMISSIONS. 1975 – 2006

Years	Admissions	Admissions per 100 live births
1975	24 629	12.8
1976	25 710	13.7
1977	27 302	16.2
1978	26 254	17.7
1979	26 548	18.5
1980	26 140	19.1
1981	28 312	20.8
1982	29 743	18.6
1983	31 272	18.9
1984	31 679	19.1
1985	36 871	20.3
1986	38 888	23.4
1987	43 125	24.0
1988	43 572	23.2
1989	45 462	24.6
1990	44 840	24.0
1991	45 345	26.1
1992	43 826	27.9
1993	44 523	29.2
1994	47 153	32.0
1995	48 765	33.1
1996	48 938	34.9
1997	51 318	33.6
1998	52 284	34.6
1999	55 348	36.7
2000	57 838	40.3
2001	59 267	41.3
2002	60 054	42.5
2003	56 910	41.6
2004	55 414	43.5
2005	54 054	44.8
2006*	53 430	48.0

* Provisional
Includes admissions in day program maternity home

Table 76. RESIDENTS IN ELDERLY HOME BY SEX. 1990 – 2006

Years	Male	Female	Total
Full-time residents			
1990	6 044	2 879	8 923
1991	6 108	2 971	9 079
1992	5 975	2 935	8 910
1993	5 681	2 861	8 542
1994	5 653	2 676	8 329
1995	5 745	2 615	8 360
1996	5 781	2 647	8 428
1997	5 692	2 604	8 296
1998	5 701	2 680	8 381
1999	5 665	2 582	8 247
2000	5 789	2 523	8 312
2001	5 649	2 618	8 267
2002	5 753	2 595	8 348
2003	5 733	2 513	8 246
2004	5 499	2 513	8 012
2005	5 347	2 445	7 792
2006*	5 460	2 343	7 803
Residents in day programs			
1990	1 684	916	2 600
1991	1 635	1 199	2 834
1992	2 043	1 181	3 224
1993	2 039	1 388	3 427
1994	2 166	1 452	3 618
1995	2 222	1 498	3 720
1996	2 299	1 621	3 920
1997	2 419	1 618	4 037
1998	2 474	1 593	4 067
1999	2 663	1 773	4 436
2000	2 592	2 288	4 880
2001	3 276	2 176	5 452
2002	3 779	2 418	6 197
2003	4 032	2 581	6 613
2004	4 032	2 548	6 580
2005	3 903	2 770	6 673
2006*	4 279	2 827	7 106
Total			
1990	7 728	3 795	11 523
1991	7 743	4 170	11 913
1992	8 018	4 116	12 134
1993	7 720	4 249	11 969
1994	7 819	4 128	11 947
1995	7 967	4 113	12 080
1996	8 080	4 268	12 348
1997	8 111	4 222	12 333
1998	8 175	4 273	12 448
1999	8 328	4 355	12 683
2000	8 381	4 811	13 192
2001	8 925	4 794	13 719
2002	9 532	5 013	14 545
2003	9 765	5 094	14 859
2004	9 531	5 061	14 592
2005	9 250	5 215	14 465
2006*	9 739	5 170	14 909

* Provisional

Table 77. BLOOD DONATIONS. 1980, 1985 – 2006

Years	Total of donors	Suitable donations		
		Number	Per 100 population	Per 100 admission
1975	330 128	312 352	3.3	25.6
1980	437 248	409 040	4.2	32.4
1985	548 259	498 746	5.0	31.0
1986	564 830	518 440	5.1	32.2
1987	603 101	553 972	5.4	34.7
1988	654 364	605 057	5.8	37.6
1989	658 599	615 292	5.9	37.8
1990	730 793	690 450	6.5	43.0
1991	691 396	652 914	6.1	43.1
1992	668 964	637 399	5.9	43.6
1993	596 247	570 689	5.2	40.6
1994	658 490	624 919	5.7	44.3
1995	586 205	563 895	5.1	39.3
1996	646 068	619 863	5.6	43.7
1997	647 599	622 742	5.6	42.9
1998	635 190	607 325	5.5	43.6
1999	646 332	615 666	5.5	44.9
2000	621 592	590 997	5.3	44.4
2001	585 867	554 633	4.9	42.9
2002	608 923	574 122	5.1	46.0
2003	626 912	590 877	5.3	51.3
2004	537 928	503 120	4.5	44.1
2005	524 351	495 343	4.4	43.7
2006	506 191	475 959	4.2	41.6

* Provisional

Table 78. **HEALTH PROFESSIONAL GRADUATES BY SPECIALTY. 1959 – 2006**

Years	Medicine	Dentistry	Nursing	Health technology	Total
1959	728 *	61	-	-	789
1960	-	56	-	-	56
1961	335	42	-	-	377
1962	434	20	-	-	454
1963	334	48	-	-	382
1964	312	29	-	-	341
1965	395	115	-	-	510
1966	380	-	-	-	380
1967	433	141	-	-	574
1968	616	20	-	-	636
1969	940	145	-	-	1 085
1970	700	101	-	-	801
1971	432	173	-	-	605
1972	853	333	-	-	1 186
1973	951	260	-	-	1 211
1974	1 269	300	-	-	1 569
1975	1 361	294	-	-	1 655
1976	1 477	142	-	-	1 619
1977	1 105	241	-	-	1 346
1978	579	250	-	-	829
1979	683	193	-	-	876
1980	764	218	10	-	992
1981	1 012	441	32	-	1 485
1982	1 087	3 **	48	-	1 138
1983	2 114	433	45	-	2 592
1984	1 945	571	41	-	2 557
1985	2 551	545	163	-	3 259
1986	3 041	478	159	-	3 678
1987	2 841	290	513	-	3 644
1988	3 401	323	604	-	4 328
1989	3 734	376	850	-	4 960
1990	4 223	555	1 273	-	6 051
1991	4 241	649	1 593	-	6 483
1992	4 583	616	36	-	5 235
1993	4 780	595	1 414	-	6 789
1994	4 627	556	1 344	45	6 572
1995	4 019	491	2 421	94	7 025
1996	3 534	455	2 331	88	6 408
1997	3 255	324	2 667	67	6 313
1998	2 271	282	2 359	40	4 952
1999	2 308	199	2 097	16	4 620
2000	1 840	141	1 957	15	3 953
2001	1 765	232	1 706	2	3 705
2002	1 836	238	1 777	36	3 887
2003	1 933	300	1 586	38	3 857
2004	1 960	290	1 268	22	3 540
2005	3 708	372	1 689	38	5 807
2006***	3 881	405	4 163	91	8 540
Total	91 571	13 342	34 146	592	139 651

* Includes two graduating classes

** Course duration extended 4 to 5 years

*** Provisional