

BIBLIOGRAFIA CONSULTADA

1. Abouma, G.M.: The place of Sugiura operation for portal hypertension and bleeding esophageal varices. *Surg.* 101:1; 91-98, 1987.
2. Akahoshi T, Hasizume M, Shimabukuru r, et al Long-term results of endoscopic Histoacryl injection sclerotherapy dor gatric variceal bleeding: a 10 years experience. *Surgery* 2002;131:S176-S181
3. Atkenson-Sherlock: Intraesplenic pressure as index of portal venus pressure. *Lancet* 1:1325,1327, 1954.
4. Arcari, F.A.: Bleeding esophageal varices in children. *Surg. Gyn. & Obst.* 112:101-05, 1961.
5. Barbot, D.J.: Experience with the esophagogastric devascularization procedure. *Surg.* 101:6; 685-690, 1987.
6. Bell, R.H.: Outcome in cirrhotic patients with acute alcoholic hepatitis after emergency portocaval shunt for bleeding oesophageal varices. *Ann. of Surg.* Vol. 147:78-84, 1984.
7. Belli I, Puttini M, Marni A. Extrahepatic portal obstruction:clinical experience and surgical treatment in 105 patients. *J. Cardiovasc. Surg.* 1980;21:439-444
8. Bessa, S.M.: The distal splenorenal shunt in patients with variceal bleeding due to schistosomal hepatic fibrosis. *Surg. Gyn. & Obs.* 165:143-147, 1987.
9. Bismuth, H.: Portal-Systemic shunt in hepatic cirrhosis. *Ann. of Surg.* 179:2; 209-218, 1974.
10. Bothe, A.: Portoazygous disconnection for bleeding oesophageal varices. *The Ann. J. Surg.* 149; 546-550, 1985.
11. Boyer, TD: Effect of distal splenorenal shunt on survival of patients with primary biliary cirrhosis *Hepatology*. 1994 Dec; 20(6): 1482-6.
12. Burroughs A. A comparision of sclerotherapy with staple transection on the esophagies for emergency control of bleeding from esophageal varices. *The new engl. J. of Med.* 1989 vol 321 No.13, 857-862.
13. Buset M. et al. Bleeding esophagogastric varices: an endoscopy study. 1987, 82 (3) 241-244.
14. Campo R. Factores predictivos de morrtalidad precoz en el primer episodio hemorrágico por várices hemorrágicas. *Rev. esp de enfermedades digestivas* 1996. 88 (6) 395-399.

15. Clatworthy, H.W.: Extra hepatic portal hed block in children: Pathogenesis and treatment. Ann. of Surg. 150:371-75, 1959.
16. Collaguazu, P.M.: Association of gastroduodenal mucosa lesions and varices as a cause of upper digestive hemorrhage. Retrospective study at a university hospital. Arq. Gastroenterol. 1993 Oct-Dec; 30(4): 88-93.
17. Cheng, C.R.: Sclerotherapy for asophageal variceal bleeding in advanced hepatocellular carcinomas an 8 experience in Taiwan. J. Gastroenterol. 1994 Aug; 29(4):474-8
18. Child, CHS: The liver and portal hypertension. 3er. Ed. Saunders, 1964. Univ. Michigan.
19. Chiles, N.H.: Esophageal varices: comparative incidence of ulceration and spontaneous rupture as cause of portal hemorrhage. Gastroenterology, 25:565-69, 1953.
20. Darsee, J.: Hemodynamics of Le Veen shunt. Pulmonary Edema. Ann. of Surg. 194:2; 189-192, 1981.
21. Desai, S.P.: Branched-Chiari amino acid aministration in surgical patients. Arch. Surg. -Vol. 122, July 1987, 760-764.
22. Dixon, J.A.: Current laser applications in general surgery. Ann. of Surg. Vol. 207, No. 4, 355-371, April 88.
23. Dollar M.E.: Esophageal structures after endoscopic injections sclerotherapy (letter). Endoscopy. 1994 May; 26(4):370.
24. Dorta, F.: Esclerosis de várices esofágicas. Evolución a medio plazo. Cir. Española. 39;4, 599:602, 1985.
25. Drapanas, T.: Interposition mesocaval shunt for treatment of portal hypertension. Ann. of Surg. 176:435-448, 1972.
26. Eckhauser, F.: Parastomal ileal conduit hemorrhage and portal hypertension. Ann. of Surg. 192:5; 620-624, 1983.
27. Eckstein, M.R.: Gastrointestinal bleeding. An angiographic perspective. The Surg. Clin. of N. Am. 64:1; 37-51.
28. Fisher, D.F.: Collateral mesenteric circulation. Surg Gyn. & Obst. May 1987, Vol. 164, 487-92.
29. Friedman, J.: Surgery in the patient with liver disease. Surg. Clin. of N. Am. 71:3; 453-476, 1987.

30. Friedman, L.S.: Cirugía en el paciente con hepatopatía. Clin. Med. N. Am. Vol. 3, 1987; 451-74.
31. Furhman MG, Leach SD, Stanley CA, et al. Rationale for en-bloc vein resection in the treatment of pancreatic carcinoma adjacent to the superior mesenteric-portal vein confluence. Pancreatic Tumor Study group. Ann. Surg. 1996;223:154-162
32. Garden O.J. Prediction of outcome following acute variceal haemorrhage. Br. J. Surg 1985, vol 72 feb 91-95.
33. Gatta, A.: Validation of a prognostic index predicting death after upper gastrointestinal bleeding in patients with liver cirrhosis: A Multicenter study. Jun 7. Gastroenterol. 1994 Sep, 89 (9); 1528-36.
34. Garrison, R.N.: Clarification of risk factors for abdominal operations in patients with hepatic cirrhosis. Ann. of Surg. 199:9; 648-655, 1984.
35. Gendi, M.A.: Effect of gastro-esophageal decongestion on variceal pressure in patients with schistosomas hepatic fibrosis. Int-Surg. 1994 Jan-Mar; 79(1): 68-71.
36. George, P.: Emergency oesophageal transection in uncontrolled variceal haemorrhage. The Br. J. of Surg. 60:8, 635-640, 1964.
37. Gibb, S. Peter: Use of Fiberoptic Endoscopy in Diagnosis and Therapy of Upper Gastrointestinal Disorders. The Med. Cl. of N. Am. Vol. 70:6, Nov 1986; 1307-24.
38. Gil, R.A.: Aminopyrine breath test predicts surgical risk for patients with liver disease. Ann. of Surg. 198:6; 701-704, 1983.
39. Giles, G.R.: Interposition teflon mesenteric caval shunt for bleeding oesophageal varices. The Br. J. of Surg. 60:8; 649-652, 1973.
40. Graham D. The course of patients after variceal hemorrhage. Gastroent. 1989; 80, 801-809
41. Haag. K: Hemodynamics, liver function and clinical follow-up after TIPS. Radiolog 1994 Apr; 34(4) 183-6.
42. Hallman, H.: Criterio de tratamiento medicoquirúrgico de várices esofágicas. Ann. of Surg. 140:816-820, 1980.
43. Ham, H.R.: Esophageal transit of liquid in chronic alcoholism in patients with cirrhosis. Influence of esophageal varices.. Clin-Med-Med. 1994 Sep; 19(9):809-812
44. Han HS, Bae JM,Kim YW, et al.Gastric fundectomy with esophageal transection anastomosis in gastric variceal bleeding. In World Congress of CICD Proceedings,1996;581-585

45. Han H S, Nam-Joon Yi, et col. New operative method for fundal variceal bleeding: Fundectomy with periesophagogastric devascularization. World j. of surg. 2004;28,406-410
46. Hashizume M, Tanoue K. Morita M, et al Laparoscopic gastric devascularization and splenectomy for sclerotherapy-resistant esophagogastric varices with hypersplenism. J. am. Coll. Surg. 1998;187;263-270
47. Haassab MA. Gastro-esophageal decongestion and splenectomy, GEDS (Hassab), in the management of bleeding varices: review of literature. Int, Surg, 1988;83;38-41
48. Hepner, H.: Quantitative function by breath analysis after one administration of [14C] aminopyrine. Ann. of Intern. Med. 1975; 83:632-38.
49. Hodgson, K.J.: Retroperitoneal approach to the Warren shunt. The Am. J. of Surg. Vol. 155, April 1988, 606-610.
50. Honein, K: Complications of endoscopic sclerotherapy of esophageal varices. J.Med. Liban 1993; 41(1) 22-6.
51. Hermann, C.: Selection of patients for shunt. JAMA 196:1039-1041, 1966.
52. Hunt P.S. An 88 years prospective experience with balloon taponade in emergency control of bleeding esophageal varices. Dig. Diseases and Sc 1982..27 (5) 413-416..
53. Harrison LE, Klimstra DF, Brennan MF, Isolated portal vein involvement in pancreatic adenocarcinoma: a contraindication for resection? Ann. Surg. 1996;224;342-349
54. Honkung Z,Nam Zhang, Ming L, Wei I, SonglinP. Surgical treatment of Portal Vein Cavernomatous Transformation. W J Surg.2004;28;708-711
55. Iwatsuki Starzl: Trasplante hepático ontotópico como solución a pacientes calificados como C en escala de Child con várices sanguíneas. Ann. of Surg. 203:3; 261-271, 1987.
56. Kallio, P.: Haemodynamics after distal portacaval shunt. Acta Chir. Scand. 150:1; 35-40, 1984.
57. Karrer, F.M: Portal vein thrombosis: treatment of variceal hemorrhage by endoscopic variceal ligation. J. Pediatr. Surg. 1994 Aug; 29(8): 1149-51
58. Katsuki, J.O.: New approach in the management of oesophageal varices. Br. J. Surg. 74:607-609, 1987.
59. Kawasaki, S.: Effects of non shunting operations on portal venous pressure and hepatic flow. The Am. J. of Surg. 153:295-297, 1987.
60. Keighley, M.: Long term results of surgical treatment for bleeding oesophageal varices in children. The Br. J. of Surg. 60:8; 641-646, 1973.

61. Kitano, S.: Trial of sclerosing agents in patients with oesophageal varices. *Br. J. Surg.* 1988, Vol. 75, Aug. 751-753.
62. Kitano, S.: Laparoscopy-assisted devascularization of the lower esophagus and upper stomach in the management of gastric varices. *Endoscopy*. 1994. Jun; 26(5): 470-3
63. Koolpe, H.A.: Hemodynamic C guidelines for surgical therapy of portal hypertension. *Ann. of Surg.* 194:5; 553-561, 1981.
64. Kiyoai, I.: Exclusion of non isolated splenic vein in distal splenorenal shunt for prevention of portal malcirculation. *Ann. of Surg.* 200:6; 711-717, 1984.
65. Koyanagi, N.: Recurrence of varices after oesophageal transection: intraoperative and assessment by endoscopy. *Br. J. Surg.* Vol. 75, 9-11, January.
66. Liebowitz, H.R.: Pathogenesis od esophageal varix rupture. *JAMA* 175, 874-877, 1961.
67. Kristiansen, J.: Rupture of the stomach complicating bleeding oesophageal varices. *Acta Chir. Scand.* 148:2; 135-137, 1982.
68. Liebermann-Meffert, D.: Esophagectomy without thoracotomy there a risk of intramediastinal bleeding?. *Ann. of Surg.* Vol. 206:2; 185-91.
69. Levine, B.A.: Gastric devascularization. *Surg. Gyn. & Obst.* 165; 157-61, Ag 1987.
70. Madden, J.L.: Consideraciones sobre las causas y conducta quirúrgica en la hipertensión portal. *La Prensa Med. Arg.* 1964:162-167 (NUM. CINCIENT.).
71. Marshall, J.: Long term results of emergency portacaval shunt for bleeding esophageal varices in unselected patients with alcoholic cirrhosis. *Ann. of Surg.* 192:3, 325-340, 1980.
72. Marshall, J.O.: Long term survival after emergency portacaval shunting for bleeding varices in patients with alcoholic cirrhosis. *The Am. J. of Surg.* 151; 176-183, Jan 1986.
73. Mathie, R.T.: Haemodynamic and metabolic consequences of reversed portal venus flow, after side-to-side portacaval shunt. *Acta Chir. Scand.* 153:653-58, 1987.
74. Matsumoto, H: Complete erradication by endoscopic injection sclerotherapy reduces the recurrence of esophageal varices. *Nippon. Shok. Gakkai. Zasshi.* 1994 Oct; 91(10):1921-8
75. Mc Cleod, M.: Significance of corrected sinusoidal pressure (C Sp) in patients with CH and portal hypertension. *Ann. of Surg.* 194:5; 562-567, 1981.

76. Mc Kee: A trial of elective versus an demand sclerotherapy in poor risk patients with variceal haemorrhage. Endoscopy. 1944 Jun; 26(5): 474-7
77. Millikan, W.J.: The emory prospective randomized trial: selective versus non selective shunt to control variceal bleeding. ten years follow up. Ann. of Surg. 201:6; 712-722, 1985.
78. Mitchell, R.L.: Distal splenorenal shunt: Standard procedure for elective and emergency treatment of bleeding esophageal varices. The Am. J. of Surg. Vol. 156, Sept. 88, 169:172.
79. Mols, P.: Hemodynamic effects of vasopression. Alone and combination with Nitroprusside, in patients with liver cirrhosis and portal hypertension. Ann. of Surg. 199:2; 176-181, 1984.
80. Mucha, R.: EEA stapling for control of acute variceal hemorrhage. Technique and indications. The Ann. J. Surg. 148; 399- 401, 1984.
81. Multicentric: Sclerotherapy for male alcoholic cirrhotic patients who have bled from esophageal varices: results of a
82. randomized, multicenter clinical trial. The veterans affairs cooperative variceal sclerotherapy group. Hepatology; 1994 Sep; 20(3): 618-25
83. Nagasue, N.: Clinical comparison between original and modified distal splenorenal shunt. Surg. 101:6; 661-667, 1987.
84. Nagasue, N.: Successful treatment of carolis disease by hepatic resection. Ann. of Surg. 200:6; 718-723, 1984.
85. Nakamura H, Goseki N, Dobashi Y, et al. Hassab operation with intraoperative endoscopic injection sclerotherapy (Hassab-EIS) for esophagogastric varices:with an autopsied case after excessive gastric vascular damage. Hepatogastroenterology, 1996;43:980-986
86. Nakamura H, Inoue H, Kawano t, et al.Selection of the treatment for esophagogastric varices: analysis of collateral structures by endoscopic ultrasonography. Surg. Endosc.1992;6:228-234
87. Nakamura, K: Transjugular intrahepatic portosystemic shunt. Early experience in eleven liver cirrhosis patients. Nippon. Shok. Sakkai. Zasshi. 1994 Jul; 91(7): 1210-9
88. Nevens F, Broeckaert L, Retageerts P, et al. the long term morbidity and mortality rate in a cohort of patients with liver cirrhosis and oesophageal varices. Hepatogastroenterology 1995;42:979-984
89. Netter, M.: Ciba Collection. T III/3 p. 72-73, 1981.

90. Noldge, G: Transjugular intrahepatic portosystemic stent shunt (TIPS) Technique of implantation. Radiolog. 194 Apr; 34(4): 168-73.
91. Nordlinger, B.M.: Angiography in portal hypertension. The Am. J. of Surg. Vol. 139, 132-141, Jan 1980.
92. -Obashi K, Kojima K, Fukazawa M, et al.Long term prognosis of non-shunt operation for idiopathic portal hypertension. J. Gastroenterol. 1998;33:241-246
93. O'Donnell, L.: Costs of bleeding oesophageal variceal. Surg. 88:693-697, 1980.
94. Ohta, M: Endoscopic injection sclerotherapy for esophageal varices in the elderly. World surg 194 Sep-Oct; 18(5): 764-8
95. Orloff, M.J.: Emergency portacaval shunt: A comparative study of shunt, varix ligation and non surgical treatment of bleeding esophageal varices in unselected patients with cirrhosis. Ann. of Surg. Vol. 166, No. 3, 456:478, Sept. 67.
96. Orloff, M.J.: Hyperparathyroidism, Cirrhosis and Portacaval Shunt. The Am. J. of Surg. Vol. 155, Jan 1988, 76:81.
97. Otto, G: Shunt surgery in portal hypertension pathophysiology and indications. Radiolog. 1994 Apr; 34(4): 191-5.
98. Otto G.: Liver transplantation after surgical shunt or transjugular portosystemic shunt. Radiolog. 1994 Apr; 34(4): 187-90.
99. Paquet, K.J.: Prospective evaluation and long-term results of mesocaval interposition shunts. Acta Chir. Scand. 153:423-429, 1987.
100. Paquet K.J.: Current therapeutic strategy in bleeding esophageal varices in babies and children and long term results of endoscopic prevariceal sclerotherapy over twenty years. Eur. J. Pediatr Surg 1994 Jun; 4(3):165-72
101. Parson, R.: Clasificación del EEG en la encefalopatía amoniaca. Lancet 2:867-871, 1957.
102. Potts, J.R.: Distal splenorenal shunts for variceal hemorrhage. The Am. J. of Surg. 148:813-816, 1985.
103. Persson, Alfred: Recent advanced in imaging and evaluation of blood flow using ultrasound. The Med. Cl. of North Am. Nov, Vol. 70:6, 1986; 1241-52.
104. Pin-Wen Lin: Simple effective procedure with few complications for esophageal varices. World J. Surg. 1995, 19, 424-429.
105. Popper, H.: Lesión y reparación del hepatocito. Clin. Med. N. Am. 3:479-493, 1979.

106. Procedimientos esofágicos para controlar las várices esofágicas sanguíneas. Clin. Quir. Norte Am. 4; 912-915, 1983.
107. Pugh, N.H.: Transection of the oesophagus for bleeding oesophageal varices. The Br. J. of Surg. 60:8; 646-649, 1973.
108. Reilly, J.J.: Esophageal function after injection sclerotherapy. Pathogenesis of E. Stricture. The Ann. J. Surg. 147; 85-88, Jan, 1984.
109. Richards, W.D.: Evaluation and treatment of early hemorrhage of the alimentary tract after selective shunt procedures. Surg. Gyn. & Obst. 164:530-536, 1987.
110. Richter, G.M: Long term results after TIPSS with the palmag stent. Radiolog 1994 Apr; 34(4): 178-82.
111. Rikkers, L.F.: Selective operations approach for variceal hemorrhage. Ann. of Surg. 147:89-96, 1984.
112. Rikkers, L.F.: A randomized, controlled trial of the distal splenorenal shunt. Ann. of Surg. Vol. 188, No. 3, Set 1978.
113. Rikkers, L.F.: Significance of hepatic hemodynamic. Changes after operation for portal hypertension. The Am. J. of Surg. Vol. 153, 298-299, 1987.
114. Rikkers, L.F.: Shunt surgery versus endoscopic sclerotherapy for long term treatment of variceal bleeding. Ann. of Surg. 203:3; 261-271, 1987.
115. Rommie T, Poon, M S, Sheun T F, Cung Mao L, et al Pancreaticoduodenectomy with en bloc Portal Vein resection for pancreatic carcinoma with suspected Portal Vein Involvement, W.J.Surg. 2004;28:602-608
116. Ruder, R.: Splenic vein thrombosis with bleeding gastroesophageal varices. Acta Chir. Scand. 150:3; 265-268, 1984.
117. Rypins, E.B.: Predictability and maintenance of portal flow patterns after small-diameter portacaval H-grafts in man. Ann. of Surg. 200:6; 706-710, 1984.
118. Samerbrech, T: Current therapeutic possibilities in aesophageal varices. Schweiz. Remdsch. Med. Pax. 1994 Nov 15; 83(46).
119. Samuels T.: Respiratory function after injection sclerotherapy of aesophageal varices. Gut. 1994 Oct; 35(10): 1459-63.
120. Sarr, M.G.: Long term patency of the mesocaval C shunt. The Am. J. of Surg. 151:98-103, 1986.

121. Sarfeh, J.: Portocaval H-Graft: Relationships of shunt diameter, portal flow patterns and encephalopathy. *Ann. of Surg.* 197:4; 422-426, 1984.
122. Sarfeh, J.: Técnica de shunt distal con ligado de colaterales descrito por Sarfeh. *Ann. of Surg.* 1983; 197:4221.
123. Sarfeh, J.: Clinical significance of erosive gastritis in patients with alcoholic liver disease and upper gastrointestinal haemorrhage. *Ann. of Surg.* 194:2; 149-151, 1981.
124. Sarfeh, J. et al: Clinical implications of portal hemodynamics after small-diameter porto-cavel H Graft. *Surrgergy* 1984 96(2) 223-229
125. Sarin, S.K.: Endoscopic sclerotherapy in the treatment of gastric varices. *Br. J. Surg.* 1988, Vol. 75, Aug 747:750.
126. Sarin SK. Laboti D. Saxena SP, et al. Prevalence, classification and natural history of gastric varices: a long-term follow up study in 568 portal hypertension patients. *Hepatology* 1992;16:1343-1349
127. Scholz, Francis J.: Digital subtraction angiography. *The Med. Clin. of N. Am.* Vol 70:6, Nov. 1986; 1253-66.
128. Söderlund, C.: Budd-Chiari Syndrome. *Acta Chir. Scand.* 148:6; 425-426, 1982.
129. Söderlund, C.: Variceal haemorrhage. *Acta Chir. Scand.* 148:3; 275-279, 1982.
130. Sood, S.: Use of sodium nitroprusside induced hypotensive anaesthesia for reducing blood loss in patients undergoing lienorenal shunts for portal hypertension.
131. Spence, R.: Venous anatomy of the lower oesophagus: A new perspective on varices. *Br. J. Surg.* 74:659-660, 1987.
132. Seewald S, Mendoza G, Seitz U, et al. Variceal bleeding and portal hypertension: has there been any progress in the last 12 months? *Endoscopy* 2003;35: 136-144
133. Stanley, M.: Tratamiento de la ascitis rebelde en sujetos con cirrosis alcohólica por medio de la derivación peritoneo venosa (Le Veen). *Clin. Med. N. Am.* 3:521-534, 1979.
134. Stiegmann, G.: Endoscopic ligation of esophageal varices. *The Am. J. of Surg.* Vol. 156, part 2, Sept. 88, 9B-12B.
135. Sugiura, K.: A new technic for treating esophageal varices. *J. Thos. Card. Surg.* 66:667-671, 1973.
136. Terblanche, J.: Acute bleeding variceal. A five years prospective evolution of taponade and sclerotherapy. *Ann. Surg.* 194:4, 521-527, 1981.

137. Terpstra, O.T.: Late results of mesocaval interposition shunting for bleeding oesophageal varices. Br. J. Surg. 74:787-790, 1987.
138. Terracol: Patología del esófago. 1963.
139. Thakeb, F: Endoscopic diagnosis of gastric varices. Endoscopy. 1994, Mar; 26(3): 287-91
140. Thellmann, L: Transjugular intrahepatic portasystemic stent shunt (TIPSS). Results and complications. Radiolog. 1994 Apr; 34(4): 174-7.
141. Thellmann, L: Transjugular intrahepatic portasystemic stent shunt (TIPSS). Indications and postoperative management. Radiolog. 1994 Apr; 34(4) 164-7
142. Tomikawa M, Hashizume M, Saku M, et al. Effectiveness of gastric devascularization and splenectomy for patients with gastric varices. J. Am. Coll Surg. 2000;191:498-503
143. Vickers, C.: Prevention of rebleeding from oesophageal varices: Two years follow up of a prospective controlled trial of propantheline in addition to sclerotherapy. Y- Hepatol. 1994 Jul; 21(1): 81-7.
144. Villeneuve, J.P.: Emergency portacaval shunt for variceal hemorrhage. Ann. of Surg. 206:1; 48-51, 1987.
145. Wanamaker, S.: Use of EEA stapling instrument for control of bleeding esophageal varices. Surg. 94:4; 620-623, 1983.
146. Warren WD, Salam AA, Hutson D, et al. Selective distal splenorenal shunt: tecnic and results of operation. Arch. Surg. 1974;108:306-314
147. Warren, D.: Non cirrhotic portal vein thrombosis. Physiology before and after shunt. Ann. of Surg. 192;3, 341-349, 1980.
148. Warren, W.D.: Selective trans-splenic decompression of gastroesophageal varices by distal splenorenal shunt. Ann. of Surg. Vol. 166, No. 3, 437:454, Sept, 1967.
149. Warren, W.D.: The value of a Japanese experience with non shunt procedures for central of variceal bleeding. The Am. J. of Surg. Vol. 153, Nov. 87, 298.
150. Weiss, S.M.: Aspectos de la nutrición en el cuidado preoperatorio. Clin. Med. N. Am. Vol. 3, 1987; 367-74.
151. Wexler, M.: Procedimientos esofágicos para controlar el sangramiento por várices esofágicas. Clin. Quir. N. Ann. 4; 911- 912, 1983.
152. Williams S.G: Thrombosis an effective treatment for gastric variceal haemorrhage. Gut. 1994 Sep; 35(9) 1287-9.

153. Yasuo Idezuki: General rules for recording endoscopic finding of esophagogastric varices. World J. Surg, 1995. 19, 420-423.
154. Yoshida. T: Endoscopic ligation of gastric varices using a detachable snake. Endoscopy 1994 Jun: 26(5): 502-5.
155. Zeppa, R.: Portal hypertension. A fifteen year perspective. The Am. Jour. of Surg. Vol. 155, 6-9, Jan 1988.